


A close-up photograph of a person's hands tying a brown leather Ariat work boot. The boot has a black rubber toe cap and a thick, treaded sole. The person is wearing khaki pants. The background is a blurred construction site with a corrugated metal roof.

**ARIAT**  
**WORK**

PRICE INCLUDED

SPRING  
2026

**WORK**  
**FOOTWEAR**





## ENGINEERED FOR EXTREME ENVIRONMENTS

Ariat is proud to offer an extensive line of Ariat® work boots and workwear that meet or exceed industry standards for safety, and are engineered for brute strength and active mobility in the most extreme environments.







# WORK FOOTWEAR SPRING 2026

DIRT  
WORLD  
SUMMIT

BuildWitt

SkillsUSA



## TABLE OF CONTENTS

### TECHNOLOGY

|    |                                    |
|----|------------------------------------|
| 6  | Platform Guide                     |
| 8  | Technology                         |
| 12 | Insoles                            |
| 13 | Additional Technologies & Features |

### WORK

|    |                      |
|----|----------------------|
| 18 | Catalyst™ VX Work    |
| 19 | OverDrive™           |
| 20 | Endeavor             |
| 23 | Powerline            |
| 24 | Logger Shock Shield® |
| 27 | Stump Jumper™        |
| 30 | RigTek™              |
| 32 | Big Rig              |
| 34 | MasterGrip™          |
| 35 | Turbo Duratread™     |
| 38 | Turbo                |
| 44 | Rebar® Lift          |
| 48 | Rebar® Wedge         |
| 50 | Rebar® Flex          |
| 51 | Groundbreaker        |
| 53 | Treadfast            |
| 56 | Edge                 |
| 63 | Working Mile         |
| 64 | Outmatch             |
| 66 | Buckeye Safety       |
| 67 | Outpace®             |

### WOMEN'S WORK

|    |                            |
|----|----------------------------|
| 42 | Women's Riveter            |
| 47 | Women's Rebar® Lift        |
| 49 | Women's Rebar® Wedge       |
| 55 | Women's Treadfast          |
| 58 | Women's Edge               |
| 59 | Women's Tracey             |
| 61 | Women's Casual Work        |
| 62 | Women's Expert Safety Clog |
| 66 | Women's Buckeye Safety     |
| 69 | Women's Outpace® Shift     |

### REFERENCE

|     |                                  |     |                                                  |
|-----|----------------------------------|-----|--------------------------------------------------|
| 116 | Marketing Materials              | 132 | Index by Puncture Resistant                      |
| 121 | Sizing Reference                 | 133 | Index by Carbon Toe                              |
| 121 | International Sizing Equivalents | 134 | Index by Composite Toe                           |
| 121 | Extra Sizes                      | 135 | Index by Steel Toe                               |
| 129 | Index by DryShield™              | 135 | Index by 100% Non-Metallic                       |
| 130 | Index by BOA®                    | 136 | Index by Slip Resistance Rating <b>SR</b> rated  |
| 131 | Index by Insulated               | 138 | Index by Slip Resistance Rating <b>SRO</b> rated |
| 131 | Index by Met Guard               | 138 | Index by Style Name                              |
| 132 | Index by Static Dissipative      | 140 | Index by Style Number                            |

### WESTERN WORK

|     |                     |
|-----|---------------------|
| 72  | Catalyst™ VX Work   |
| 73  | Hermosa XR™         |
| 75  | Intrepid™           |
| 76  | OverDrive™          |
| 77  | WorkHog® XT         |
| 82  | WorkHog®            |
| 88  | RigTek™             |
| 90  | Big Rig             |
| 93  | Sierra              |
| 97  | Ironside            |
| 98  | Activator           |
| 102 | Terrain Work        |
| 103 | Rebar® Flex Western |
| 106 | Groundbreaker       |
| 109 | Rambler Work Wedge  |

### WOMEN'S WESTERN WORK

|     |                       |
|-----|-----------------------|
| 101 | Women's Activator     |
| 110 | Women's Tracey        |
| 111 | Women's Anthem Work   |
| 113 | Women's Fatbaby® Work |



# TECHNOLOGY





# ARIAT WORK PLATFORM GUIDE

## OUTDOOR WORK

BUILT FOR  
BEST FOR

PLATFORMS

Oil and gas  
exploration

High heat environments

Utilites and heavy-duty  
construction

Heavy-duty construction

Oilfield or industrial work  
with chemicals



### CATALYST™ VX WORK

Heavy-duty protection with advanced cushioning and maximum wear resistance



### SIERRA

Extreme durability and high heat resistance



### POWERLINE

Aggressive outdoor traction with tempered steel stability shank



### ENDEAVOR

Full underfoot support and cushioning with durable outdoor traction



### BIG RIG

A roomier fit with durable support for those with a bigger build



### RIGTEK™

Durable traction with long-lasting cushioning



### OVERDRIVE™

Maximum side-to-side stability and comfort with superior durability



### SIERRA SHOCK SHIELD™

Extreme durability and high heat resistance with heel shock absorption



### WORKHOG®

Maximum side-to-side stability and comfort with superior durability



### WORKHOG® XT

Maximum side-to-side stability and comfort with superior durability



### HERMOSA XR™

Ergonomic support with exceptional durability



### INTREPID™

Active rebound and stability for superior comfort



### LOGGER SHOCK SHIELD™

Aggressive outdoor traction with heel shock absorption



### STUMP JUMPER™

Aggressive traction and advanced stability with anti-fatigue cushioning





## INDOOR WORK

BUILT  
FOR  
BEST

PLATFORMS

## Construction

## Farm and ranch work

## Factory and warehouse work

Electronics, explosives or  
chemicals manufacturing**ACTIVATOR**

Lightweight, cushioning  
comfort with durability

**TREADFAST**

All-purpose comfort with slip-  
resistance

**ANTHEM WORK**

Lightweight, flexible all-day  
comfort

**MASTERGRIP™**

Anatomical support and  
cushioning with slip resistance

**BUCKEYE SAFETY**

All-day cushioning and support  
with slip resistance

**CASUAL WORK**

Static dissipating construction  
with slip resistance

**RAMBLER WORK WEDGE**

All-day cushioning and  
stability

**TURBO**

Superior cushioning and  
flexibility for long-lasting comfort

**FATBABY™ WORK**

Durable, stirrup-friendly  
support

**TRACEY**

Slip resistance with durability

**EDGE**

Lightweight, flexible comfort

**EXPERT SAFETY CLOG**

Static dissipating construction  
with slip resistance

**REBAR™ FLEX**

Flexible cushion for kneeling  
and bending

**TURBO DURATREAD™**

Superior cushioning and flexibility  
for long-lasting comfort

**GROUNDBREAKER**

Versatile traction with comfort

**OUTMATCH**

All-day cushioning and support  
with slip resistance

**REBAR™ FLEX WESTERN**

Flexible cushion for kneeling  
and bending

**IRONSIDE**

Durable stability with multi-  
surface traction

**OUTPACE®**

All-day cushioning and support  
with slip resistance

**REBAR™ LIFT**

Lightweight, cushioning  
comfort with durability

**TERRAIN WORK**

Versatile traction with comfort

**WORKING MILE**

All-day cushioning and support  
with slip resistance

**REBAR™ WEDGE**

Lightweight, cushioning  
comfort with durability

**RIVETER**

Advanced comfort and stability  
with full-range traction



## UNPARALLELED FIT AND COMFORT



Our premium technology provides temperature management, advanced support, and enhanced flexibility with an engineered fit for optimal performance.

### FEATURES

#### POWER SUPPORT INSOLE

- A.** Durable, moisture-wicking liner for odor defense
- B.** Temperature regulating rebound foam cradles the foot and dissipates pressure for superior comfort
- C.** Molded cradle supports the arch and heel for greater stability
- D.** Anatomically designed midfoot support zone provides superior shock absorption and comfort
- E.** Integrated shank stabilizes the foot, providing superior balance
- F.** Cushioning midsole for shock absorption and rebound
- G.** Oil- and slip-resisting Duratread™ outsole for maximum wear resistance

### PLATFORMS



CATALYST™ VX WORK



HERMOSA XR™

## ACTIVE SUPPORT AND FLEXIBILITY



Our premium footwear technology is engineered to react to force and movement while providing ultimate, anatomical support for unparalleled performance.

### FEATURES

#### PRO PERFORMANCE INSOLE

- A.** Durable, moisture-wicking liner with Cleansport NXT™ technology for natural odor defense
- B.** Anatomically-engineered cushioning insole offers long-lasting support
- C.** Smart Rebound™ absorbs shock and dissipates pressure in the heel
- D.** Base layer air vents regulate temperature to keep feet cool and comfortable
- E.** Cushioning midsole for shock absorption and rebound
- F.** Innovative chassis engineered for active rebound upon heel strike, support through midfoot, and flexible forefoot protection
- G.** Oil- and slip-resisting Duratread™ outsole for maximum wear resistance

### PLATFORMS



INTREPID™



## HYBRID STABILITY AND ACTIVE SUPPORT



Our premium footwear technology offers full-range stability with flexibility in the forefoot and active rebound for the reduction of foot fatigue.

## FEATURES

## ENERGY MAX™ INSOLE

- A. Durable, moisture-wicking liner for odor defense
- B. Rebound foam layer cradles the foot and dissipates pressure for superior comfort
- C. Open-cell foam regulates temperature to keep feet cool and comfortable
- D. Anatomically-engineered cushioning insole offers long-lasting support
- E. FLX Foam™ midsole for advanced cushion and rebound
- F. Full-length shank for torsion stability with forefoot protection for reduction of foot fatigue
- G. Oil- and slip-resisting Duratread™ outsole for maximum wear resistance

## PLATFORMS



ENDEAVOR

## MAXIMUM STABILITY AND PERFORMANCE



Our enhanced mid-level technology provides additional support and durability for tough tasks and long hours on your feet.

## FEATURES

## ENERGY MAX™ INSOLE

- A. Durable, moisture-wicking liner for odor defense
- B. Rebound foam layer cradles the foot and dissipates pressure for superior comfort
- C. Open-cell foam regulates temperature to keep feet cool and comfortable
- D. Anatomically-engineered cushioning insole offers long-lasting support
- E. Cushioning midsole for shock absorption and rebound
- F. Extra-wide shank for support and reduction of foot fatigue
- G. Oil- and slip-resisting Duratread™ outsole for maximum wear resistance

## PLATFORMS



OVERDRIVE™



WORKHOG®



WORKHOG® XT

\* Not all styles feature the Energy Max™ Insole. Also available with Pro Performance Insoles.



## ADVANCED STABILITY WITH SUPERIOR COMFORT

**ATS®**  
with MIDSOLE



Our mid-level technology offers optimal stability and comfort for heightened performance on the job.

FEATURES

### PRO PERFORMANCE INSOLE

- A.** Durable, moisture-wicking liner with Cleansport NXT™ technology for natural odor defense
- B.** Anatomically-engineered cushioning insole offers long-lasting support
- C.** Smart Rebound™ absorbs shock and dissipates pressure in the heel
- D.** Base layer air vents regulate temperature to keep feet cool and comfortable
- E.** Lightweight composite forked shank for enhanced stability
- F.** Cushioning midsole for shock absorption and rebound
- G.** Oil- and slip-resisting outsole for maximum wear resistance

PLATFORMS



\* Not all styles feature the Pro Performance Insole. Also available with All Day Cushioning Insole, Energy Max™ Insole, and ATS® (Gel) Insole.

## ADVANCED STABILITY AND PERFORMANCE

**ATS®**



Our mid-level technology offers optimal stability and comfort for heightened performance on the job.

FEATURES

### PRO PERFORMANCE INSOLE

- A.** Durable, moisture-wicking liner with Cleansport NXT™ technology for natural odor defense
- B.** Anatomically-engineered cushioning insole offers long-lasting support
- C.** Smart Rebound™ absorbs shock and dissipates pressure in the heel
- D.** Base layer air vents regulate temperature to keep feet cool and comfortable
- E.** Lightweight composite forked shank for enhanced stability
- F.** Oil- and slip-resisting outsole for maximum wear resistance

PLATFORMS



\* Not all styles feature the Pro Performance Insole. Also available with All Day Cushioning Insole, Energy Max™ Insole, and ATS® (Gel) Insole.



## EVERYDAY COMFORT AND STABILITY



Our entry level technology offers support and cushioning for everyday wear.

FEATURES

## ALL DAY CUSHIONING INSOLE

- A. Moisture-wicking liner with odor defense
- B. Contoured cushioning insole for comfort all day
- C. Lightweight stabilizing shank for support
- D. Cushioning midsole for shock absorption and rebound
- E. Oil- and slip-resisting outsole for maximum wear resistance

PLATFORMS



## EVERYDAY COMFORT AND STABILITY



Our entry level technology offers support and cushioning for everyday wear.

FEATURES

## ALL DAY CUSHIONING INSOLE

- A. Moisture-wicking liner with odor defense
- B. Contoured cushioning insole for comfort all day
- C. Lightweight stabilizing shank for support
- D. Oil- and slip-resisting outsole for maximum wear resistance

PLATFORMS





# INSOLES

Ariat offers a comprehensive line of performance insoles. With advanced technical materials and engineering to maximize foot comfort and support, there is an insole for every need, purpose and type of foot.

## COMFORT

CUSHIONING  
& ENERGIZINGCUSHIONING  
& STABILITYALL DAY  
CUSHIONINGPRO  
PERFORMANCEENERGY  
MAX™POWER  
SUPPORTPOWER  
SUPPORT MAX

## ALL DAY CUSHIONING INSOLE

**Comfort for your feet**

- Moisture-wicking liner with odor defense
- Contoured cushioning insole for comfort all day

## PRO PERFORMANCE INSOLE

**Cushioning support with heel shock absorption**

- Durable, moisture-wicking liner with Cleansport NXT™ technology for natural odor defense
- Anatomically-engineered cushioning insole offers long-lasting support
- Smart Rebound™ absorbs shock and dissipates pressure in the heel
- Base layer air vents regulate temperature to keep feet cool and comfortable

## ENERGY MAX™ INSOLE

**Anti-fatigue cushioning and rebound for maximum comfort**

- Durable, moisture-wicking liner for odor defense
- Rebound foam layer cradles the foot and dissipates pressure for superior comfort
- Open-cell foam regulates temperature to keep feet cool and comfortable
- Anatomically-engineered cushioning insole offers long-lasting support

## POWER SUPPORT INSOLE

**Premium cushioning and rebound with heel and arch support**

- Durable, moisture-wicking liner for odor defense
- Rebound foam layer cradles the foot and dissipates pressure for superior comfort
- Open-cell foam regulates temperature to keep feet cool and comfortable
- Anatomically-engineered cushioning insole offers long-lasting support
- Molded cradle supports the arch and heel for greater stability

## POWER SUPPORT MAX INSOLE

**Maximum arch support**

- Durable, moisture-wicking liner for odor defense
- Rebound foam layer cradles the foot and dissipates pressure for superior comfort
- Open-cell foam regulates temperature to keep feet cool and comfortable
- Flexible metatarsal support provides maximum pressure relief
- Molded cradle supports the arch and heel for greater stability



## SAFETY RATINGS, SPECIFICATIONS, AND CERTIFICATIONS

### CARBON SAFETY TOE



Carbon toe styles are ASTM F2413 rated for resistance to impact and compression. Carbon safety toe cap protects toes against falling and heavy rolling objects. Lighter weight than traditional steel toes with less temperature conductivity so your feet stay warmer in colder weather. Non-metallic for electronic security working conditions.

### COMPOSITE SAFETY TOE



Composite toe styles are ASTM F2413 rated for resistance to impact and compression. Composite safety toe cap protects toes against falling and heavy rolling objects. Lighter weight than traditional steel toes with less temperature conductivity so your feet stay warmer in colder weather. Non-metallic for electronic security working conditions.

### STEEL SAFETY TOE



Steel toe styles are ASTM F2413 rated for resistance to impact and compression. Steel safety toe cap protects toes against falling and heavy rolling objects.

### 100% NON-METALLIC CONSTRUCTION



Ariat 100% non-metallic safety technology is metal detector friendly.

### ASTM F3445 SR RATED



Meets ASTM F3445-21, F2413, or F2892 standards for slip resistance.

### ASTM F2413 SRO RATED



Meets the highest ASTM F2413 or F2892 safety standards for slip resistance.

### CSA® Z195-14 CERTIFIED



Canada has standards for safety footwear equal to or greater than ASTM requirements. A key differentiator with CSA Standard Z195-14 for Protective Footwear is the focus on puncture resistance. All of Ariat's work boots with a CSA designation in the style name are certified to CSA Standard Z195-14 with Grade 1 toe protection, protective sole protection and electric shock resistance (ESR) protection. Metguard styles are certified to CSA Standard Z195-14 with Grade 1 toe protection, protective sole protection, metatarsal protection and electric shock resistance (ESR) protection. All are available for sale in the USA and are also ASTM F2413 PR rated. We partner with SWEN-FLEX® to deliver an industry leading combination of flexibility, safety and comfort. The puncture resistant SWEN-FLEX® midsole is a metal-free technology providing more foot surface protection and meeting or exceeding the same standards as conventional steel plates.

### METATARSAL PROTECTION



Ariat metatarsal protective footwear is ASTM 2413 Mt rated for safety. We partner with XRD® to deliver leading edge protection. Extreme Impact Protection Metatarsal Guards offer comfortable, lightweight impact protection for work and safety boots. Upon impact XRD® Performance Molecules instantly react to form a protective shield around the foot, then quickly return to their original resting state. XRD® Met Guards are thin and flexible, providing long-lasting comfort and protection on and off the job.

### PUNCTURE RESISTANT



Ariat puncture resistant work boots are ASTM F2413 PR rated for safety. We partner with SWEN-FLEX® to deliver an industry leading combination of flexibility, safety and comfort. The puncture resistant SWEN-FLEX® midsole is a metal-free technology providing more foot surface protection and meeting or exceeding the same standards as conventional steel plates.

### STATIC DISSIPATIVE



Static dissipative styles are ASTM F2413 or F2892 SD 35 rated. These styles protect against the hazards of static buildup in the workplace by reducing excess electricity and simultaneously providing a level of protection against electrical shock.



# Additional Technologies & Features

## ARIAT® TECHNOLOGIES AND FEATURES

### SHOCK SHIELD®



Ariat revolutionary Shock Shield® technology provides shock absorption for comfort all day. An added layer of shock-reducing material in the heel diffuses the impact that occurs during heel strike, absorbs repeated ground impacts, and minimizes fatigue felt by the body.

**SHOCK SHIELD®**  
**FEAR NO IMPACT**  
**FEEL NO FATIGUE**



### U-TURN® ENTRY SYSTEM



Perfect-fitting pull-on boots are now an option for our consumer with wide feet or high arches. Thanks to our patented U-Turn® Entry System (U.S. PATENT NO. 9,282,781, 7,980,010 & 9,456,652), a hidden flexible gore panel in the back of the shaft provides just enough "give" to get feet past the turn with ease. Now feet of all sizes can enjoy pull-on boots without sacrificing on style.



Hidden elastic panel in shaft stretches, and foot slides in easily!



### VENTTEK™



Innovative Ariat VentTEK™ technology enhances performance footwear with integrated mesh panels to enable air flow. Say hello to cool, comfortable, performance boots.





## ALIGNRIGHT™

### AlignRight™

Flexible and lightweight, our AlignRight™ System guides and stabilizes the movement of your ankle as you bend and lift in different work environments. The dynamic hinge design promotes correct alignment from knee to foot, reducing stress on your joints, for more stability and comfort.

## BOA®

### BOA®

Dial in a fast, effortless, precision fit with the micro-adjustable BOA® Fit System, designed to provide custom support and performance.

## DRYSHIELD™

### DRYShield™

Ariat® DRYShield™ waterproof breathable construction is designed with waterproof materials and an impermeable barrier to deliver trusted durability and dry feet.


## FLX FOAM™



FLX Foam™ midsole provides lightweight cushioning and long-lasting rebound. Designed with an EVA and rubber blend to decelerate compression.

## GLACIER GRIP™

### GLACIER GRIP™



A new level of grip and performance, Glacier Grip™ is built for traction in snowy and icy conditions. Using a revolutionary technology that utilizes an unparalleled rubber traction compound that maintains adhesion in freezing temperatures, it allows you to move through the toughest outdoor conditions with cutting edge grip and speed.

## TEKSTEP™

### TEKSTEP™

TekStep™ adds a layer of heel-to-toe cushioning for maximum comfort and all-day wear without fatigue.



# Additional Technologies & Features

## PARTNER TECHNOLOGIES AND FEATURES

### 3M™ THINSULATE™ INSULATION



For warm feet no matter the conditions, 3M-Thinsulate-Insulation for footwear is the ideal choice. It's pre-compressed to make shoes and boots less bulky while helping them retain heat in the great outdoors or on city streets.

### VIBRAM®



Vibram® is the world leader in high performance rubber soles. Each Vibram product utilizes the latest designs and optimal compounds for its specific use.

Ariat Vibram® Work soles satisfy all ISO standards for safety and protective footwear, and provide a high level of performance in grip and durability.





## WORK

|                         |                     |                  |                   |
|-------------------------|---------------------|------------------|-------------------|
| 18 Catalyst™ VX Work    | 30 RigTek™          | 48 Rebar® Wedge  | 64 Outmatch       |
| 19 OverDrive™           | 32 Big Rig          | 50 Rebar® Flex   | 66 Buckeye Safety |
| 20 Endeavor             | 34 MasterGrip™      | 51 Groundbreaker | 67 Outpace®       |
| 23 Powerline            | 35 Turbo Duratread™ | 53 Treadfast     |                   |
| 24 Logger Shock Shield® | 38 Turbo            | 56 Edge          |                   |
| 27 Stump Jumper™        | 44 Rebar® Lift      | 63 Working Mile  |                   |

## WOMEN'S WORK

|                         |                               |                           |
|-------------------------|-------------------------------|---------------------------|
| 42 Women's Riveter      | 58 Women's Edge               | 66 Women's Buckeye Safety |
| 47 Women's Rebar® Lift  | 59 Women's Tracey             | 69 Women's Outpace® Shift |
| 49 Women's Rebar® Wedge | 61 Women's Casual Work        |                           |
| 55 Women's Treadfast    | 62 Women's Expert Safety Clog |                           |



# CATALYST™ VX WORK

Built for: **Outdoor work**

Best for: **Oil and gas exploration**

Delivers heavy-duty protection with advanced cushioning and maximum wear resistance



UNPARALLELED FIT AND COMFORT

## FEATURES

- Full-length internal shock-absorbing layer combines with midsole for incredible cushioning comfort
- Integrated shank stabilizes the foot, providing superior balance
- Goodyear welt construction for durability
- Oil- and slip-resisting Duratread™ outsole for maximum wear resistance, passes hot contact test at 300°C/572°F
- 90° heel



## Catalyst™ VX Work 8" Met Guard H2O

|          |                                     |                |       |
|----------|-------------------------------------|----------------|-------|
| SIZES    | D: 7-12, 13, 14<br>EE: 7-12, 13, 14 | UPPER          | 8"    |
| PLATFORM | Catalyst™ VX Work                   | TOE            | Round |
|          |                                     | SLIP RESISTING | SR    |



**DRYShield™**



## FEATURES

- DRYShield™ waterproof breathable construction
- Premium full-grain leather
- XRD® Internal Metatarsal Guard
- Mesh lining
- Medial side zip entry w/ front Velcro® fit adjustment system
- Goodyear welt construction
- Protective ExGuards™ on toe and heel
- Shock-absorbing PU midsole
- Oil- and slip-resisting Duratread™ outsole
- 90° heel
- Safety toe is ASTM F2413-18 M/I/C Mt EH rated

|           |                       |  |
|-----------|-----------------------|--|
| STYLE#    | <b>10021706</b>       |  |
| COLOR     | Oily Distressed Brown |  |
| DETAILS   | SSW                   |  |
| AVAILABLE | At Once               |  |
| MSRP      | \$344.95              |  |
|           | 2179006               |  |





# OVERDRIVE™

Built for: **Outdoor work**

Best for: **Oil and gas exploration**

Delivers maximum side-to-side stability and comfort with superior durability



**MAXIMUM STABILITY AND PERFORMANCE**

## FEATURES

- Extra wide shank for maximum stability
- Reinforced ExGuards™ reduce wear on toe and heel
- Goodyear welt construction for durability
- Oil- and slip-resisting Duratread™ outsole for maximum wear resistance, passes hot contact test at 300°C/572°F
- 90° heel



## OverDrive™ XTR Pull-On H2O

|          |                  |                |       |
|----------|------------------|----------------|-------|
| SIZES    | D: 7-12, 13, 14  | UPPER          | 10"   |
|          | EE: 8-12, 13, 14 | TOE            | Round |
| PLATFORM | OverDrive™       | SLIP RESISTING | SR    |



**DRYShield™**



## FEATURES

- DRYShield™ waterproof breathable construction
- Full-grain leather and abrasion-resistant 1,800 denier polyester
- Pro Performance insole for cushioning support
- Mesh lining
- Goodyear welt construction
- Protective ExGuards™ on toe, heel, and side
- Lightweight, shock-absorbing EVA midsole
- Oil- and slip-resisting Duratread™ outsole
- 90° heel
- Safety toe is ASTM F2413-18 M/I/C EH rated
- ASTM F3445-21 SR rated

|           |                                            |  |
|-----------|--------------------------------------------|--|
| STYLE#    | <b>10012942</b>                            |  |
| COLOR     | <b>Brown Cordura/Oily Distressed Brown</b> |  |
| DETAILS   | <b>SSW, Full Vamp</b>                      |  |
| AVAILABLE | <b>At Once</b>                             |  |
| MSRP      | <b>\$244.95</b>                            |  |
|           | <b>2127006</b>                             |  |



WORK



# ENDEAVOR

Built for: **Outdoor work**

Best for: **Heavy-duty construction**

Delivers full underfoot support and cushioning with durable outdoor traction

## FEATURES

- FLX Foam™ midsole for lightweight cushion and rebound
- Full-length shank for torsion stability with forefoot protection for reduction of foot fatigue
- Oil- and slip-resisting Duratread™ outsole for maximum wear resistance, passes hot contact test at 300°C/572°F
- Defined heel

**HTS™** HYBRID STABILITY AND ACTIVE SUPPORT



## ENDEAVOR

This high-performance platform delivers full-range stability with all day cushioning, and durable outdoor traction. Impact reduction and long-lasting shock absorption combine to make this rock-solid boot a must for outdoor work and construction.

Endeavor 6" AlignRight H2O #10063978  
Rich Brown

AlignRight™ system designed for improved stability and comfort

Protective ExGuard™

Energy Max™ rebound foam insole

Oil- and slip-resisting Duratread™ outsole with debris-release tread design

Lightly padded collar for extra comfort

Cushioned ankle protection

DRYShield™ bootie construction with waterproof full-grain leather

Lightweight, shock-absorbing FLX Foam™ midsole

Protective ExGuard™





## Endeavor 6" AlignRight™ H2O

|          |                  |                |       |
|----------|------------------|----------------|-------|
| SIZES    | D: 7-12, 13, 14  | UPPER          | 6"    |
|          | EE: 7-12, 13, 14 | TOE            | Round |
| PLATFORM | Endeavor         | SLIP RESISTING | SRO   |



### FEATURES

- DRYShield™ waterproof breathable construction
- Full-grain leather
- Energy Max™ anti-fatigue insole
- 50% recycled polyester lining
- Lightly padded collar and tongue top
- Anatomical last for true fit
- Cement construction
- Protective ExGuards™ on toe and heel
- Lightweight, shock-absorbing FLX Foam™ midsole
- Oil- and slip-resisting Duratread™ outsole
- Outdoor traction lugs w/ debris-releasing tread
- Defined heel
- Safety toe is ASTM F2413-24 I/C EH SRO rated
- Soft toe is ASTM F2892-24 EH SRO rated

|           |                 |
|-----------|-----------------|
| STYLE#    | <b>10063977</b> |
| COLOR     | Rich Brown      |
| AVAILABLE | 9/1/2025        |
| MSRP      | \$199.95        |
|           | 2101006         |

|        |                 |                                                                                   |
|--------|-----------------|-----------------------------------------------------------------------------------|
| STYLE# | <b>10063978</b> |  |
| MSRP   | \$209.95        |                                                                                   |
|        | 2106506         |                                                                                   |



## Endeavor 6" H2O

|          |                      |                |       |
|----------|----------------------|----------------|-------|
| SIZES    | D: 7-12, 13, 14, 15  | UPPER          | 6"    |
|          | EE: 7-12, 13, 14, 15 | TOE            | Round |
| PLATFORM | Endeavor             | SLIP RESISTING | SRO   |



### FEATURES

- DRYShield™ waterproof breathable construction
- Full-grain leather
- Energy Max™ anti-fatigue insole
- 50% recycled polyester lining
- Lightly padded collar and tongue top
- Anatomical last for true fit
- Cement construction
- Protective ExGuards™ on toe and heel
- Lightweight, shock-absorbing FLX Foam™ midsole
- Oil- and slip-resisting Duratread™ outsole
- Outdoor traction lugs w/ debris-releasing tread
- Defined heel
- Safety toe is ASTM F2413-24 I/C EH SRO rated
- Soft toe is ASTM F2892-24 EH SRO rated

|           |                 |
|-----------|-----------------|
| STYLE#    | <b>10050826</b> |
| COLOR     | Dusted Brown    |
| AVAILABLE | At Once         |
| MSRP      | \$189.95        |
|           | 296006          |



|           |                 |
|-----------|-----------------|
| STYLE#    | <b>10031659</b> |
| COLOR     | Chocolate Brown |
| AVAILABLE | At Once         |
| MSRP      | \$189.95        |
|           | 296006          |

|        |                 |                                                                                       |
|--------|-----------------|---------------------------------------------------------------------------------------|
| STYLE# | <b>10031591</b> |  |
| MSRP   | \$199.95        |                                                                                       |
|        | 2101006         |                                                                                       |





## Endeavor 8" H2O

|          |                                             |                |       |
|----------|---------------------------------------------|----------------|-------|
| SIZES    | D: 7-12, 13, 14, 15<br>EE: 7-12, 13, 14, 15 | UPPER          | 8"    |
|          |                                             | TOE            | Round |
| PLATFORM | Endeavor                                    | SLIP RESISTING | SRO   |



### FEATURES

- DRYShield™ waterproof breathable construction
- Full-grain leather
- Energy Max™ anti-fatigue insole
- Mesh lining
- Lightly padded collar and tongue top
- Anatomical last for true fit
- Cement construction
- Protective ExGuards™ on toe and heel
- Lightweight, shock-absorbing FLX Foam™ midsole
- Oil- and slip-resisting Duratread™ outsole
- Outdoor traction lugs w/ debris-releasing tread
- Defined heel
- Safety toe is ASTM F2413-24 I/C EH SRO rated

|           |                 |                                                                                   |
|-----------|-----------------|-----------------------------------------------------------------------------------|
| STYLE#    | <b>10038373</b> |  |
| COLOR     | Chocolate Brown |                                                                                   |
| AVAILABLE | At Once         |                                                                                   |
| MSRP      | \$209.95        |                                                                                   |
|           | 2106506         |                                                                                   |



## Endeavor 8" H2O 400G

|          |                                             |                |       |
|----------|---------------------------------------------|----------------|-------|
| SIZES    | D: 7-12, 13, 14, 15<br>EE: 7-12, 13, 14, 15 | UPPER          | 8"    |
|          |                                             | TOE            | Round |
| PLATFORM | Endeavor                                    | SLIP RESISTING | SRO   |



### FEATURES

- DRYShield™ waterproof breathable construction
- 400g Thinsulate™ Insulation
- Full-grain leather
- Energy Max™ anti-fatigue insole
- 50% recycled polyester lining
- Lightly padded collar and tongue top
- Anatomical last for true fit
- Cement construction
- Protective ExGuards™ on toe and heel
- Lightweight, shock-absorbing FLX Foam™ midsole
- Oil- and slip-resisting Duratread™ outsole
- Defined heel
- Safety toe is ASTM F2413-24 I/C EH SRO rated
- Soft toe is ASTM F2892-24 EH SRO rated

|           |                 |
|-----------|-----------------|
| STYLE#    | <b>10053775</b> |
| COLOR     | Dusted Brown    |
| AVAILABLE | At Once         |
| MSRP      | \$209.95        |
|           | 2106506         |

|        |                 |                                                                                     |
|--------|-----------------|-------------------------------------------------------------------------------------|
| STYLE# | <b>10053571</b> |  |
| MSRP   | \$219.95        |                                                                                     |
|        | 2112006         |                                                                                     |





# POWERLINE

Built for: **Outdoor work**

Best for: **Utilities and heavy-duty construction**

Delivers aggressive outdoor traction with tempered steel stability shank

## FEATURES

- Tempered steel shank for stability
- Goodyear welt construction for durability
- Shock-absorbing inserts under heel and forefoot provide extra comfort
- Oil- and slip-resisting Vibram® TC4 outsole with exclusive Ariat debris-releasing tread design, passes hot contact test at 300°C/572°F
- 90° heel, logger height



## Powerline 8" H2O

|          |                                             |       |       |
|----------|---------------------------------------------|-------|-------|
| SIZES    | D: 7-12, 13, 14, 15<br>EE: 8-12, 13, 14, 15 | UPPER | 8"    |
| PLATFORM | Powerline                                   | TOE   | Round |

**DRYShield™** 

## FEATURES

- DRYShield™ waterproof breathable construction
- Full-grain leather
- Pro Performance insole for cushioning support
- Mesh lining
- Lightly padded collar and tongue top
- Removable kiltie
- Goodyear welt construction
- Leather welt
- Protective ExGuards™ on heel
- Shock-absorbing PU midsole inserts
- Vibram® rubber outsole
- Outdoor traction lugs w/ debris-releasing tread
- 90° heel
- Safety toe is ASTM F2413-18 M/I/C EH rated

|           |                       |                                                                                     |
|-----------|-----------------------|-------------------------------------------------------------------------------------|
| STYLE#    | <b>10018566</b>       |  |
| COLOR     | Oily Distressed Brown |                                                                                     |
| DETAILS   | SSW                   |                                                                                     |
| AVAILABLE | <b>At Once</b>        |                                                                                     |
| MSRP      | \$274.95              |                                                                                     |
|           | 2144506               |                                                                                     |



WORK



# LOGGER SHOCK SHIELD®

Built for: **Outdoor work**

Best for: **Heavy-duty construction**

Delivers aggressive outdoor traction with heel shock absorption



**ADVANCED STABILITY AND PERFORMANCE**

## FEATURES

- Goodyear welt construction for durability
- Lightweight, composite forked shank for stability
- Oil- and slip-resisting Duratread® outsole for maximum wear resistance - passes hot contact test at 300°C/572°F
- 90° heel



(SELECT STYLES)  
LONGVIEW

## LOGGER SHOCK SHIELD®

Performance and protection for the harshest outdoor conditions.

Logger Shock Shield® delivers aggressive traction to keep you steady on your feet, plus enhanced stability and a shock-absorbing heel for day-long comfort.

Logger Shock Shield® H20 #10050840  
Copper Brown





## Logger Shock Shield® H2O

|          |                        |                |            |
|----------|------------------------|----------------|------------|
| SIZES    | D:5-12, 13, 14, 15, 16 | UPPER          | 8"         |
|          | EE:6-12, 13, 14, 15    | TOE            | Round      |
| PLATFORM | Logger Shock Shield®   | SLIP RESISTING | <b>SRO</b> |



### FEATURES

- DRYShield™ waterproof breathable construction
- Full-grain leather
- All Day Cushioning insole
- 50% recycled polyester lining
- Goodyear welt construction
- Oil- and slip-resisting Duratread™ outsole
- Outdoor traction lugs w/ debris-releasing tread
- 90° heel
- Safety toe is ASTM F2413-24 I/C EH SRO rated
- Soft toe is ASTM F2892-24 EH SRO rated

|           |                 |
|-----------|-----------------|
| STYLE#    | <b>10050842</b> |
| COLOR     | Black           |
| DETAILS   | SSW             |
| AVAILABLE | <b>At Once</b>  |
| MSRP      | \$199.95        |
|           | 2101006         |



|           |                 |
|-----------|-----------------|
| STYLE#    | <b>10050841</b> |
| COLOR     | Copper Brown    |
| DETAILS   | SSW             |
| AVAILABLE | <b>At Once</b>  |
| MSRP      | \$199.95        |
|           | 2101006         |

|        |                 |    |
|--------|-----------------|----|
| STYLE# | <b>10050840</b> | CT |
| MSRP   | \$209.95        |    |
|        | 2106506         |    |



## Logger Shock Shield® H2O 400G

|          |                        |                |            |
|----------|------------------------|----------------|------------|
| SIZES    | D:5-12, 13, 14, 15, 16 | UPPER          | 8"         |
|          | EE:6-12, 13, 14, 15    | TOE            | Round      |
| PLATFORM | Logger Shock Shield®   | SLIP RESISTING | <b>SRO</b> |



### FEATURES

- DRYShield™ waterproof breathable construction
- 400g Thinsulate™ Insulation
- Full-grain leather
- All Day Cushioning insole
- 50% recycled polyester lining
- Goodyear welt construction
- Oil- and slip-resisting Duratread™ outsole
- Outdoor traction lugs w/ debris-releasing tread
- 90° heel
- Safety toe is ASTM F2413-24 I/C EH SRO rated
- Soft toe is ASTM F2892-24 EH SRO rated

|           |                 |
|-----------|-----------------|
| STYLE#    | <b>10053569</b> |
| COLOR     | Copper Brown    |
| DETAILS   | SSW             |
| AVAILABLE | <b>9/1/2025</b> |
| MSRP      | \$209.95        |
|           | 2106506         |

|        |                 |    |
|--------|-----------------|----|
| STYLE# | <b>10053570</b> | CT |
| MSRP   | \$219.95        |    |
|        | 2112006         |    |



## Longview Shock Shield® H2O

|          |                        |                |           |
|----------|------------------------|----------------|-----------|
| SIZES    | D:5-12, 13, 14, 15, 16 | UPPER          | 8"        |
|          | EE:6-12, 13, 14, 15    | TOE            | Round     |
| PLATFORM | Logger Shock Shield®   | SLIP RESISTING | <b>SR</b> |



### FEATURES

- DRYShield™ waterproof breathable construction
- Full-grain leather
- All Day Cushioning insole
- 50% recycled polyester lining
- Removable kiltie
- Goodyear welt construction
- Oil- and slip-resisting Duratread™ outsole
- Outdoor traction lugs w/ debris-releasing tread
- 90° heel
- Safety toe is ASTM F2413-18 M/I/C EH rated
- Soft toe is ASTM F2892-18 EH rated
- ASTM F3445-21 SR rated

|           |                 |
|-----------|-----------------|
| STYLE#    | <b>10053818</b> |
| COLOR     | Copper Brown    |
| DETAILS   | SSW             |
| AVAILABLE | <b>At Once</b>  |
| MSRP      | \$199.95        |
|           | 2101006         |

|        |                 |    |
|--------|-----------------|----|
| STYLE# | <b>10053817</b> | CT |
| MSRP   | \$209.95        |    |
|        | 2106506         |    |





## Longview Shock Shield® Pull-On H2O

|          |                      |                |       |
|----------|----------------------|----------------|-------|
| SIZES    | D:7-12, 13, 14, 15   | UPPER          | 11"   |
|          | EE:7-12, 13, 14, 15  | TOE            | Round |
| PLATFORM | Logger Shock Shield® | SLIP RESISTING | SR    |



### FEATURES

- DRYShield™ waterproof breathable construction
- Full-grain leather
- Pull holes
- All Day Cushioning insole
- 50% recycled polyester lining
- Goodyear welt construction
- Molded rubber wear protector
- Oil- and slip-resisting Duratread™ outsole
- Outdoor traction lugs w/ debris-releasing tread
- 90° heel
- Safety toe is ASTM F2413-18 M/I/C EH rated
- ASTM F3445-21 SR rated

|           |                 |    |
|-----------|-----------------|----|
| STYLE#    | <b>10063853</b> | CT |
| COLOR     | Rye Brown       |    |
| DETAILS   | SSW, Full Vamp  |    |
| AVAILABLE | 8/1/2025        |    |
| MSRP      | \$209.95        |    |
|           | 2106506         |    |



## Longview Shock Shield® Pull-On Met Guard H2O

|          |                      |                |       |
|----------|----------------------|----------------|-------|
| SIZES    | D:7-12, 13, 14, 15   | UPPER          | 11"   |
|          | EE:7-12, 13, 14, 15  | TOE            | Round |
| PLATFORM | Logger Shock Shield® | SLIP RESISTING | SR    |



### FEATURES

- DRYShield™ waterproof breathable construction
- Full-grain leather
- Pull holes
- All Day Cushioning insole
- XRD® Internal Metatarsal Guard
- 50% recycled polyester lining
- Goodyear welt construction
- Oil- and slip-resisting Duratread™ outsole
- Outdoor traction lugs w/ debris-releasing tread
- 90° heel
- Safety toe is ASTM F2413-18 M/I/C Mt EH rated
- ASTM F3445-21 SR rated

|           |                       |    |
|-----------|-----------------------|----|
| STYLE#    | <b>10063852</b>       | CT |
| COLOR     | Oily Distressed Brown |    |
| DETAILS   | SSW, Full Vamp        |    |
| AVAILABLE | 8/1/2025              |    |
| MSRP      | \$229.95              |    |
|           | 2117006               |    |





## STUMP JUMPER™

Built for: **Outdoor work**Best for: **Heavy-duty construction**

Delivers aggressive traction and advanced stability with anti-fatigue cushioning

## FEATURES

- Protective ExGuards™ reduce wear on toe and heel
- Goodyear welt construction for durability
- Lightweight, composite forked shank for stability
- FLX Foam™ midsole for lightweight cushion and rebound
- Oil- and slip-resisting Duratread™ outsole for maximum wear resistance, passes hot contact test at 300°C/572°F
- 90° heel



ADVANCED STABILITY AND PERFORMANCE

GLACIER GRIP™  
(SELECT STYLES)

## STUMP JUMPER™

Tough boots for the toughest jobs, our Stump Jumper™ platform provides aggressive outdoor traction and durable support to match the demands of working outside in extreme environments.

Stump Jumper™ 6" BOA® H2O #10048060  
Iron Coffee

Micro-adjustable BOA® Fit System creates a fast, effortless, precision fit around the instep and ankle

Protective ExGuard™ for wear resistance

Energy Max™ anti-fatigue insole

Oil- and slip-resisting Duratread™ outsole with snow and ice traction pods, available on select styles

Lightly padded collar and tongue top

DRYShield™ construction with waterproof full-grain leather

Lightweight shock-absorbing FLX Foam™ midsole

90° heel

Outdoor traction lugs with debris-releasing tread



## Stump Jumper™ 6" BOA® H2O

|          |                                             |                |       |
|----------|---------------------------------------------|----------------|-------|
| SIZES    | D: 7-12, 13, 14, 15<br>EE: 7-12, 13, 14, 15 | UPPER          | 6"    |
| PLATFORM | Stump Jumper™                               | TOE            | Round |
|          |                                             | SLIP RESISTING | SR    |



### FEATURES


- DRYShield™ waterproof breathable construction
- Premium full-grain leather
- Energy Max™ anti-fatigue insole
- 50% recycled polyester lining
- Dial in a fast, effortless, precision fit with the micro-adjustable BOA® Fit System
- Lightly padded collar and tongue top
- Goodyear welt construction
- Protective ExGuards™ on toe and heel
- Lightweight, shock-absorbing FLX Foam™ midsole
- Oil- and slip-resisting Duratread™ outsole
- Outdoor traction lugs w/ debris-releasing tread
- 90° heel
- Safety toe is ASTM F2413-18 M/I/C EH rated
- ASTM F3445-21 SR rated

|           |                 |    |
|-----------|-----------------|----|
| STYLE#    | <b>10048060</b> | CT |
| COLOR     | Iron Coffee     |    |
| DETAILS   | SSW             |    |
| AVAILABLE | At Once         |    |
| MSRP      | \$274.95        |    |
|           | 2138506         |    |



## Stump Jumper™ Pull-On BOA® H2O

|          |                                             |                |       |
|----------|---------------------------------------------|----------------|-------|
| SIZES    | D: 7-12, 13, 14, 15<br>EE: 7-12, 13, 14, 15 | UPPER          | 10"   |
| PLATFORM | Stump Jumper™                               | TOE            | Round |
|          |                                             | SLIP RESISTING | SR    |



### FEATURES

- DRYShield™ waterproof breathable construction
- Premium full-grain leather
- Energy Max™ anti-fatigue insole
- 50% recycled polyester lining
- Dial in a fast, effortless, precision fit with the micro-adjustable BOA® Fit System
- Goodyear welt construction
- Protective ExGuards™ on toe and heel
- Lightweight, shock-absorbing FLX Foam™ midsole
- Oil- and slip-resisting Duratread™ outsole
- Outdoor traction lugs w/ debris-releasing tread
- 90° heel
- Safety toe is ASTM F2413-18 M/I/C EH rated
- ASTM F3445-21 SR rated

|           |                 |    |
|-----------|-----------------|----|
| STYLE#    | <b>10048061</b> | CT |
| COLOR     | Iron Coffee     |    |
| DETAILS   | SSW, Full Vamp  |    |
| AVAILABLE | At Once         |    |
| MSRP      | \$284.95        |    |
|           | 2145006         |    |



## Stump Jumper™ 8" BOA® H2O

|          |                                             |                |       |
|----------|---------------------------------------------|----------------|-------|
| SIZES    | D: 7-12, 13, 14, 15<br>EE: 7-12, 13, 14, 15 | UPPER          | 8"    |
| PLATFORM | Stump Jumper™                               | TOE            | Round |
|          |                                             | SLIP RESISTING | SR    |



### FEATURES

- DRYShield™ waterproof breathable construction
- Premium full-grain leather
- Energy Max™ anti-fatigue insole
- 50% recycled polyester lining
- Dial in a fast, effortless, precision fit with the micro-adjustable BOA® Fit System
- Lightly padded collar and tongue top
- Goodyear welt construction
- Protective ExGuards™ on toe and heel
- Lightweight, shock-absorbing FLX Foam™ midsole
- Oil- and slip-resisting Duratread™ outsole
- Outdoor traction lugs w/ debris-releasing tread
- 90° heel
- Safety toe is ASTM F2413-18 M/I/C EH rated
- ASTM F3445-21 SR rated

|           |                 |    |
|-----------|-----------------|----|
| STYLE#    | <b>10048059</b> | CT |
| COLOR     | Iron Coffee     |    |
| DETAILS   | SSW             |    |
| AVAILABLE | At Once         |    |
| MSRP      | \$284.95        |    |
|           | 2143506         |    |



## Stump Jumper™ Pull-On H2O

|          |                                             |                |       |
|----------|---------------------------------------------|----------------|-------|
| SIZES    | D: 7-12, 13, 14, 15<br>EE: 7-12, 13, 14, 15 | UPPER          | 10"   |
| PLATFORM | Stump Jumper™                               | TOE            | Round |
|          |                                             | SLIP RESISTING | SR    |



### FEATURES

- DRYShield™ waterproof breathable construction
- Premium full-grain leather
- Energy Max™ anti-fatigue insole
- Mesh lining
- Goodyear welt construction
- Protective ExGuards™ on toe and heel
- Lightweight, shock-absorbing FLX Foam™ midsole
- Oil- and slip-resisting Duratread™ outsole
- Outdoor traction lugs w/ debris-releasing tread
- 90° heel
- Safety toe is ASTM F2413-18 M/I/C EH rated
- ASTM F3445-21 SR rated

|           |                 |    |
|-----------|-----------------|----|
| STYLE#    | <b>10038282</b> | CT |
| COLOR     | Iron Coffee     |    |
| DETAILS   | SSW, Full Vamp  |    |
| AVAILABLE | At Once         |    |
| MSRP      | \$219.95        |    |
|           | 2112006         |    |





## Stump Jumper™ 8" H2O 600g CSA® Glacier Grip™

|          |                      |       |       |
|----------|----------------------|-------|-------|
| SIZES    | D: 7-12, 13, 14, 15  | UPPER | 8"    |
|          | EE: 7-12, 13, 14, 15 | TOE   | Round |
| PLATFORM | Stump Jumper™        |       |       |



### FEATURES

- DRYShield™ waterproof breathable construction
- 600g Thinsulate™ Insulation
- Premium full-grain leather
- Energy Max™ anti-fatigue insole
- Puncture resistant, metal-free SWEN-FLEX® insole board
- Mesh lining
- Lightly padded collar and tongue top
- Goodyear welt construction
- Protective ExGuards™ on toe and heel
- Lightweight, shock-absorbing FLX Foam™ midsole
- Oil- and slip-resisting Duratread™ outsole with snow and ice traction pods
- Outdoor traction lugs w/ debris-releasing tread
- 90° heel
- Safety toe is ASTM F2413-18 M/I/C PR EH rated
- Certified to CSA Standard Z195-14 w/ Grade 1 toe protection, protective sole protection and electric shock resistance (ESR) protection

|           |                    |  |
|-----------|--------------------|--|
| STYLE#    | <b>10038283</b>    |  |
| COLOR     | <b>Iron Coffee</b> |  |
| DETAILS   | <b>SSW</b>         |  |
| AVAILABLE | <b>At Once</b>     |  |
| MSRP      | <b>\$264.95</b>    |  |
|           | <b>2133006</b>     |  |





# RIGTEK™

Built for: **Outdoor work, performs indoors**

Best for: **Oilfield or industrial work with chemicals**

Delivers durable traction with long-lasting cushioning

## ATS® ADVANCED STABILITY AND PERFORMANCE

### FEATURES

- Lightweight composite forked shank for stability
- Goodyear injection construction for durability
- Durable sole with lug tread designed for traction on metal surfaces
- Oil- and slip-resisting PU outsole, passes hot contact test at 150°C/302°F
- 90° heel



### RigTEK™ 6" H2O CSA®

|          |                                                   |                |       |
|----------|---------------------------------------------------|----------------|-------|
| SIZES    | D: 6-12, 13, 14, 15<br>EE: 4, 5, 6-12, 13, 14, 15 | UPPER          | 6"    |
| PLATFORM | RigTEK™                                           | TOE            | Round |
|          |                                                   | SLIP RESISTING | SR    |



#### FEATURES

- DRYShield™ waterproof breathable construction
- Premium full-grain leather
- Pro Performance insole for cushioning support
- Puncture resistant, metal-free SWEN-FLEX® insole board
- 50% recycled polyester lining
- Lightly padded collar and tongue top
- Goodyear welt construction
- Oil- and slip-resisting, direct attach PU outsole for durability
- 90° heel
- Safety toe is ASTM F2413-18 M/I/C PR EH rated
- ASTM F3445-21 SR rated
- Certified to CSA Standard Z195-14 w/ Grade 1 toe protection, protective sole protection and electric shock resistance (ESR) protection

|           |                       |    |
|-----------|-----------------------|----|
| STYLE#    | <b>10045418</b>       | CT |
| COLOR     | Oily Distressed Brown |    |
| DETAILS   | SSW                   |    |
| AVAILABLE | At Once               |    |
| MSRP      | \$199.95              |    |
|           | 2104006               |    |



### RigTEK™ 8" H2O CSA®

|          |                                                   |                |       |
|----------|---------------------------------------------------|----------------|-------|
| SIZES    | D: 6-12, 13, 14, 15<br>EE: 4, 5, 6-12, 13, 14, 15 | UPPER          | 8"    |
| PLATFORM | RigTEK™                                           | TOE            | Round |
|          |                                                   | SLIP RESISTING | SR    |



#### FEATURES

- DRYShield™ waterproof breathable construction
- Premium full-grain leather
- Pro Performance insole for cushioning support
- Puncture resistant, metal-free SWEN-FLEX® insole board
- 50% recycled polyester lining
- Lightly padded collar and tongue top
- Goodyear welt construction
- Oil- and slip-resisting, direct attach PU outsole for durability
- 90° heel
- Safety toe is ASTM F2413-18 M/I/C PR EH rated
- ASTM F3445-21 SR rated
- Certified to CSA Standard Z195-14 w/ Grade 1 toe protection, protective sole protection and electric shock resistance (ESR) protection

|           |                       |    |
|-----------|-----------------------|----|
| STYLE#    | <b>10035989</b>       | CT |
| COLOR     | Oily Distressed Brown |    |
| DETAILS   | SSW                   |    |
| AVAILABLE | At Once               |    |
| MSRP      | \$219.95              |    |
|           | 2111506               |    |





## RigTEK™ Pull-On H2O CSA®

|          |                            |                |       |
|----------|----------------------------|----------------|-------|
| SIZES    | D: 6-12, 13, 14, 15        | UPPER          | 11"   |
|          | EE: 4, 5, 6-12, 13, 14, 15 | TOE            | Round |
| PLATFORM | RigTEK™                    | SLIP RESISTING | SR    |



**DRYShield™**



### FEATURES

- DRYShield™ waterproof breathable construction
- Premium full-grain leather
- Pro Performance insole for cushioning support
- Puncture resistant, metal-free SWEN-FLEX® insole board
- 50% recycled polyester lining
- Goodyear welt construction
- Oil- and slip-resisting, direct attach PU outsole for durability
- 90° heel
- Safety toe is ASTM F2413-18 M/I/C PR EH rated
- ASTM F3445-21 SR rated
- Certified to CSA Standard Z195-14 w/ Grade 1 toe protection, protective sole protection and electric shock resistance (ESR) protection

|           |                       |           |
|-----------|-----------------------|-----------|
| STYLE#    | <b>10035988</b>       | <b>CT</b> |
| COLOR     | Oily Distressed Brown |           |
| DETAILS   | SSW, Full Vamp        |           |
| AVAILABLE | <b>At Once</b>        |           |
| MSRP      | \$219.95              |           |
|           | 2111506               |           |



WORK



# BIG RIG

Built for: **Outdoor work, performs indoors**

Best for: **Heavy-duty construction**

Delivers a roomier fit with durable support for those with a bigger build

**ATS**® **ADVANCED STABILITY AND PERFORMANCE**

## FEATURES

- Built roomier all-around to accommodate higher insteps and wider feet and calves
- Dual-density FLX Foam™ midsole for lightweight cushion and rebound with protection
- Lightweight, composite forked shank for stability
- Goodyear welt construction for durability
- Oil- and slip-resisting Duratread™ outsole for maximum wear resistance, passes hot contact test at 300°C/572°
- 90° heel



### Big Rig 6" H2O

|          |                                  |                |       |
|----------|----------------------------------|----------------|-------|
| SIZES    | EE: 6-12, 13, 14, 15, 16, 17, 18 | UPPER          | 6"    |
|          | EEEE: 8-12, 13, 14, 15, 16       | TOE            | Round |
| PLATFORM | Big Rig                          | SLIP RESISTING | SR    |



#### FEATURES

- DRYShield™ waterproof breathable construction
- Premium full-grain leather
- Energy Max™ anti-fatigue insole
- 50% recycled polyester lining
- Lightly padded collar and tongue top
- Goodyear welt construction
- Protective ExGuards™ on heel
- Lightweight, shock-absorbing FLX Foam™ midsole
- Oil- and slip-resisting Duratread™ outsole
- Flared outsole design w/ debris-release tread provides an extra stable base
- 90° heel
- Safety toe is ASTM F2413-18 M/I/C EH rated
- ASTM F3445-21 SR rated

|           |                 |    |
|-----------|-----------------|----|
| STYLE#    | <b>10042550</b> | CT |
| COLOR     | Iron Coffee     |    |
| DETAILS   | SSW             |    |
| AVAILABLE | At Once         |    |
| MSRP      | \$209.95        |    |
|           | 2106506         |    |



### Big Rig 8" H2O

|          |                                  |                |       |
|----------|----------------------------------|----------------|-------|
| SIZES    | EE: 6-12, 13, 14, 15, 16, 17, 18 | UPPER          | 8"    |
|          | EEEE: 8-12, 13, 14, 15, 16       | TOE            | Round |
| PLATFORM | Big Rig                          | SLIP RESISTING | SR    |



#### FEATURES

- DRYShield™ waterproof breathable construction
- Premium full-grain leather
- Energy Max™ anti-fatigue insole
- 50% recycled polyester lining
- Lace front w/ medial side zip
- Lightly padded collar and tongue top
- Goodyear welt construction
- Protective ExGuards™ on heel
- Lightweight, shock-absorbing FLX Foam™ midsole
- Oil- and slip-resisting Duratread™ outsole
- Flared outsole design w/ debris-release tread provides an extra stable base
- 90° heel
- Safety toe is ASTM F2413-18 M/I/C EH rated
- Soft toe is ASTM F2892-18 EH rated
- ASTM F3445-21 SR rated

|           |                 |  |
|-----------|-----------------|--|
| STYLE#    | <b>10053572</b> |  |
| COLOR     | Iron Coffee     |  |
| DETAILS   | SSW             |  |
| AVAILABLE | At Once         |  |
| MSRP      | \$209.95        |  |
|           | 2106506         |  |

|        |                 |    |
|--------|-----------------|----|
| STYLE# | <b>10053573</b> | CT |
| MSRP   | \$229.95        |    |
|        | 2115506         |    |





## Big Rig Chelsea H20

|          |                                  |                |       |
|----------|----------------------------------|----------------|-------|
| SIZES    | EE: 6-12, 13, 14, 15, 16, 17, 18 | UPPER          | 6"    |
|          | EEEE: 8-12, 13, 14, 15, 16       | TOE            | Round |
| PLATFORM | Big Rig                          | SLIP RESISTING | SR    |



### FEATURES

- DRYShield™ waterproof breathable construction
- Premium full-grain leather
- Energy Max™ anti-fatigue insole
- 50% recycled polyester lining
- Goodyear welt construction
- Lightweight, shock-absorbing FLX Foam™ midsole
- Oil- and slip-resisting Duratread™ outsole
- Flared outsole design w/ debris-release tread provides an extra stable base
- 90° heel
- Safety toe is ASTM F2413-18 M/I/C EH rated
- Soft toe is ASTM F2892-18 EH rated
- ASTM F3445-21 SR rated

|           |                       |
|-----------|-----------------------|
| STYLE#    | <b>10042545</b>       |
| COLOR     | <b>Iron Coffee</b>    |
| DETAILS   | <b>SSW, Full Vamp</b> |
| AVAILABLE | <b>At Once</b>        |
| MSRP      | <b>\$199.95</b>       |
|           | <b>2101006</b>        |
| STYLE#    | <b>10042544</b>       |
| MSRP      | <b>\$209.95</b>       |
|           | <b>2106506</b>        |





# MASTERGRIP™

Built for: **Indoor work, performs outdoors**

Best for: **Factory and warehouse work**

Delivers anatomical support and cushioning with slip resistance



**ADVANCED STABILITY WITH SUPERIOR COMFORT**

## FEATURES

- 100% non-metallic construction
- Lightweight composite forked shank for stability
- Oil- and slip-resisting Duratread™ outsole for maximum wear resistance, passes hot contact test at 300°C/572°F
- Heel kick feature makes getting muddy boots off easy
- 90° heel



## MasterGrip™ Pull-On SD

|          |                                     |                |       |
|----------|-------------------------------------|----------------|-------|
| SIZES    | D: 7-12, 13, 14<br>EE: 7-12, 13, 14 | UPPER          | 10"   |
| PLATFORM | MasterGrip™                         | TOE            | Round |
|          |                                     | SLIP RESISTING | SR    |



## FEATURES

- Premium full-grain leather
- Pro Performance insole for cushioning support
- 100% non-metallic
- Mesh lining
- Padded collar at topline
- Cement construction
- Easy-off heel kick ledge
- Lightweight, shock-absorbing EVA midsole
- Oil- and slip-resisting Duratread™ outsole
- 90° heel
- Safety toe is ASTM F2413-18 M/I/C SD 35 rated
- ASTM F3445-21 SR rated

|           |                       |           |
|-----------|-----------------------|-----------|
| STYLE#    | <b>10020094</b>       | <b>CT</b> |
| COLOR     | Oily Distressed Brown |           |
| DETAILS   | Full Vamp             |           |
| AVAILABLE | At Once               |           |
| MSRP      | \$189.95              |           |
|           | 2103006               |           |





# TURBO DURATREAD™

Built for: **Outdoor work, performs indoors**

Best for: **Construction**

Delivers superior cushioning and flexibility for long-lasting comfort



**ADVANCED STABILITY AND PERFORMANCE**

## FEATURES

- 100% non-metallic construction
- Lightweight composite forked shank for stability
- Direct attach construction for lightweight flexibility
- Oil- and slip-resisting Duratread® outsole for maximum wear resistance, passes hot contact test at 300°C/572°F
- 90° heel



## TURBO DURATREAD™

Hardworking comfort at its best. Turbo has the flexibility and all-day cushioning you need for long hours on hard surfaces. Duratread™ sole provides superior oil- and slip-resistance and stands up to heat.

*Turbo Duratread™ XTR 6" H2O #10054291  
Natural Brown*

100% non-metallic

Non-metallic Carbon Safety toe is lighter weight than traditional safety toes

Protective toe cap

DRYShield™ waterproof breathable construction

Direct-attach construction for lightweight flex

Energy Max™ rebound foam insole

90° heel

Oil- and slip-resisting Duratread™ outsole





## Turbo Duratread™ 8" H2O

NEW STYLE

|          |                      |                |       |
|----------|----------------------|----------------|-------|
| SIZES    | D: 7-12, 13, 14, 15  | UPPER          | 8"    |
|          | EE: 7-12, 13, 14, 15 | TOE            | Round |
| PLATFORM | Turbo Duratread™     | SLIP RESISTING | SR    |



**DRYShield™**



### FEATURES

- DRYShield™ waterproof breathable construction
- Premium full-grain leather
- Energy Max™ anti-fatigue insole
- 100% non-metallic
- 50% recycled polyester lining
- Lightly padded collar and tongue top
- Direct-attach construction
- Protective toe and heel cap
- Shock-absorbing PU midsole
- Oil- and slip-resisting Duratread™ outsole
- 90° heel
- Safety toe is ASTM F2413-24 I/C EH SR rated
- Soft toe is ASTM F2892-24 EH SR rated
- ASTM F3445-21 SR rated

|           |                 |
|-----------|-----------------|
| STYLE#    | <b>10074264</b> |
| COLOR     | Rich Brown      |
| AVAILABLE | 4/1/2026        |
| MSRP      | \$199.95        |
|           | 2100506         |

|        |                 |
|--------|-----------------|
| STYLE# | <b>10074263</b> |
| MSRP   | \$209.95        |
|        | 2106006         |



## Turbo Duratread™ Pull On H2O

NEW STYLE

|          |                      |                |       |
|----------|----------------------|----------------|-------|
| SIZES    | D: 7-12, 13, 14, 15  | UPPER          | 10"   |
|          | EE: 7-12, 13, 14, 15 | TOE            | Round |
| PLATFORM | Turbo Duratread™     | SLIP RESISTING | SR    |



**DRYShield™**



### FEATURES

- DRYShield™ waterproof breathable construction
- Premium full-grain leather
- Energy Max™ anti-fatigue insole
- 100% non-metallic
- 50% recycled polyester lining
- Padded collar at topline
- Direct-attach construction
- Shock-absorbing PU midsole
- Oil- and slip-resisting Duratread™ outsole
- 90° heel
- Safety toe is ASTM F2413-24 I/C EH SR rated

|           |                 |
|-----------|-----------------|
| STYLE#    | <b>10074292</b> |
| COLOR     | Dark Brown      |
| DETAILS   | Full Vamp       |
| AVAILABLE | 3/1/2026        |
| MSRP      | \$199.95        |
|           | 2100506         |



## Turbo Duratread™ Pull On SD

NEW STYLE

|          |                      |                |       |
|----------|----------------------|----------------|-------|
| SIZES    | D: 7-12, 13, 14, 15  | UPPER          | 10"   |
|          | EE: 7-12, 13, 14, 15 | TOE            | Round |
| PLATFORM | Turbo Duratread™     | SLIP RESISTING | SR    |



### FEATURES

- Premium full-grain leather
- Energy Max™ anti-fatigue insole
- 100% non-metallic
- 50% recycled polyester lining
- Direct-attach construction
- Shock-absorbing PU midsole
- Oil- and slip-resisting Duratread™ outsole
- 90° heel
- Safety toe is ASTM F2413-24 I/C SD 35 SR rated

|           |                 |
|-----------|-----------------|
| STYLE#    | <b>10074209</b> |
| COLOR     | Dark Brown      |
| DETAILS   | Full Vamp       |
| AVAILABLE | 1/1/2026        |
| MSRP      | \$199.95        |
|           | 2100506         |



## Turbo Duratread™ 6" H2O

|          |                      |                |       |
|----------|----------------------|----------------|-------|
| SIZES    | D: 7-12, 13, 14, 15  | UPPER          | 6"    |
|          | EE: 7-12, 13, 14, 15 | TOE            | Round |
| PLATFORM | Turbo                | SLIP RESISTING | SR    |



**DRYShield™**



### FEATURES

- DRYShield™ waterproof breathable construction
- Premium full-grain leather
- Energy Max™ anti-fatigue insole
- 100% non-metallic
- 50% recycled polyester lining
- Lightly padded collar and tongue top
- Direct-attach construction
- Shock-absorbing PU midsole
- Oil- and slip-resisting Duratread™ outsole
- 90° heel
- Safety toe is ASTM F2413-18 M/I/C EH rated
- Soft toe is ASTM F2892-24 EH SRO rated
- ASTM F3445-21 SR rated

|           |                 |
|-----------|-----------------|
| STYLE#    | <b>10054293</b> |
| COLOR     | Dark Brown      |
| AVAILABLE | At Once         |
| MSRP      | \$169.95        |
|           | 285506          |

|        |                 |
|--------|-----------------|
| STYLE# | <b>10054294</b> |
| MSRP   | \$179.95        |
|        | 290506          |





## Turbo Duratread™ XTR 6" H2O

|          |                      |                |       |
|----------|----------------------|----------------|-------|
| SIZES    | D: 7-12, 13, 14, 15  | UPPER          | 6"    |
|          | EE: 7-12, 13, 14, 15 | TOE            | Round |
| PLATFORM | Turbo                | SLIP RESISTING | SR    |



**DRYShield™**



### FEATURES

- DRYShield™ waterproof breathable construction
- Premium full-grain leather
- Energy Max™ anti-fatigue insole
- 100% non-metallic
- 50% recycled polyester lining
- Lightly padded collar and tongue top
- Direct-attach construction
- Protective toe and heel cap
- Shock-absorbing PU midsole
- Oil- and slip-resisting Duratread™ outsole
- 90° heel
- Safety toe is ASTM F2413-18 M/I/C EH rated
- Soft toe is ASTM F2892-24 EH SRO rated
- ASTM F3445-21 SR rated

|           |                      |
|-----------|----------------------|
| STYLE#    | <b>10054292</b>      |
| COLOR     | <b>Natural Brown</b> |
| AVAILABLE | <b>At Once</b>       |
| MSRP      | <b>\$179.95</b>      |
|           | <b>290506</b>        |

|        |                 |
|--------|-----------------|
| STYLE# | <b>10054291</b> |
| MSRP   | <b>\$189.95</b> |
|        | <b>296006</b>   |





## TURBO

Built for: **Outdoor work, performs indoors**

Best for: **Construction**

Delivers superior cushioning and flexibility for long-lasting comfort

**ATS**® ADVANCED STABILITY AND PERFORMANCE

### FEATURES

- 100% non-metallic construction
- Lightweight composite forked shank for stability
- Direct attach construction for lightweight flexibility
- Oil- and slip-resisting dual-density outsole provides maximum cushioning with wear resistance, passes hot contact test at 150°C/302°F
- 90° heel



## TURBO

This high-performance work boot delivers incredible cushioning support for day-long comfort on hard surfaces. It's lightweight, flexible, and features Ariat DRYShield™ waterproof construction for the ultimate protection from wet conditions.

*Turbo 6" H2O #10027335  
Aged Bark*





## Turbo 6" H2O

|          |                                     |                |       |
|----------|-------------------------------------|----------------|-------|
| SIZES    | D: 7-12, 13, 14<br>EE: 7-12, 13, 14 | UPPER          | 6"    |
| PLATFORM | Turbo                               | TOE            | Round |
|          |                                     | SLIP RESISTING | SR    |



### FEATURES

- DRYShield™ waterproof breathable construction
- Premium full-grain leather
- Energy Max™ anti-fatigue insole
- 100% non-metallic
- Mesh lining
- Lightly padded collar and tongue top
- Direct-attach construction
- Shock-absorbing PU midsole
- Oil- and slip-resisting TPU outsole
- 90° heel
- Safety toe is ASTM F2413-18 M/I/C EH rated
- Soft toe is ASTM F2892-18 EH rated
- ASTM F3445-21 SR rated

|           |                 |
|-----------|-----------------|
| STYLE#    | <b>10046860</b> |
| COLOR     | Rich Brown      |
| AVAILABLE | At Once         |
| MSRP      | \$164.95        |
|           | 282506          |

|        |                 |
|--------|-----------------|
| STYLE# | <b>10046861</b> |
| MSRP   | \$174.95        |
|        | 288006          |

|           |                 |
|-----------|-----------------|
| STYLE#    | <b>10032608</b> |
| COLOR     | Aged Bark       |
| AVAILABLE | At Once         |
| MSRP      | \$164.95        |
|           | 282506          |

|        |                 |
|--------|-----------------|
| STYLE# | <b>10027335</b> |
| MSRP   | \$174.95        |
|        | 288006          |



## Turbo Chelsea H2O

|          |                                     |                |       |
|----------|-------------------------------------|----------------|-------|
| SIZES    | D: 7-12, 13, 14<br>EE: 7-12, 13, 14 | UPPER          | 6"    |
| PLATFORM | Turbo                               | TOE            | Round |
|          |                                     | SLIP RESISTING | SR    |



### FEATURES

- DRYShield™ waterproof breathable construction
- Premium full-grain leather
- Energy Max™ anti-fatigue insole
- 100% non-metallic
- Mesh lining
- Direct-attach construction
- Shock-absorbing PU midsole
- Oil- and slip-resisting TPU outsole
- 90° heel
- Safety toe is ASTM F2413-18 M/I/C EH rated
- Soft toe is ASTM F2892-18 EH rated
- ASTM F3445-21 SR rated

|           |                 |
|-----------|-----------------|
| STYLE#    | <b>10060896</b> |
| COLOR     | All Black       |
| DETAILS   | Full Vamp       |
| AVAILABLE | At Once         |
| MSRP      | \$164.95        |
|           | 282506          |

|           |                 |
|-----------|-----------------|
| STYLE#    | <b>10032609</b> |
| COLOR     | Aged Bark       |
| DETAILS   | Full Vamp       |
| AVAILABLE | At Once         |
| MSRP      | \$164.95        |
|           | 282506          |

|        |                 |
|--------|-----------------|
| STYLE# | <b>10027331</b> |
| MSRP   | \$174.95        |
|        | 288006          |



## Turbo 8" H2O

|          |                                     |                |       |
|----------|-------------------------------------|----------------|-------|
| SIZES    | D: 7-12, 13, 14<br>EE: 7-12, 13, 14 | UPPER          | 8"    |
| PLATFORM | Turbo                               | TOE            | Round |
|          |                                     | SLIP RESISTING | SR    |



### FEATURES

- DRYShield™ waterproof breathable construction
- Premium full-grain leather
- Energy Max™ anti-fatigue insole
- 100% non-metallic
- Mesh lining
- Lightly padded collar and tongue top
- Direct-attach construction
- Shock-absorbing PU midsole
- Oil- and slip-resisting TPU outsole
- 90° heel
- Safety toe is ASTM F2413-18 M/I/C EH rated
- ASTM F3445-21 SR rated

|           |                 |
|-----------|-----------------|
| STYLE#    | <b>10027326</b> |
| COLOR     | Aged Bark       |
| AVAILABLE | At Once         |
| MSRP      | \$194.95        |
|           | 298506          |





## Turbo Pull-On Moc Toe H2O

|          |                                     |                |       |
|----------|-------------------------------------|----------------|-------|
| SIZES    | D: 7-12, 13, 14<br>EE: 7-12, 13, 14 | UPPER          | 11"   |
| PLATFORM | Turbo                               | TOE            | Round |
|          |                                     | SLIP RESISTING | SR    |



### FEATURES

- DRYShield™ waterproof breathable construction
- Premium full-grain leather
- Energy Max™ anti-fatigue insole
- 100% non-metallic
- Mesh lining
- Full back zip w/gusset
- Direct-attach construction
- Moc toe
- Shock-absorbing PU midsole
- Oil- and slip-resisting TPU outsole
- 90° heel
- Safety toe is ASTM F2413-18 M/I/C EH rated
- ASTM F3445-21 SR rated

|           |                 |  |
|-----------|-----------------|--|
| STYLE#    | <b>10040396</b> |  |
| COLOR     | Mocha           |  |
| DETAILS   | Full Vamp       |  |
| AVAILABLE | At Once         |  |
| MSRP      | \$214.95        |  |
|           | 2109006         |  |



## Turbo 6" H2O CSA®

|          |                                     |                |       |
|----------|-------------------------------------|----------------|-------|
| SIZES    | D: 7-12, 13, 14<br>EE: 7-12, 13, 14 | UPPER          | 6"    |
| PLATFORM | Turbo                               | TOE            | Round |
|          |                                     | SLIP RESISTING | SR    |



### FEATURES

- DRYShield™ waterproof breathable construction
- Premium full-grain leather
- Energy Max™ anti-fatigue insole
- 100% non-metallic
- Puncture resistant, metal-free SWEN-FLEX® insole board
- Mesh lining
- Lightly padded collar and tongue top
- Direct-attach construction
- Shock-absorbing PU midsole
- Oil- and slip-resisting TPU outsole
- 90° heel
- Safety toe is ASTM F2413-24 I/C PR EH SR rated
- Certified to CSA Standard Z195-14 w/ Grade 1 toe protection, protective sole protection and electric shock resistance (ESR) protection

|           |                 |  |
|-----------|-----------------|--|
| STYLE#    | <b>10029134</b> |  |
| COLOR     | Black           |  |
| AVAILABLE | At Once         |  |
| MSRP      | \$194.95        |  |
|           | 298506          |  |



## Turbo 6" H2O CSA® (cont.)

|             |                                       |  |
|-------------|---------------------------------------|--|
| STYLE#      | <b>10052209</b>                       |  |
| COLOR       | Rich Brown                            |  |
| AVAILABLE   | At Once                               |  |
| MSRP        | \$194.95                              |  |
|             | 298506                                |  |
| EXTRA SIZES | D: 6, 6.5, 15<br>EE: 4, 5, 6, 6.5, 15 |  |



## Turbo Chelsea H2O CSA®

|          |                                    |                |       |
|----------|------------------------------------|----------------|-------|
| SIZES    | D: 7-12, 13, 14<br>D: 7-12, 13, 14 | UPPER          | 6"    |
| PLATFORM | Turbo                              | TOE            | Round |
|          |                                    | SLIP RESISTING | SR    |



### FEATURES

- DRYShield™ waterproof breathable construction
- Premium full-grain leather
- Energy Max™ anti-fatigue insole
- 100% non-metallic
- Puncture resistant, metal-free SWEN-FLEX® insole board
- 50% recycled polyester lining
- Direct-attach construction
- Shock-absorbing PU midsole
- Oil- and slip-resisting TPU outsole
- 90° heel
- Safety toe is ASTM F2413-24 I/C PR EH SR rated
- Certified to CSA Standard Z195-14 w/ Grade 1 toe protection, protective sole protection and electric shock resistance (ESR) protection

|           |                 |  |
|-----------|-----------------|--|
| STYLE#    | <b>10060897</b> |  |
| COLOR     | Rich Brown      |  |
| DETAILS   | Full Vamp       |  |
| AVAILABLE | At Once         |  |
| MSRP      | \$194.95        |  |
|           | 298506          |  |




|           |                 |  |
|-----------|-----------------|--|
| STYLE#    | <b>10060898</b> |  |
| COLOR     | All Black       |  |
| DETAILS   | Full Vamp       |  |
| AVAILABLE | At Once         |  |
| MSRP      | \$194.95        |  |
|           | 298506          |  |





## Turbo Outlaw 6" H2O CSA®

|          |                                                   |                |       |
|----------|---------------------------------------------------|----------------|-------|
| SIZES    | D: 6-12, 13, 14, 15<br>EE: 4, 5, 6-12, 13, 14, 15 | UPPER          | 6"    |
| PLATFORM | Turbo                                             | TOE            | Round |
|          |                                                   | SLIP RESISTING | SR    |



### FEATURES

- DRYShield™ waterproof breathable construction
- Premium full-grain leather
- Energy Max™ anti-fatigue insole
- 100% non-metallic
- Puncture resistant, metal-free SWEN-FLEX® insole board
- 50% recycled polyester lining
- Lightly padded collar and tongue top
- Direct-attach construction
- Protective ExGuards™ on toe and heel
- Shock-absorbing PU midsole
- Oil- and slip-resisting TPU outsole
- 90° heel
- Safety toe is ASTM F2413-24 I/C PR EH SR rated
- Certified to CSA Standard Z195-14 w/ Grade 1 toe protection, protective sole protection and electric shock resistance (ESR) protection

|           |                 |  |
|-----------|-----------------|--|
| STYLE#    | <b>10045417</b> |  |
| COLOR     | Rich Brown      |  |
| AVAILABLE | At Once         |  |
| MSRP      | \$199.95        |  |
|           | 2104006         |  |



## Turbo Outlaw 8" Met Guard H2O CSA®

|          |                                     |                |       |
|----------|-------------------------------------|----------------|-------|
| SIZES    | D: 7-12, 13, 14<br>EE: 7-12, 13, 14 | UPPER          | 8"    |
| PLATFORM | Turbo                               | TOE            | Round |
|          |                                     | SLIP RESISTING | SR    |



### FEATURES

- DRYShield™ waterproof breathable construction
- Premium full-grain leather
- Energy Max™ anti-fatigue insole
- 100% non-metallic
- XRD® Internal Metatarsal Guard
- Puncture resistant, metal-free SWEN-FLEX® insole board
- Mesh lining
- Lightly padded collar and tongue top
- Direct-attach construction
- Protective ExGuards™ on toe and heel
- Shock-absorbing PU midsole
- Oil- and slip-resisting TPU outsole
- 90° heel
- Safety toe is ASTM F2413-18 M/I/C Mt EH PR rated
- ASTM F3445-21 SR rated
- Certified to CSA Standard Z195-14 w/ Grade 1 toe protection, protective sole protection, metatarsal protection and electric shock resistance (ESR) protection

|           |                 |  |
|-----------|-----------------|--|
| STYLE#    | <b>10033998</b> |  |
| COLOR     | Barley Brown    |  |
| AVAILABLE | At Once         |  |
| MSRP      | \$224.95        |  |
|           | 2119256         |  |



WORK



# WOMEN'S RIVETER

Built for: **Outdoor work, performs indoors**

Best for: **Construction**

Delivers advanced comfort and stability with full-range traction

**ATS**® **ADVANCED STABILITY AND PERFORMANCE**

## FEATURES

- Lightweight composite forked shank for stability
- Puncture-resistant, metal-free SWEN-FLEX® insole board
- FLX Foam™ midsole for lightweight cushion and rebound
- Oil- and slip-resisting Duratread™ outsole provides maximum wear resistance, passes hot contact test at 300°C/572°F
- 90° heel


GLACIER GRIP™  
(SELECT STYLES)

## Women's Riveter 6" CSA® H2O

|          |                          |                |       |
|----------|--------------------------|----------------|-------|
| SIZES    | B: 5.5-11, 12<br>C: 6-11 | UPPER          | 6"    |
| PLATFORM | Riveter                  | TOE            | Round |
|          |                          | SLIP RESISTING | SRO   |


**DRYShield™**


### FEATURES

- DRYShield™ waterproof breathable construction
- Full-grain leather
- All Day Cushioning insole
- Puncture resistant, metal-free SWEN-FLEX® insole board
- Mesh lining
- Lightly padded collar and tongue top
- Cement construction
- Lightweight, shock-absorbing FLX Foam™ midsole
- Oil- and slip-resisting Duratread™ outsole
- 90° heel
- Safety toe is ASTM F2413-24 I/C PR EH SRO rated
- Certified to CSA Standard Z195-14 w/ Grade 1 toe protection, protective sole protection and electric shock resistance (ESR) protection

|           |                 |    |
|-----------|-----------------|----|
| STYLE#    | <b>10035773</b> | CT |
| COLOR     | Dark Brown      |    |
| DETAILS   | SSW             |    |
| AVAILABLE | At Once         |    |
| MSRP      | \$174.95        |    |
|           | 292006          |    |



## Women's Riveter Chelsea CSA® H2O

|          |                          |                |       |
|----------|--------------------------|----------------|-------|
| SIZES    | B: 5.5-11, 12<br>C: 6-11 | UPPER          | 6"    |
| PLATFORM | Riveter                  | TOE            | Round |
|          |                          | SLIP RESISTING | SRO   |


**DRYShield™**


### FEATURES

- DRYShield™ waterproof breathable construction
- Full-grain leather
- All Day Cushioning insole
- Puncture resistant, metal-free SWEN-FLEX® insole board
- Mesh lining
- Easy pull-on twin gore style
- Cement construction
- Lightweight, shock-absorbing FLX Foam™ midsole
- Oil- and slip-resisting Duratread™ outsole
- 90° heel
- Safety toe is ASTM F2413-24 I/C PR EH SRO rated
- Certified to CSA Standard Z195-14 w/ Grade 1 toe protection, protective sole protection and electric shock resistance (ESR) protection

|           |                 |    |
|-----------|-----------------|----|
| STYLE#    | <b>10035772</b> | CT |
| COLOR     | Dark Brown      |    |
| DETAILS   | SSW, Full Vamp  |    |
| AVAILABLE | At Once         |    |
| MSRP      | \$174.95        |    |
|           | 292006          |    |





## Women's Riveter Pull-On CSA® H2O

|          |               |                |       |
|----------|---------------|----------------|-------|
| SIZES    | B: 5.5-11, 12 | UPPER          | 10"   |
|          | C: 6-11       | TOE            | Round |
| PLATFORM | Riveter       | SLIP RESISTING | SRO   |



### FEATURES

- DRYShield™ waterproof breathable construction
- Full-grain leather
- All Day Cushioning insole
- Puncture resistant, metal-free SWEN-FLEX® insole board
- Mesh lining
- Four-row stitch pattern
- Cement construction
- Lightweight, shock-absorbing FLX Foam™ midsole
- Oil- and slip-resisting Duratread™ outsole
- 90° heel
- Safety toe is ASTM F2413-24 I/C PR EH SRO rated
- Certified to CSA Standard Z195-14 w/ Grade 1 toe protection, protective sole protection and electric shock resistance (ESR) protection

|           |                 |    |
|-----------|-----------------|----|
| STYLE#    | <b>10035774</b> | CT |
| COLOR     | Dark Brown      |    |
| DETAILS   | SSW, Full Vamp  |    |
| AVAILABLE | At Once         |    |
| MSRP      | \$184.95        |    |
|           | 297506          |    |



## Women's Riveter Pull-On BOA® H2O CSA®

|          |               |                |       |
|----------|---------------|----------------|-------|
| SIZES    | B: 5.5-11, 12 | UPPER          | 10"   |
|          | C: 6-11       | TOE            | Round |
| PLATFORM | Riveter       | SLIP RESISTING | SRO   |



### FEATURES

- DRYShield™ waterproof breathable construction
- Full-grain leather
- All Day Cushioning insole
- Puncture resistant, metal-free SWEN-FLEX® insole board
- 50% recycled polyester lining
- Dial in a fast, effortless, precision fit with the micro-adjustable BOA® Fit System
- Cement construction
- Lightweight, shock-absorbing FLX Foam™ midsole
- Oil- and slip-resisting Duratread™ outsole
- 90° heel
- Safety toe is ASTM F2413-24 I/C PR EH SRO rated
- Certified to CSA Standard Z195-14 w/ Grade 1 toe protection, protective sole protection and electric shock resistance (ESR) protection

|           |                 |    |
|-----------|-----------------|----|
| STYLE#    | <b>10050831</b> | CT |
| COLOR     | Dark Brown      |    |
| DETAILS   | SSW, Full Vamp  |    |
| AVAILABLE | At Once         |    |
| MSRP      | \$249.95        |    |
|           | 2127006         |    |



## Women's Riveter Pull-On H2O 400g CSA® Glacier Grip™

|          |               |                |       |
|----------|---------------|----------------|-------|
| SIZES    | B: 5.5-11, 12 | UPPER          | 10"   |
|          | C: 6-11       | TOE            | Round |
| PLATFORM | Riveter       | SLIP RESISTING | SRO   |



### FEATURES

- DRYShield™ waterproof breathable construction
- 400g Thinsulate™ Insulation
- Full-grain leather
- All Day Cushioning insole
- Puncture resistant, metal-free SWEN-FLEX® insole board
- Mesh lining
- Four-row stitch pattern
- Cement construction
- Lightweight, shock-absorbing FLX Foam™ midsole
- Oil- and slip-resisting Duratread™ outsole with snow and ice traction pods
- 90° heel
- Safety toe is ASTM F2413-24 I/C PR EH SRO rated
- Certified to CSA Standard Z195-14 w/ Grade 1 toe protection, protective sole protection and electric shock resistance (ESR) protection

|           |                 |    |
|-----------|-----------------|----|
| STYLE#    | <b>10036708</b> | CT |
| COLOR     | Dark Brown      |    |
| DETAILS   | SSW, Full Vamp  |    |
| AVAILABLE | At Once         |    |
| MSRP      | \$214.95        |    |
|           | 2113506         |    |



## Women's Riveter 8" H2O 400g CSA® Glacier Grip™

|          |               |                |       |
|----------|---------------|----------------|-------|
| SIZES    | B: 5.5-11, 12 | UPPER          | 8"    |
|          | C: 6-11       | TOE            | Round |
| PLATFORM | Riveter       | SLIP RESISTING | SRO   |



### FEATURES

- DRYShield™ waterproof breathable construction
- 400g Thinsulate™ Insulation
- Full-grain leather
- All Day Cushioning insole
- Puncture resistant, metal-free SWEN-FLEX® insole board
- Mesh lining
- Suede collar and tongue
- Cement construction
- Lightweight, shock-absorbing FLX Foam™ midsole
- Oil- and slip-resisting Duratread™ outsole with snow and ice traction pods
- 90° heel
- Safety toe is ASTM F2413-24 I/C PR EH SRO rated
- Certified to CSA Standard Z195-14 w/ Grade 1 toe protection, protective sole protection and electric shock resistance (ESR) protection

|           |                 |    |
|-----------|-----------------|----|
| STYLE#    | <b>10036707</b> | CT |
| COLOR     | Dark Brown      |    |
| DETAILS   | SSW             |    |
| AVAILABLE | At Once         |    |
| MSRP      | \$214.95        |    |
|           | 2113506         |    |





## REBAR® LIFT

Built for: **Outdoor work, performs indoors**

Best for: **Construction**

Delivers lightweight, cushioning comfort with durability

**ATS®** ADVANCED STABILITY AND PERFORMANCE

### FEATURES

- Lightweight composite forked shank for stability
- Lightweight durable outsole made with SMARTLITE™ material from Huntsman
- Oil- and slip-resisting outsole
- 90° heel



## REBAR® LIFT

A long workday demands a boot that can keep up. Featuring a lightweight, durable sole with SMARTLITE™ material from Huntsman, Rebar® Lift offers superior energy return and cushioning for long days on your feet.

Rebar® Lift 6" H2O #10046876  
Distressed Brown

DRYShield™ waterproof breathable construction

Soft toe is ASTM F2892-24 EH SR rated

Safety toe is ASTM F2413-24 I/C EH SRO rated

Moc toe

Cement construction

Lightweight, shock-absorbing FLX Foam™ midsole

Oil- and slip-resisting sole made with SMARTLITE™ material from Huntsman

90° heel

All Day Cushioning insole

Lightly padded collar and tongue top

Premium full-grain leather

50% recycled polyester lining





## Rebar® Lift 6" H2O

|          |                      |                |       |
|----------|----------------------|----------------|-------|
| SIZES    | D: 6-12, 13, 14, 15  | UPPER          | 6"    |
|          | EE: 6-12, 13, 14, 15 | TOE            | Round |
| PLATFORM | Rebar® Lift          | SLIP RESISTING | SR    |



### FEATURES

- DRYShield™ waterproof breathable construction
- Premium full-grain leather
- All Day Cushioning insole
- 50% recycled polyester lining
- Lightly padded collar and tongue top
- Cement construction
- Moc toe
- Lightweight, shock-absorbing FLX Foam™ midsole
- Lightweight sole made w/ SMARTLITE™ material from Huntsman
- 90° heel
- Safety toe is ASTM F2413-24 I/C EH SRO rated
- Soft toe is ASTM F2892-24 EH SR rated

|           |                 |
|-----------|-----------------|
| STYLE#    | <b>10063919</b> |
| COLOR     | Black           |
| DETAILS   | SSW             |
| AVAILABLE | 7/1/2025        |
| MSRP      | \$189.95        |
|           | 296006          |

|        |                 |     |
|--------|-----------------|-----|
| STYLE# | <b>10063920</b> | ⓈCT |
| MSRP   | \$199.95        |     |
|        | 2101006         |     |



|           |                  |
|-----------|------------------|
| STYLE#    | <b>10046877</b>  |
| COLOR     | Distressed Brown |
| DETAILS   | SSW              |
| AVAILABLE | At Once          |
| MSRP      | \$189.95         |
|           | 296006           |

|        |                 |     |
|--------|-----------------|-----|
| STYLE# | <b>10046876</b> | ⓈCT |
| MSRP   | \$199.95        |     |
|        | 2101006         |     |



## Rebar® Lift 8" H2O

|          |                      |                |       |
|----------|----------------------|----------------|-------|
| SIZES    | D: 6-12, 13, 14, 15  | UPPER          | 8"    |
|          | EE: 6-12, 13, 14, 15 | TOE            | Round |
| PLATFORM | Rebar® Lift          | SLIP RESISTING | SR    |



### FEATURES

- DRYShield™ waterproof breathable construction
- Premium full-grain leather
- All Day Cushioning insole
- 50% recycled polyester lining
- Lightly padded collar and tongue top
- Cement construction
- Moc toe
- Lightweight, shock-absorbing FLX Foam™ midsole
- Lightweight sole made w/ SMARTLITE™ material from Huntsman
- 90° heel
- Safety toe is ASTM F2413-24 I/C EH SRO rated
- Soft toe is ASTM F2892-24 EH SR rated

|           |                  |
|-----------|------------------|
| STYLE#    | <b>10047029</b>  |
| COLOR     | Distressed Brown |
| DETAILS   | SSW              |
| AVAILABLE | At Once          |
| MSRP      | \$199.95         |
|           | 2101006          |

|        |                 |     |
|--------|-----------------|-----|
| STYLE# | <b>10047028</b> | ⓈCT |
| MSRP   | \$209.95        |     |
|        | 2106506         |     |



## Rebar® Lift Chukka Met Guard

|          |                      |                |       |
|----------|----------------------|----------------|-------|
| SIZES    | D: 7-12, 13, 14, 15  | UPPER          | 5"    |
|          | EE: 7-12, 13, 14, 15 | TOE            | Round |
| PLATFORM | Rebar® Lift          | SLIP RESISTING | SR    |



### FEATURES

- Premium full-grain leather
- All Day Cushioning insole
- XRD® Internal Metatarsal Guard
- 50% recycled polyester lining
- Lightly padded collar and tongue top
- Cement construction
- Moc toe
- Lightweight, shock-absorbing FLX Foam™ midsole
- Lightweight sole made w/ SMARTLITE™ material from Huntsman
- 90° heel
- Safety toe is ASTM F2413-24 I/C Mt EH SR rated

|           |                  |     |
|-----------|------------------|-----|
| STYLE#    | <b>10063850</b>  | ⓈCT |
| COLOR     | Distressed Brown |     |
| DETAILS   | SSW              |     |
| AVAILABLE | 8/1/2025         |     |
| MSRP      | \$189.95         |     |
|           | 296006           |     |





## Rebar® Lift Chukka H20

|          |                      |                |       |
|----------|----------------------|----------------|-------|
| SIZES    | D: 6-12, 13, 14, 15  | UPPER          | 5"    |
|          | EE: 6-12, 13, 14, 15 | TOE            | Round |
| PLATFORM | Rebar® Lift          | SLIP RESISTING | SR    |



### FEATURES

- DRYShield™ waterproof breathable construction
- Premium full-grain leather
- All Day Cushioning insole
- 50% recycled polyester lining
- Lightly padded collar and tongue top
- Cement construction
- Moc toe
- Lightweight, shock-absorbing FLX Foam™ midsole
- Lightweight sole made w/ SMARTLITE™ material from Huntsman
- 90° heel
- Soft toe is ASTM F2892-24 EH SR rated

|           |                  |
|-----------|------------------|
| STYLE#    | <b>10050846</b>  |
| COLOR     | Distressed Brown |
| DETAILS   | SSW              |
| AVAILABLE | At Once          |
| MSRP      | \$179.95         |
|           | 290506           |



## Rebar® Lift Chukka

|          |                      |                |       |
|----------|----------------------|----------------|-------|
| SIZES    | D: 6-12, 13, 14, 15  | UPPER          | 5"    |
|          | EE: 6-12, 13, 14, 15 | TOE            | Round |
| PLATFORM | Rebar® Lift          | SLIP RESISTING | SR    |



### FEATURES

- Premium full-grain leather
- All Day Cushioning insole
- 50% recycled polyester lining
- Lightly padded collar and tongue top
- Cement construction
- Moc toe
- Lightweight, shock-absorbing FLX Foam™ midsole
- Lightweight sole made w/ SMARTLITE™ material from Huntsman
- 90° heel
- Safety toe is ASTM F2413-24 I/C EH SRO rated
- Soft toe is ASTM F2892-24 EH SR rated

|           |                                  |
|-----------|----------------------------------|
| STYLE#    | <b>10053587</b>                  |
| COLOR     | Distressed Brown/ Shagreen Print |
| DETAILS   | SSW                              |
| AVAILABLE | At Once                          |
| MSRP      | \$169.95                         |
|           | 285506                           |

|        |                 |    |
|--------|-----------------|----|
| STYLE# | <b>10053586</b> | CT |
| MSRP   | \$179.95        |    |
|        | 290506          |    |



## Rebar® Lift Chukka (cont.)

|           |                  |
|-----------|------------------|
| STYLE#    | <b>10050836</b>  |
| COLOR     | Distressed Brown |
| DETAILS   | SSW              |
| AVAILABLE | At Once          |
| MSRP      | \$169.95         |
|           | 285506           |

|        |                 |    |
|--------|-----------------|----|
| STYLE# | <b>10050837</b> | CT |
| MSRP   | \$179.95        |    |
|        | 290506          |    |



## Rebar® Lift Pull On Moc Toe

|          |                      |                |       |
|----------|----------------------|----------------|-------|
| SIZES    | D: 6-12, 13, 14, 15  | UPPER          | 10"   |
|          | EE: 6-12, 13, 14, 15 | TOE            | Round |
| PLATFORM | Rebar® Lift          | SLIP RESISTING | SR    |



### FEATURES

- Premium full-grain leather
- All Day Cushioning insole
- 50% recycled polyester lining
- Slimmer shaft for better fit with Ariat M7 or M8 pants
- Full back zip w/gusset
- Cement construction
- Moc toe
- Lightweight, shock-absorbing FLX Foam™ midsole
- Lightweight sole made w/ SMARTLITE™ material from Huntsman
- 90° heel
- Safety toe is ASTM F2413-24 I/C EH SRO rated
- Soft toe is ASTM F2892-24 EH SR rated

|           |                  |
|-----------|------------------|
| STYLE#    | <b>10061286</b>  |
| COLOR     | Distressed Brown |
| DETAILS   | SSW, Full Vamp   |
| AVAILABLE | At Once          |
| MSRP      | \$189.95         |
|           | 296006           |

|        |                 |    |
|--------|-----------------|----|
| STYLE# | <b>10061114</b> | CT |
| MSRP   | \$199.95        |    |
|        | 2101006         |    |





## Women's Rebar® Lift H2O

|          |               |                |       |
|----------|---------------|----------------|-------|
| SIZES    | B: 5.5-11, 12 | UPPER          | 5"    |
|          | C: 6-11       | TOE            | Round |
| PLATFORM | Rebar® Lift   | SLIP RESISTING | SR    |



### FEATURES

- DRYShield™ waterproof breathable construction
- Premium full-grain leather
- All Day Cushioning insole
- 50% recycled polyester lining
- Lightly padded collar and tongue top
- Cement construction
- Moc toe
- Lightweight, shock-absorbing FLX Foam™ midsole
- Lightweight sole made w/ SMARTLITE™ material from Huntsman
- 90° heel
- Safety toe is ASTM F2413-18 F/I/C EH rated
- Soft toe is ASTM F2892-18 EH rated
- ASTM F3445-21 SR rated

|           |                  |
|-----------|------------------|
| STYLE#    | <b>10053822</b>  |
| COLOR     | Distressed Brown |
| DETAILS   | SSW              |
| AVAILABLE | At Once          |
| MSRP      | \$169.95         |
|           | 285506           |
| STYLE#    | <b>10053821</b>  |
| MSRP      | \$179.95         |
|           | 290506           |



## Women's Rebar® Lift Chukka Met Guard

|          |               |                |       |
|----------|---------------|----------------|-------|
| SIZES    | B: 5.5-11, 12 | UPPER          | 5"    |
|          | C: 6-11       | TOE            | Round |
| PLATFORM | Rebar® Lift   | SLIP RESISTING | SR    |



### FEATURES

- Premium full-grain leather
- All Day Cushioning insole
- XRD® Internal Metatarsal Guard
- 50% recycled polyester lining
- Lightly padded collar and tongue top
- Cement construction
- Moc toe
- Lightweight, shock-absorbing FLX Foam™ midsole
- Lightweight sole made w/ SMARTLITE™ material from Huntsman
- 90° heel
- Safety toe is ASTM F2413-24 I/C Mt EH SR rated

|           |                  |
|-----------|------------------|
| STYLE#    | <b>10063851</b>  |
| COLOR     | Distressed Brown |
| DETAILS   | SSW              |
| AVAILABLE | 8/1/2025         |
| MSRP      | \$179.95         |
|           | 290506           |





# REBAR® WEDGE

Built for: **Outdoor work, performs indoors**

Best for: **Construction**

Delivers lightweight, cushioning comfort with durability

**ATS®** ADVANCED STABILITY AND PERFORMANCE

## FEATURES

- Lightweight composite forked shank for stability
- Lightweight durable outsole made with SMARTLITE™ material from Huntsman
- Oil- and slip-resisting outsole
- Flat bottom, wedge sole is not ladder-friendly



### Rebar® Wedge Moc Toe 6" H2O

|          |                                             |                |     |
|----------|---------------------------------------------|----------------|-----|
| SIZES    | D: 6-12, 13, 14, 15<br>EE: 6-12, 13, 14, 15 | UPPER          | 6"  |
| PLATFORM | Rebar® Wedge                                | TOE            | Moc |
|          |                                             | SLIP RESISTING | SR  |



#### FEATURES

- DRYShield™ waterproof breathable construction
- Premium full-grain leather
- All Day Cushioning insole
- 50% recycled polyester lining
- Lightly padded collar and tongue top
- Cement construction
- Moc toe
- Lightweight, shock-absorbing FLX Foam™ midsole
- Lightweight sole made w/ SMARTLITE™ material from Huntsman
- Flat bottom, wedge sole
- Safety toe is ASTM F2413-18 M/I/C EH rated
- Soft toe is ASTM F2892-18 EH rated
- ASTM F3445-21 SR rated

|           |                  |
|-----------|------------------|
| STYLE#    | <b>10053614</b>  |
| COLOR     | Distressed Brown |
| DETAILS   | SSW              |
| AVAILABLE | At Once          |
| MSRP      | \$189.95         |
|           | 296006           |

|        |                 |     |
|--------|-----------------|-----|
| STYLE# | <b>10053615</b> | ⊙CT |
| MSRP   | \$199.95        |     |
|        | 2101006         |     |



### Rebar® Wedge Chelsea H2O

|          |                                             |                |       |
|----------|---------------------------------------------|----------------|-------|
| SIZES    | D: 6-12, 13, 14, 15<br>EE: 6-12, 13, 14, 15 | UPPER          | 6"    |
| PLATFORM | Rebar® Wedge                                | TOE            | Round |
|          |                                             | SLIP RESISTING | SR    |



#### FEATURES

- DRYShield™ waterproof breathable construction
- Premium full-grain leather
- All Day Cushioning insole
- 50% recycled polyester lining
- Cement construction
- Lightweight, shock-absorbing FLX Foam™ midsole
- Lightweight sole made w/ SMARTLITE™ material from Huntsman
- Flat bottom, wedge sole
- Safety toe is ASTM F2413-18 M/I/C EH rated
- Soft toe is ASTM F2892-18 EH rated
- ASTM F3445-21 SR rated

|           |                  |
|-----------|------------------|
| STYLE#    | <b>10061116</b>  |
| COLOR     | Distressed Brown |
| DETAILS   | SSW, Full Vamp   |
| AVAILABLE | At Once          |
| MSRP      | \$179.95         |
|           | 290506           |

|        |                 |     |
|--------|-----------------|-----|
| STYLE# | <b>10061115</b> | ⊙CT |
| MSRP   | \$189.95        |     |
|        | 296006          |     |





## Rebar® Wedge Pull-On H2O

|          |                      |                |       |
|----------|----------------------|----------------|-------|
| SIZES    | D: 6-12, 13, 14, 15  | UPPER          | 10"   |
|          | EE: 6-12, 13, 14, 15 | TOE            | Round |
| PLATFORM | Rebar® Wedge         | SLIP RESISTING | SR    |



DRYShield™



### FEATURES

- DRYShield™ waterproof breathable construction
- Premium full-grain leather
- All Day Cushioning insole
- 50% recycled polyester lining
- Cement construction
- Lightweight, shock-absorbing FLX Foam™ midsole
- Lightweight sole made w/ SMARTLITE™ material from Huntsman
- Flat bottom, wedge sole
- Safety toe is ASTM F2413-18 M/I/C EH rated
- Soft toe is ASTM F2892-18 EH rated
- ASTM F3445-21 SR rated

|           |                  |
|-----------|------------------|
| STYLE#    | <b>10053612</b>  |
| COLOR     | Distressed Brown |
| DETAILS   | SSW, Full Vamp   |
| AVAILABLE | At Once          |
| MSRP      | \$199.95         |
|           | 2101006          |

|        |                 |     |
|--------|-----------------|-----|
| STYLE# | <b>10053613</b> | ⓈCT |
| MSRP   | \$209.95        |     |
|        | 2106506         |     |



## Women's Rebar® Wedge Moc Toe H2O

|          |               |                |     |
|----------|---------------|----------------|-----|
| SIZES    | B: 5.5-11, 12 | UPPER          | 5"  |
|          | C: 6-11       | TOE            | Moc |
| PLATFORM | Rebar® Wedge  | SLIP RESISTING | SR  |



DRYShield™



### FEATURES

- DRYShield™ waterproof breathable construction
- Premium full-grain leather
- All Day Cushioning insole
- 50% recycled polyester lining
- Lightly padded collar and tongue top
- Cement construction
- Moc toe
- Lightweight, shock-absorbing FLX Foam™ midsole
- Lightweight sole made w/ SMARTLITE™ material from Huntsman
- Flat bottom, wedge sole
- Safety toe is ASTM F2413-18 F/I/C EH rated
- Soft toe is ASTM F2892-18 EH rated
- ASTM F3445-21 SR rated

|           |                 |
|-----------|-----------------|
| STYLE#    | <b>10053718</b> |
| COLOR     | Antique Brown   |
| DETAILS   | SSW             |
| AVAILABLE | At Once         |
| MSRP      | \$169.95        |
|           | 285506          |

|        |                 |     |
|--------|-----------------|-----|
| STYLE# | <b>10053717</b> | ⓈCT |
| MSRP   | \$179.95        |     |
|        | 290506          |     |



## Women's Rebar® Wedge Chelsea H2O

|          |               |                |       |
|----------|---------------|----------------|-------|
| SIZES    | B: 5.5-11, 12 | UPPER          | 5"    |
|          | C: 6-11       | TOE            | Round |
| PLATFORM | Rebar® Wedge  | SLIP RESISTING | SR    |



DRYShield™



### FEATURES

- DRYShield™ waterproof breathable construction
- Premium full-grain leather
- All Day Cushioning insole
- 50% recycled polyester lining
- Cement construction
- Lightweight, shock-absorbing FLX Foam™ midsole
- Lightweight sole made w/ SMARTLITE™ material from Huntsman
- Flat bottom, wedge sole
- Safety toe is ASTM F2413-18 F/I/C EH rated
- Soft toe is ASTM F2892-18 EH rated
- ASTM F3445-21 SR rated

|           |                 |
|-----------|-----------------|
| STYLE#    | <b>10061118</b> |
| COLOR     | Grey            |
| DETAILS   | SSW, Full Vamp  |
| AVAILABLE | At Once         |
| MSRP      | \$169.95        |
|           | 285506          |

|        |                 |     |
|--------|-----------------|-----|
| STYLE# | <b>10061117</b> | ⓈCT |
| MSRP   | \$179.95        |     |
|        | 290506          |     |



|           |                 |
|-----------|-----------------|
| STYLE#    | <b>10053720</b> |
| COLOR     | Antique Brown   |
| DETAILS   | SSW, Full Vamp  |
| AVAILABLE | At Once         |
| MSRP      | \$169.95        |
|           | 285506          |

|        |                 |     |
|--------|-----------------|-----|
| STYLE# | <b>10053719</b> | ⓈCT |
| MSRP   | \$179.95        |     |
|        | 290506          |     |





# REBAR® FLEX

Built for: **Outdoor work, performs indoors**

Best for: **Construction**

Delivers flexible cushion for kneeling and bending



EVERYDAY COMFORT AND STABILITY

## FEATURES

- 100% non-metallic construction
- Cushioning EVA midsole for shock absorption
- Lightweight stabilizing shank
- Oil- and slip-resisting Duratread™ outsole for maximum wear resistance, passes hot contact test at 300°C/572°F
- Defined heel



## Rebar® Flex 6"

|          |                                     |                |       |
|----------|-------------------------------------|----------------|-------|
| SIZES    | D: 7-12, 13, 14<br>EE: 7-12, 13, 14 | UPPER          | 6"    |
| PLATFORM | Rebar® Flex                         | TOE            | Round |
|          |                                     | SLIP RESISTING | SR    |



## FEATURES

- Leather and mesh – leather in key protection and support areas, combined w/ mesh panels
- All Day Cushioning insole
- 100% non-metallic
- Mesh lining
- Lightly padded collar and tongue top
- Anatomical last for true fit
- Overlasted construction
- EVA midsole with ESS in heel
- Oil- and slip-resisting Duratread™ outsole
- Outdoor traction lugs w/ debris-releasing tread
- Defined heel
- Safety toe is ASTM F2413-18 M/I/C EH rated
- ASTM F3445-21 SR rated

|           |                 |    |
|-----------|-----------------|----|
| STYLE#    | <b>10021495</b> | CT |
| COLOR     | Chocolate Brown |    |
| AVAILABLE | At Once         |    |
| MSRP      | \$159.95        |    |
|           | 283006          |    |





# GROUNDBREAKER

Built for: **Outdoor work, performs indoors**

Best for: **Farm and ranch work**

Delivers versatile traction with comfort



**EVERYDAY COMFORT AND STABILITY**

## FEATURES

- Lightweight stabilizing shank
- Oil- and slip-resisting Duratread™ outsole for maximum wear resistance, passes hot contact test at 300°C/572°F
- 90° heel



## Groundbreaker Chelsea H2O

|          |                                     |                |       |
|----------|-------------------------------------|----------------|-------|
| SIZES    | D: 7-12, 13, 14<br>EE: 7-12, 13, 14 | UPPER          | 6"    |
| PLATFORM | Groundbreaker                       | TOE            | Round |
|          |                                     | SLIP RESISTING | SR    |



**DRYShield™**

## FEATURES

- DRYShield™ waterproof breathable construction
- Full-grain leather
- All Day Cushioning insole
- Mesh lining
- Easy pull-on twin gore style
- Reflective piping on heel
- Cement construction
- Oil- and slip-resisting Duratread™ outsole
- 90° heel
- Safety toe is ASTM F2413-24 I/C EH SR rated

|           |                 |           |
|-----------|-----------------|-----------|
| STYLE#    | <b>10024983</b> | <b>ST</b> |
| COLOR     | Dark Brown      |           |
| DETAILS   | SSW, Full Vamp  |           |
| AVAILABLE | At Once         |           |
| MSRP      | \$179.95        |           |
|           | 290506          |           |



## Groundbreaker Pull-On

|          |                                     |                |       |
|----------|-------------------------------------|----------------|-------|
| SIZES    | D: 7-12, 13, 14<br>EE: 7-12, 13, 14 | UPPER          | 10"   |
| PLATFORM | Groundbreaker                       | TOE            | Round |
|          |                                     | SLIP RESISTING | SR    |



## FEATURES

- Full-grain leather foot w/ suede upper
- All Day Cushioning insole
- Mesh lining
- Two-row stitch pattern
- Cement construction
- Oil- and slip-resisting Duratread™ outsole
- 90° heel
- Safety toe is ASTM F2413-24 I/C EH SR rated
- Soft toe is ASTM F2892-24 EH SR rated

|           |                 |  |
|-----------|-----------------|--|
| STYLE#    | <b>10014238</b> |  |
| COLOR     | Brown           |  |
| DETAILS   | SSW, Full Vamp  |  |
| AVAILABLE | At Once         |  |
| MSRP      | \$159.95        |  |
|           | 283006          |  |

|        |                 |           |
|--------|-----------------|-----------|
| STYLE# | <b>10014241</b> | <b>ST</b> |
| MSRP   | \$169.95        |           |
|        | 288506          |           |





## Groundbreaker Met Guard

|          |                      |                |       |
|----------|----------------------|----------------|-------|
| SIZES    | D: 7-12, 13, 14, 15  | UPPER          | 10"   |
|          | EE: 7-12, 13, 14, 15 | TOE            | Round |
| PLATFORM | Groundbreaker        | SLIP RESISTING | SR    |



### FEATURES

- Full-grain leather foot w/ suede upper
- All Day Cushioning insole
- XRD® Internal Metatarsal Guard
- Mesh lining
- Two-row stitch pattern
- Cement construction
- Oil- and slip-resisting Duratread™ outsole
- 90° heel
- Safety toe is ASTM F2413-18 M/I/C Mt EH rated
- ASTM F3445-21 SR rated

|           |                 |           |
|-----------|-----------------|-----------|
| STYLE#    | <b>10036107</b> | <b>ST</b> |
| COLOR     | Brown           |           |
| DETAILS   | SSW, Full Vamp  |           |
| AVAILABLE | At Once         |           |
| MSRP      | \$199.95        |           |
|           | 2105006         |           |





# TREADFAST

Built for: **Outdoor work, performs indoors**

Best for: **Construction**

Delivers versatile traction with comfort



EVERYDAY COMFORT AND STABILITY

## FEATURES

- Lightweight stabilizing shank
- Oil- and slip-resisting Duratread® outsole for maximum wear resistance, passes hot contact test at 300°C/572°F
- 90° heel



## TREADFAST

Built to stand safely up to the heat. Our high-heat resistant Treadfast Temper is extra tough and protective, ideal for smelting, foundry, welding and other molten metal industries.

*Treadfast Temper 6" Met Guard H20 CSA®  
#10053574*



Certified to CSA Standard Z195-14 w/ Grade 1 toe protection, protective sole protection, metatarsal protection and electric shock resistance (ESR) protection

DRYShield™ waterproof breathable construction

XRD® Internal Metatarsal Guard

Safety toe is ASTM F2413-24 I/C Mt EH PR SR rated

Molded rubber wear protector

Oil- and slip-resisting Duratread™ outsole

Puncture resistant, metal-free SWEN-FLEX® insole board

90° heel

Lightly padded collar and tongue top

Full-grain leather

High tech Dri-Freeze® lining in foot and upper

All Day Cushioning insole





## Treadfast Temper 6" Met Guard H2O CSA®

|          |                                           |                |       |
|----------|-------------------------------------------|----------------|-------|
| SIZES    | D:6-12, 13, 14, 15<br>EE:6-12, 13, 14, 15 | UPPER          | 6"    |
| PLATFORM | Treadfast                                 | TOE            | Round |
|          |                                           | SLIP RESISTING | SR    |



**DRYShield™**



### FEATURES

- DRYShield™ waterproof breathable construction
- Full-grain leather
- All Day Cushioning insole
- XRD® Internal Metatarsal Guard
- Puncture resistant, metal-free SWEN-FLEX® insole board
- High tech Dri-Freeze® lining in foot and upper
- Lightly padded collar and tongue top
- Cement construction
- Molded rubber wear protector
- Oil- and slip-resisting Duratread™ outsole
- 90° heel
- Safety toe is ASTM F2413-24 I/C Mt EH PR SR rated
- Certified to CSA Standard Z195-14 w/ Grade 1 toe protection, protective sole protection, metatarsal protection and electric shock resistance (ESR) protection

|           |                 |    |
|-----------|-----------------|----|
| STYLE#    | <b>10053574</b> | CT |
| COLOR     | Black           |    |
| AVAILABLE | 10/1/2025       |    |
| MSRP      | \$259.95        |    |
|           | 2130006         |    |



## Treadfast 6" H2O

|          |                                             |                |       |
|----------|---------------------------------------------|----------------|-------|
| SIZES    | D: 6-12, 13, 14, 15<br>EE: 6-12, 13, 14, 15 | UPPER          | 6"    |
| PLATFORM | Treadfast                                   | TOE            | Round |
|          |                                             | SLIP RESISTING | SR    |



**DRYShield™**

### FEATURES

- DRYShield™ waterproof breathable construction
- Full-grain leather
- All Day Cushioning insole
- Mesh lining
- Lightly padded collar and tongue top
- Cement construction
- Protective ExGuards™ on toe and heel
- Oil- and slip-resisting Duratread™ outsole
- 90° heel
- Safety toe is ASTM F2413-18 M/I/C EH rated
- Soft toe is ASTM F2892-24 EH SRO rated
- ASTM F3445-21 SR rated

|           |                 |  |
|-----------|-----------------|--|
| STYLE#    | <b>10040266</b> |  |
| COLOR     | Dark Brown      |  |
| AVAILABLE | At Once         |  |
| MSRP      | \$124.95        |  |
|           | 265006          |  |

|        |                 |    |
|--------|-----------------|----|
| STYLE# | <b>10034673</b> | ST |
| MSRP   | \$134.95        |    |
|        | 270506          |    |



## Treadfast 6"

|          |                                             |                |       |
|----------|---------------------------------------------|----------------|-------|
| SIZES    | D: 6-12, 13, 14, 15<br>EE: 6-12, 13, 14, 15 | UPPER          | 6"    |
| PLATFORM | Treadfast                                   | TOE            | Round |
|          |                                             | SLIP RESISTING | SR    |



### FEATURES

- Full-grain leather
- All Day Cushioning insole
- Mesh lining
- Lightly padded collar and tongue top
- Cement construction
- Protective ExGuards™ on toe and heel
- Oil- and slip-resisting Duratread™ outsole
- 90° heel
- Safety toe is ASTM F2413-18 M/I/C EH rated
- Soft toe is ASTM F2892-24 EH SRO rated
- ASTM F3445-21 SR rated

|           |                  |  |
|-----------|------------------|--|
| STYLE#    | <b>10034672</b>  |  |
| COLOR     | Distressed Brown |  |
| AVAILABLE | At Once          |  |
| MSRP      | \$114.95         |  |
|           | 260006           |  |

|        |                 |    |
|--------|-----------------|----|
| STYLE# | <b>10034671</b> | ST |
| MSRP   | \$124.95        |    |
|        | 265006          |    |



## Treadfast 8" H2O

|          |                                             |                |       |
|----------|---------------------------------------------|----------------|-------|
| SIZES    | D: 6-12, 13, 14, 15<br>EE: 6-12, 13, 14, 15 | UPPER          | 8"    |
| PLATFORM | Treadfast                                   | TOE            | Round |
|          |                                             | SLIP RESISTING | SR    |



**DRYShield™**

### FEATURES

- DRYShield™ waterproof breathable construction
- Full-grain leather
- All Day Cushioning insole
- 50% recycled polyester lining
- Lightly padded collar and tongue top
- Cement construction
- Protective ExGuards™ on toe and heel
- Oil- and slip-resisting Duratread™ outsole
- 90° heel
- Safety toe is ASTM F2413-18 M/I/C EH rated
- Soft toe is ASTM F2892-24 EH SRO rated
- ASTM F3445-21 SR rated

|           |                 |  |
|-----------|-----------------|--|
| STYLE#    | <b>10042484</b> |  |
| COLOR     | Dark Brown      |  |
| AVAILABLE | At Once         |  |
| MSRP      | \$139.95        |  |
|           | 276006          |  |

|        |                 |    |
|--------|-----------------|----|
| STYLE# | <b>10042496</b> | ST |
| MSRP   | \$149.95        |    |
|        | 281006          |    |





## Women's Treadfast 6" H2O

|          |               |                |       |
|----------|---------------|----------------|-------|
| SIZES    | B: 5.5-11, 12 | UPPER          | 6"    |
|          | C: 6-11       | TOE            | Round |
| PLATFORM | Treadfast     | SLIP RESISTING | SR    |



**DRYShield™**

### FEATURES

- DRYShield™ waterproof breathable construction
- Full-grain leather
- All Day Cushioning insole
- Mesh lining
- Lightly padded collar and tongue top
- Cement construction
- Protective ExGuards™ on toe and heel
- Oil- and slip-resisting Duratread™ outsole
- 90° heel
- Safety toe is ASTM F2413-18 F/I/C EH rated
- Soft toe is ASTM F2892-18 EH rated
- ASTM F3445-21 SR rated

|           |                   |
|-----------|-------------------|
| STYLE#    | <b>10040404</b>   |
| COLOR     | <b>Dark Brown</b> |
| AVAILABLE | <b>At Once</b>    |
| MSRP      | <b>\$124.95</b>   |
|           | <b>265006</b>     |
| STYLE#    | <b>10040405</b>   |
| MSRP      | <b>\$134.95</b>   |
|           | <b>270506</b>     |





## EDGE

Built for: **Indoor work**Best for: **Factory and warehouse work**

Delivers lightweight, flexible comfort



EVERYDAY COMFORT AND STABILITY

## FEATURES

- 100% non-metallic construction
- Lightweight stabilizing shank
- Cushioning EVA midsole for comfort all day
- Oil- and slip-resisting Duratread® outsole for maximum wear resistance, passes hot contact test at 300°C/572°F
- 90° heel



## Edge Moc H20

NEW STYLE

|          |                  |                |       |
|----------|------------------|----------------|-------|
| SIZES    | D: 7-12, 13, 14  | UPPER          | 5"    |
|          | EE: 7-12, 13, 14 | TOE            | Round |
| PLATFORM | Edge             | SLIP RESISTING | SRO   |



DRYShield™



## FEATURES

- DRYShield™ waterproof breathable construction
- Full-grain leather
- All Day Cushioning insole
- 100% non-metallic
- 50% recycled polyester lining
- Suede collar and tongue
- Cement construction
- Moc toe
- Lightweight, shock-absorbing EVA midsole
- Oil- and slip-resisting Duratread™ outsole
- 90° heel
- Safety toe is ASTM F2413-24 I/C EH SRO rated

|           |                 |    |
|-----------|-----------------|----|
| STYLE#    | <b>10073359</b> | CT |
| COLOR     | Dark Brown      |    |
| AVAILABLE | 10/1/2025       |    |
| MSRP      | \$174.95        |    |
|           | 290006          |    |



## Edge Moc

NEW STYLE

|          |                  |                |       |
|----------|------------------|----------------|-------|
| SIZES    | D: 7-12, 13, 14  | UPPER          | 5"    |
|          | EE: 7-12, 13, 14 | TOE            | Round |
| PLATFORM | Edge             | SLIP RESISTING | SRO   |



## FEATURES

- Full-grain leather
- All Day Cushioning insole
- 100% non-metallic
- 50% recycled polyester lining
- Suede collar and tongue
- Cement construction
- Moc toe
- Lightweight, shock-absorbing EVA midsole
- Oil- and slip-resisting Duratread™ outsole
- 90° heel
- Safety toe is ASTM F2413-24 I/C EH SRO rated

|           |                 |    |
|-----------|-----------------|----|
| STYLE#    | <b>10073362</b> | CT |
| COLOR     | Dark Brown      |    |
| AVAILABLE | 10/1/2025       |    |
| MSRP      | \$154.95        |    |
|           | 280006          |    |





## Edge Chukka H2O

NEW STYLE

|          |                  |                |       |
|----------|------------------|----------------|-------|
| SIZES    | D: 7-12, 13, 14  | UPPER          | 6"    |
|          | EE: 7-12, 13, 14 | TOE            | Round |
| PLATFORM | Edge             | SLIP RESISTING | SRO   |



DRYShield™



## FEATURES

- DRYShield™ waterproof breathable construction
- Full-grain leather
- All Day Cushioning insole
- 100% non-metallic
- 50% recycled polyester lining
- Suede collar and tongue
- Cement construction
- Moc toe
- Lightweight, shock-absorbing EVA midsole
- Oil- and slip-resisting Duratread™ outsole
- 90° heel
- Safety toe is ASTM F2413-24 I/C EH SRO rated

|           |                 |    |
|-----------|-----------------|----|
| STYLE#    | <b>10073365</b> | CT |
| COLOR     | Dark Brown      |    |
| AVAILABLE | 10/1/2025       |    |
| MSRP      | \$179.95        |    |
|           | 294506          |    |



## Edge Chukka Met Guard

NEW STYLE

|          |                  |                |       |
|----------|------------------|----------------|-------|
| SIZES    | D: 7-12, 13, 14  | UPPER          | 6"    |
|          | EE: 7-12, 13, 14 | TOE            | Round |
| PLATFORM | Edge             | SLIP RESISTING | SRO   |



## FEATURES

- Full-grain leather
- All Day Cushioning insole
- 100% non-metallic
- XRD® Internal Metatarsal Guard
- 50% recycled polyester lining
- Suede collar and tongue
- Cement construction
- Moc toe
- Lightweight, shock-absorbing EVA midsole
- Oil- and slip-resisting Duratread™ outsole
- 90° heel
- Safety toe is ASTM F2413-24 I/C Mt EH SRO rated

|           |                 |    |
|-----------|-----------------|----|
| STYLE#    | <b>10073364</b> | CT |
| COLOR     | Dark Brown      |    |
| AVAILABLE | 10/1/2025       |    |
| MSRP      | \$194.95        |    |
|           | 299506          |    |



## Edge Chukka

NEW STYLE

|          |                  |                |       |
|----------|------------------|----------------|-------|
| SIZES    | D: 7-12, 13, 14  | UPPER          | 6"    |
|          | EE: 7-12, 13, 14 | TOE            | Round |
| PLATFORM | Edge             | SLIP RESISTING | SRO   |



## FEATURES

- Full-grain leather
- All Day Cushioning insole
- 100% non-metallic
- 50% recycled polyester lining
- Suede collar and tongue
- Cement construction
- Moc toe
- Lightweight, shock-absorbing EVA midsole
- Oil- and slip-resisting Duratread™ outsole
- 90° heel
- Safety toe is ASTM F2413-24 I/C EH SRO rated

|           |                 |    |
|-----------|-----------------|----|
| STYLE#    | <b>10073366</b> | CT |
| COLOR     | Dark Brown      |    |
| AVAILABLE | 10/1/2025       |    |
| MSRP      | \$159.95        |    |
|           | 283506          |    |



## Edge Chukka SD

NEW STYLE

|          |                  |                |       |
|----------|------------------|----------------|-------|
| SIZES    | D: 7-12, 13, 14  | UPPER          | 6"    |
|          | EE: 7-12, 13, 14 | TOE            | Round |
| PLATFORM | Edge             | SLIP RESISTING | SRO   |



## FEATURES

- Full-grain leather
- All Day Cushioning insole
- 100% non-metallic
- 50% recycled polyester lining
- Suede collar and tongue
- Cement construction
- Moc toe
- Lightweight, shock-absorbing EVA midsole
- Oil- and slip-resisting Duratread™ outsole
- 90° heel
- Safety toe is ASTM F2413-24 I/C SD 35 SRO rated

|           |                 |    |
|-----------|-----------------|----|
| STYLE#    | <b>10073363</b> | CT |
| COLOR     | Dark Brown      |    |
| AVAILABLE | 10/1/2025       |    |
| MSRP      | \$174.95        |    |
|           | 289006          |    |





## Edge Slip-On SD

NEW STYLE

|          |                  |                |       |
|----------|------------------|----------------|-------|
| SIZES    | D: 7-12, 13, 14  | UPPER          | 3"    |
|          | EE: 7-12, 13, 14 | TOE            | Round |
| PLATFORM | Edge             | SLIP RESISTING | SRO   |



### FEATURES

- Full-grain leather
- All Day Cushioning insole
- 100% non-metallic
- 50% recycled polyester lining
- Easy slip-on style
- Padded collar at topline
- Cement construction
- Moc toe
- Lightweight, shock-absorbing EVA midsole
- Oil- and slip-resisting Duratread™ outsole
- 90° heel
- Safety toe is ASTM F2413-24 I/C SD 35 SRO rated

|           |                 |    |
|-----------|-----------------|----|
| STYLE#    | <b>10073358</b> | CT |
| COLOR     | Dark Brown      |    |
| AVAILABLE | 10/1/2025       |    |
| MSRP      | \$164.95        |    |
|           | 283506          |    |



## Women's Edge Moc

NEW STYLE

|          |               |                |       |
|----------|---------------|----------------|-------|
| SIZES    | B: 5.5-10, 11 | UPPER          | 4.5"  |
|          | C: 6-10       | TOE            | Round |
| PLATFORM | Edge          | SLIP RESISTING | SRO   |



### FEATURES

- Full-grain leather
- All Day Cushioning insole
- 100% non-metallic
- 50% recycled polyester lining
- Suede collar and tongue
- Cement construction
- Moc toe
- Lightweight, shock-absorbing EVA midsole
- Oil- and slip-resisting Duratread™ outsole
- 90° heel
- Safety toe is ASTM F2413-24 I/C EH SRO rated

|           |                      |    |
|-----------|----------------------|----|
| STYLE#    | <b>10073361</b>      | CT |
| COLOR     | Desert Brown/Cheetah |    |
| AVAILABLE | 10/1/2025            |    |
| MSRP      | \$159.95             |    |
|           | 283006               |    |



|           |                 |    |
|-----------|-----------------|----|
| STYLE#    | <b>10073360</b> | CT |
| COLOR     | Dark Brown      |    |
| AVAILABLE | 10/1/2025       |    |
| MSRP      | \$154.95        |    |
|           | 280006          |    |





# WOMEN'S TRACEY

Built for: **Indoor work, performs outdoors**

Best for: **Factory and warehouse work**

Delivers slip resistance with durability



EVERYDAY COMFORT AND STABILITY

## FEATURES

- Lightweight stabilizing shank
- Indoor/outdoor Grip Strip™ sole tread design
- Oil- and slip-resisting Duratread™ outsole for maximum wear resistance, passes hot contact test at 300°C/572°F
- 90° heel



## Women's Macey™

SIZES **B: 6-10, 11, 12**  
PLATFORM **Tracey**

UPPER **5"**  
TOE **Roper**  
SLIP RESISTING **SR**



### FEATURES

- Premium full-grain leather
- All Day Cushioning insole
- Mesh lining
- Lightly padded collar and tongue top
- Generous last
- Cement construction
- Oil- and slip-resisting Duratread™ outsole
- 90° heel
- Soft toe is ASTM F2892-18 EH rated
- ASTM F3445-21 SR rated

STYLE# **10005947**  
COLOR **Dark Peanut**  
DETAILS **SSW**  
AVAILABLE **At Once**  
MSRP **\$144.95**  
**274506**



## Women's Casey 6"

SIZES **B: 5.5-11, 12**  
**C: 6-11**  
PLATFORM **Tracey**

UPPER **6"**  
TOE **Roper**  
SLIP RESISTING **SR**



### FEATURES

- Premium full-grain leather
- All Day Cushioning insole
- Mesh lining
- Lightly padded collar and tongue top
- Generous last
- Cement construction
- Oil- and slip-resisting Duratread™ outsole
- 90° heel
- Safety toe is ASTM F2413-18 F/I/C EH rated
- ASTM F3445-21 SR rated

STYLE# **10033921**  
COLOR **Shadow**  
DETAILS **SSW**  
AVAILABLE **At Once**  
MSRP **\$164.95**  
**283006**





## Women's Casey 6" Met Guard

|          |               |                |       |
|----------|---------------|----------------|-------|
| SIZES    | B: 5.5-11, 12 | UPPER          | 6"    |
|          | C: 6-11       | TOE            | Roper |
| PLATFORM | Tracey        | SLIP RESISTING | SR    |



### FEATURES

- Premium full-grain leather
- All Day Cushioning insole
- XRD® Internal Metatarsal Guard
- Mesh lining
- Lightly padded collar and tongue top
- Generous last
- Cement construction
- Oil- and slip-resisting Duratread™ outsole
- 90° heel
- Safety toe is ASTM F2413-24 I/C Mt EH SR rated

|           |                       |  |
|-----------|-----------------------|--|
| STYLE#    | <b>10033995</b>       |  |
| COLOR     | Oily Distressed Brown |  |
| DETAILS   | SSW                   |  |
| AVAILABLE | At Once               |  |
| MSRP      | \$184.95              |  |
|           | 294006                |  |





## WOMEN'S CASUAL WORK

Built for: **Indoor work**Best for: **Electronics, explosives, or chemicals manufacturing**

Delivers static dissipating construction with slip resistance



EVERYDAY COMFORT AND STABILITY

## FEATURES

- Static dissipating, SD 35 rated
- 100% non-metallic construction
- Cushioning EVA midsole for shock absorption
- Lightweight stabilizing shank
- Oil- and slip-resisting Duratread™ outsole for maximum wear resistance, passes hot contact test at 300°C/572°F
- 90° heel



## Women's Casual Work Mid Lace SD

|          |             |                |       |
|----------|-------------|----------------|-------|
| SIZES    | B: 5.5-11   | UPPER          | 5"    |
|          | C: 6-11     | TOE            | Round |
| PLATFORM | Casual Work | SLIP RESISTING | SR    |



## FEATURES

- Full-grain leather
- All Day Cushioning insole
- 100% non-metallic
- Mesh lining
- Lightly padded mesh cushion collar
- Cement construction
- Lightweight, shock-absorbing EVA midsole
- Oil- and slip-resisting Duratread™ outsole
- 90° heel
- Safety toe is ASTM F2413-18 F/I/C SD 35 rated
- ASTM F3445-21 SR rated

|           |             |    |
|-----------|-------------|----|
| STYLE#    | 10020097    | CT |
| COLOR     | Nutty Brown |    |
| DETAILS   | SSW         |    |
| AVAILABLE | At Once     |    |
| MSRP      | \$149.95    |    |
|           | 278506      |    |





## WOMEN'S EXPERT SAFETY CLOG

Built for: **Indoor work**

Best for: **Electronics, explosives, or chemicals manufacturing**

Delivers static dissipating construction with slip resistance



**ADVANCED STABILITY AND PERFORMANCE**

### FEATURES

- Static dissipating, SD 35 rated
- 100% non-metallic construction
- Lightweight composite forked shank for stability
- Oil- and slip-resisting Duratread™ outsole for maximum wear resistance, passes hot contact test at 300°C/572°F
- Defined heel



### Women's Expert Safety Clog SD

|          |                    |                |       |
|----------|--------------------|----------------|-------|
| SIZES    | B: 5.5-10, 11      | UPPER          | 2"    |
|          | C: 6-9             | TOE            | Round |
| PLATFORM | Expert Safety Clog | SLIP RESISTING | SR    |



### FEATURES

- Premium full-grain leather
- Non-removable comfort insole
- 100% non-metallic
- Padded collar at topline
- Cement construction
- Shock-absorbing PU midsole
- Oil- and slip-resisting Duratread™ outsole
- Defined heel
- Safety toe is ASTM F2413-18 F/I/C SD 35 rated
- ASTM F3445-21 SR rated

|           |                 |    |
|-----------|-----------------|----|
| STYLE#    | <b>10011976</b> | CT |
| COLOR     | Black           |    |
| AVAILABLE | At Once         |    |
| MSRP      | \$139.95        |    |
|           | 274006          |    |





# WORKING MILE

Built for: **Indoor work**

Best for: **Factory and warehouse work**

Delivers all-day cushioning and support with slip resistance



EVERYDAY COMFORT AND STABILITY

## FEATURES

- 100% non-metallic construction
- FLX Foam™ midsole for lightweight cushion and rebound
- Lightweight stabilizing shank
- Oil- and slip-resisting Duratread™ outsole for maximum wear resistance, passes hot contact test at 300°C/572°
- Flat bottom, no defined heel



## Working Mile SD

|          |                                     |                |       |
|----------|-------------------------------------|----------------|-------|
| SIZES    | D: 7-12, 13, 14<br>EE: 7-12, 13, 14 | UPPER          | 4"    |
| PLATFORM | Working Mile                        | TOE            | Round |
|          |                                     | SLIP RESISTING | SR    |



## FEATURES

- Full-grain leather
- All Day Cushioning insole
- 100% non-metallic
- 50% recycled polyester lining
- Lightly padded collar and tongue top
- Cement construction
- Lightweight, shock-absorbing FLX Foam™ midsole
- Oil- and slip-resisting Duratread™ outsole
- Flat bottom no defined heel
- Safety toe is ASTM F2413-18 M/I/C SD 35 rated
- ASTM F3445-21 SR rated

|           |                  |    |
|-----------|------------------|----|
| STYLE#    | 10042565         | CT |
| COLOR     | Distressed Brown |    |
| AVAILABLE | At Once          |    |
| MSRP      | \$139.95         |    |
|           | 270506           |    |



WORK



## OUTMATCH

Built for: **Indoor work**Best for: **Factory and warehouse work**

Delivers all-day cushioning and support with slip resistance



EVERYDAY COMFORT AND STABILITY

## FEATURES

- 100% non-metallic construction
- Lightweight stabilizing shank
- Oil- and slip-resisting Duratread™ outsole for maximum wear resistance, passes hot contact test at 300°C/572°
- Flat bottom, no defined heel



## Outmatch Mid

NEW STYLE

SIZES D: 7-12, 13, 14, 15  
EE: 7-12, 13, 14, 15  
PLATFORM Outmatch

UPPER 5"  
TOE Round  
SLIP RESISTING SRO



## FEATURES

- Full-grain leather and suede
- All Day Cushioning insole
- 100% non-metallic
- 50% recycled polyester lining
- Lightly padded collar and tongue top
- Cement construction
- Moc toe
- Oil- and slip-resisting Duratread™ outsole
- Flat bottom no defined heel
- Safety toe is ASTM F2413-24 I/C EH SRO rated

STYLE# **10074282**   
COLOR **Brown Bomber**  
AVAILABLE **3/1/2026**  
MSRP **\$144.95**  
**274006**



STYLE# **10074283**   
COLOR **Black**  
AVAILABLE **3/1/2026**  
MSRP **\$144.95**  
**274006**



## Outmatch

NEW STYLE

SIZES D: 7-12, 13, 14, 15  
EE: 7-12, 13, 14, 15  
PLATFORM Outmatch

UPPER 3"  
TOE Round  
SLIP RESISTING SRO



## FEATURES

- Full-grain leather and fabric
- All Day Cushioning insole
- 100% non-metallic
- 50% recycled polyester lining
- Lightly padded collar and tongue top
- Cement construction
- Moc toe
- Oil- and slip-resisting Duratread™ outsole
- Flat bottom no defined heel
- Safety toe is ASTM F2413-24 I/C EH SRO rated

STYLE# **10074280**   
COLOR **Brown Bomber**  
AVAILABLE **3/1/2026**  
MSRP **\$129.95**  
**266006**



STYLE# **10074281**   
COLOR **Black**  
AVAILABLE **3/1/2026**  
MSRP **\$129.95**  
**266006**





Outmatch SDNEW STYLE

SIZES

D: 7-12, 13, 14, 15

EE: 7-12, 13, 14, 15

PLATFORM

Outmatch

UPPER

3"

TOE

Round

SLIP RESISTING

SRO







STATIC DISSIPATIVE

FEATURES

• Full-grain leather and suede

• All Day Cushioning insole

• 100% non-metallic

• 50% recycled polyester lining

• Lightly padded collar and tongue top

• Cement construction

• Moc toe

• Oil- and slip-resisting Duratread™ outsole

• Flat bottom no defined heel

• Safety toe is ASTM F2413-24 I/C SD 35 SRO rated

STYLE#

10074215



COLOR

Grey

AVAILABLE

3/1/2026

MSRP

\$144.95

274006





# BUCKEYE SAFETY

Built for: **Indoor work**

Best for: **Factory and warehouse work**

Delivers all-day cushioning and support with slip resistance



EVERYDAY COMFORT AND STABILITY

## FEATURES

- Lightweight stabilizing shank
- FLX Foam™ midsole for lightweight cushion and rebound
- Oil- and slip- resisting Duratread™ outsole for maximum wear resistance, passes hot contact test at 300°C/572°F
- Flat bottom, no defined heel



## Buckeye Safety

|          |                  |                |       |
|----------|------------------|----------------|-------|
| SIZES    | D: 7-12, 13, 14  | UPPER          | 3"    |
|          | EE: 7-12, 13, 14 | TOE            | Round |
| PLATFORM | Buckeye Safety   | SLIP RESISTING | SR    |



### FEATURES

- Full-grain leather
- All Day Cushioning insole
- Mesh lining
- Elasticized laces
- Cement construction
- Moc toe
- Lightweight, shock-absorbing FLX Foam™ midsole
- Oil- and slip-resisting Duratread™ outsole
- Flat bottom no defined heel
- Safety toe is ASTM F2413-24 I/C EH SR rated

|           |                     |           |
|-----------|---------------------|-----------|
| STYLE#    | <b>10063828</b>     | <b>ST</b> |
| COLOR     | <b>Brown Bomber</b> |           |
| AVAILABLE | <b>8/1/2025</b>     |           |
| MSRP      | <b>\$114.95</b>     |           |
|           | <b>259006</b>       |           |



## Women's Buckeye Safety

|          |                |                |       |
|----------|----------------|----------------|-------|
| SIZES    | B: 6-10, 11    | UPPER          | 3"    |
| PLATFORM | Buckeye Safety | TOE            | Round |
|          |                | SLIP RESISTING | SR    |



### FEATURES

- Full-grain leather
- All Day Cushioning insole
- Mesh lining
- Elasticized laces
- Cement construction
- Moc toe
- Lightweight, shock-absorbing FLX Foam™ midsole
- Oil- and slip-resisting Duratread™ outsole
- Flat bottom no defined heel
- Safety toe is ASTM F2413-24 I/C EH SR rated

|           |                     |           |
|-----------|---------------------|-----------|
| STYLE#    | <b>10064035</b>     | <b>ST</b> |
| COLOR     | <b>Brown Bomber</b> |           |
| AVAILABLE | <b>8/1/2025</b>     |           |
| MSRP      | <b>\$114.95</b>     |           |
|           | <b>259006</b>       |           |





# OUTPACE®

Built for: **Indoor work**Best for: **Factory and warehouse work**

Delivers all-day cushioning and support with slip resistance



EVERYDAY COMFORT AND STABILITY

## FEATURES

- 100% non-metallic construction
- FLX Foam™ midsole for lightweight cushion and rebound
- Lightweight stabilizing shank
- Oil- and slip-resisting Duratread™ outsole for maximum wear resistance, passes hot contact test at 300°C/572°
- Flat bottom, no defined heel



OUTPACE® SHIFT  
(SELECT STYLES)

## OUTPACE® SHIFT

Built to outpace the competition. Outpace® redefines comfort, combining athletic styling with long-lasting cushioning and performance safety features. Best for indoor work environments and long hours standing on cement floors.

Outpace® Shift #10047025  
Camo

Leather and mesh – leather in key protection and support areas, combined w/ mesh panels

Safety toe is  
ASTM F2413-24 I/C EH SR0 rated

• Soft toe is  
ASTM F2892-18 EH rated

Cushioning FLX Foam™ eco-friendly midsole made w/ a 5% biodegradable rice husk blend

100% non-metallic

Oil- and slip-resisting  
Duratread™ outsole

Lightly padded collar and tongue top

50% recycled polyester lining

All Day Cushioning insole





## Outpace® Shift 6" AlignRight® H2O

|          |                                     |                |       |
|----------|-------------------------------------|----------------|-------|
| SIZES    | D: 7-12, 13, 14<br>EE: 7-12, 13, 14 | UPPER          | 6"    |
| PLATFORM | Outpace®                            | TOE            | Round |
|          |                                     | SLIP RESISTING | SRO   |



### FEATURES

- DRYShield™ waterproof breathable construction
- Technically engineered ripstop upper
- All Day Cushioning insole
- 50% recycled polyester lining
- Lightly padded collar and tongue top
- Cement construction
- Lightweight, shock-absorbing FLX Foam™ midsole
- Oil- and slip-resisting Duratread™ outsole
- Flat bottom no defined heel
- Safety toe is ASTM F2413-24 I/C EH SRO rated

|           |                 |    |
|-----------|-----------------|----|
| STYLE#    | <b>10063979</b> | CT |
| COLOR     | Black/Dark Grey |    |
| AVAILABLE | 10/1/2025       |    |
| MSRP      | \$169.95        |    |
|           | 288506          |    |



## Outpace® Shift Mid

|          |                                             |                |       |
|----------|---------------------------------------------|----------------|-------|
| SIZES    | D: 7-12, 13, 14, 15<br>EE: 7-12, 13, 14, 15 | UPPER          | 5.5"  |
| PLATFORM | Outpace®                                    | TOE            | Round |
|          |                                             | SLIP RESISTING | SRO   |



### FEATURES


- Technically engineered ripstop upper
- All Day Cushioning insole
- 100% non-metallic
- 50% recycled polyester lining
- Lightly padded collar and tongue top
- Cement construction
- Cushioning FLX Foam™ eco-friendly midsole made w/ a 5% biodegradable rice husk blend
- Oil- and slip-resisting Duratread™ outsole
- Flat bottom no defined heel
- Safety toe is ASTM F2413-24 I/C EH SRO rated

|           |                 |    |
|-----------|-----------------|----|
| STYLE#    | <b>10050844</b> | CT |
| COLOR     | Dark Shadow     |    |
| AVAILABLE | At Once         |    |
| MSRP      | \$139.95        |    |
|           | 272006          |    |



## Outpace® Shift 6" SD H2O

|          |                                             |                |       |
|----------|---------------------------------------------|----------------|-------|
| SIZES    | D: 5-12, 13, 14, 15<br>EE: 6-12, 13, 14, 15 | UPPER          | 6"    |
| PLATFORM | Outpace®                                    | TOE            | Round |
|          |                                             | SLIP RESISTING | SRO   |



### FEATURES


- DRYShield™ waterproof breathable construction
- Premium full-grain leather
- All Day Cushioning insole
- 100% non-metallic
- 50% recycled polyester lining
- Lightly padded collar and tongue top
- Cement construction
- Lightweight, shock-absorbing FLX Foam™ midsole
- Oil- and slip-resisting Duratread™ outsole
- Flat bottom no defined heel
- Safety toe is ASTM F2413-24 I/C SD 35 SRO rated

|             |                 |    |
|-------------|-----------------|----|
| STYLE#      | <b>10060891</b> | CT |
| COLOR       | Natural Brown   |    |
| AVAILABLE   | At Once         |    |
| MSRP        | \$169.95        |    |
|             | 285006          |    |
| EXTRA SIZES | D: 16           |    |



## Outpace® Shift H2O

|          |                                             |                |       |
|----------|---------------------------------------------|----------------|-------|
| SIZES    | D: 7-12, 13, 14, 15<br>EE: 7-12, 13, 14, 15 | UPPER          | 4"    |
| PLATFORM | Outpace®                                    | TOE            | Round |
|          |                                             | SLIP RESISTING | SRO   |



### FEATURES

- DRYShield™ waterproof breathable construction
- Premium full-grain leather
- All Day Cushioning insole
- 100% non-metallic
- 50% recycled polyester lining
- Lightly padded collar and tongue top
- Cement construction
- Cushioning FLX Foam™ eco-friendly midsole made w/ a 5% biodegradable rice husk blend
- Oil- and slip-resisting Duratread™ outsole
- Flat bottom no defined heel
- Safety toe is ASTM F2413-18 M/I/C EH rated

|           |                 |    |
|-----------|-----------------|----|
| STYLE#    | <b>10053619</b> | CT |
| COLOR     | Black           |    |
| AVAILABLE | At Once         |    |
| MSRP      | \$149.95        |    |
|           | 276506          |    |





## Outpace® Shift

|          |                      |                |       |
|----------|----------------------|----------------|-------|
| SIZES    | D: 7-12, 13, 14, 15  | UPPER          | 4"    |
|          | EE: 7-12, 13, 14, 15 | TOE            | Round |
| PLATFORM | Outpace®             | SLIP RESISTING | SR    |



### FEATURES

- Leather and mesh – leather in key protection and support areas, combined w/ mesh panels
- All Day Cushioning insole
- 100% non-metallic
- 50% recycled polyester lining
- Lightly padded collar and tongue top
- Cement construction
- Cushioning FLX Foam™ eco-friendly midsole made w/ a 5% biodegradable rice husk blend
- Oil- and slip-resisting Duratread™ outsole
- Flat bottom no defined heel
- Safety toe is ASTM F2413-24 I/C EH SRO rated
- Soft toe is ASTM F2892-18 EH rated
- ASTM F3445-21 SR rated

|           |                 |
|-----------|-----------------|
| STYLE#    | <b>10047027</b> |
| COLOR     | Black           |
| AVAILABLE | At Once         |
| MSRP      | \$119.95        |
|           | 261006          |

|        |                 |    |
|--------|-----------------|----|
| STYLE# | <b>10047026</b> | CT |
| MSRP   | \$129.95        |    |
|        | 266506          |    |



|           |                 |    |
|-----------|-----------------|----|
| STYLE#    | <b>10047025</b> | CT |
| COLOR     | Camo            |    |
| AVAILABLE | At Once         |    |
| MSRP      | \$129.95        |    |
|           | 266506          |    |



## Women's Outpace® Shift

|          |               |                |       |
|----------|---------------|----------------|-------|
| SIZES    | B: 5.5-11, 12 | UPPER          | 3.5"  |
|          | C: 6-11       | TOE            | Round |
| PLATFORM | Outpace®      | SLIP RESISTING | SR    |



### FEATURES

- Leather and mesh – leather in key protection and support areas, combined w/ mesh panels
- All Day Cushioning insole
- 100% non-metallic
- 50% recycled polyester lining
- Lightly padded collar and tongue top
- Cement construction
- Cushioning FLX Foam™ eco-friendly midsole made w/ a 5% biodegradable rice husk blend
- Oil- and slip-resisting Duratread™ outsole
- Flat bottom no defined heel
- Safety toe is ASTM F2413-18 F/I/C EH rated
- Soft toe is ASTM F2892-18 EH rated
- ASTM F3445-21 SR rated

|           |                 |
|-----------|-----------------|
| STYLE#    | <b>10046880</b> |
| COLOR     | Black           |
| AVAILABLE | At Once         |
| MSRP      | \$119.95        |
|           | 261006          |

|        |                 |    |
|--------|-----------------|----|
| STYLE# | <b>10046879</b> | CT |
| MSRP   | \$129.95        |    |
|        | 266506          |    |



WORK



## Outpace®

|          |                                     |                |    |
|----------|-------------------------------------|----------------|----|
| SIZES    | D: 7-12, 13, 14<br>EE: 7-12, 13, 14 | UPPER          | 4" |
| TOE      | Round                               | SLIP RESISTING | SR |
| PLATFORM | Outpace®                            |                |    |



### FEATURES

- Technically engineered ripstop upper
- Durable, abrasion resistant TPU overlays
- All Day Cushioning insole
- 100% non-metallic
- 50% recycled polyester lining
- Lightly padded collar and tongue top
- Cement construction
- Lightweight, shock-absorbing FLX Foam™ midsole
- Oil- and slip-resisting Duratread™ outsole
- Flat bottom no defined heel
- Safety toe is ASTM F2413-24 I/C EH SR rated

|             |                 |    |
|-------------|-----------------|----|
| STYLE#      | <b>10040283</b> | CT |
| COLOR       | Black           |    |
| AVAILABLE   | At Once         |    |
| MSRP        | \$124.95        |    |
|             | 264006          |    |
| EXTRA SIZES | D: 15<br>EE: 15 |    |



|           |                 |    |
|-----------|-----------------|----|
| STYLE#    | <b>10040282</b> | CT |
| COLOR     | Gunmetal        |    |
| AVAILABLE | At Once         |    |
| MSRP      | \$124.95        |    |
|           | 264006          |    |



## Outpace® SD

|          |                                     |                |    |
|----------|-------------------------------------|----------------|----|
| SIZES    | D: 7-12, 13, 14<br>EE: 7-12, 13, 14 | UPPER          | 4" |
| TOE      | Round                               | SLIP RESISTING | SR |
| PLATFORM | Outpace®                            |                |    |



### FEATURES

- Rugged knitted upper is breathable and flexible
- Durable, abrasion resistant TPU overlays
- All Day Cushioning insole
- 100% non-metallic
- 50% recycled polyester lining
- Lightly padded collar and tongue top
- Cement construction
- Lightweight, shock-absorbing FLX Foam™ midsole
- Oil- and slip-resisting Duratread™ outsole
- Flat bottom no defined heel
- Safety toe is ASTM F2413-24 I/C SD 35 SR rated

|           |                         |    |
|-----------|-------------------------|----|
| STYLE#    | <b>10040319</b>         | CT |
| COLOR     | Charcoal/Blazing Yellow |    |
| AVAILABLE | At Once                 |    |
| MSRP      | \$129.95                |    |
|           | 269006                  |    |



## Women's Outpace®

|          |                      |                |      |
|----------|----------------------|----------------|------|
| SIZES    | B: 5.5-11<br>C: 6-10 | UPPER          | 3.5" |
| TOE      | Round                | SLIP RESISTING | SR   |
| PLATFORM | Outpace®             |                |      |



### FEATURES

- Technically engineered ripstop upper
- Durable, abrasion resistant TPU overlays
- All Day Cushioning insole
- 100% non-metallic
- 50% recycled polyester lining
- Lightly padded collar and tongue top
- Cement construction
- Lightweight, shock-absorbing FLX Foam™ midsole
- Oil- and slip-resisting Duratread™ outsole
- Flat bottom no defined heel
- Safety toe is ASTM F2413-18 F/I/C EH rated
- ASTM F3445-21 SR rated

|           |                 |    |
|-----------|-----------------|----|
| STYLE#    | <b>10040324</b> | CT |
| COLOR     | Black/Charcoal  |    |
| AVAILABLE | At Once         |    |
| MSRP      | \$124.95        |    |
|           | 264006          |    |



## Women's Outpace® SD

|          |                          |                |    |
|----------|--------------------------|----------------|----|
| SIZES    | B: 5.5-11, 12<br>C: 6-11 | UPPER          | 4" |
| TOE      | Round                    | SLIP RESISTING | SR |
| PLATFORM | Outpace®                 |                |    |



### FEATURES

- Eco-friendly, 100% recycled polyester mesh upper
- Durable, abrasion resistant TPU overlays
- All Day Cushioning insole
- 100% non-metallic
- 50% recycled polyester lining
- Lightly padded collar and tongue top
- Cement construction
- Lightweight, shock-absorbing FLX Foam™ midsole
- Oil- and slip-resisting Duratread™ outsole
- Flat bottom no defined heel
- Safety toe is ASTM F2413-18 F/I/C SD 35 rated
- ASTM F3445-21 SR rated

|           |                 |    |
|-----------|-----------------|----|
| STYLE#    | <b>10044427</b> | CT |
| COLOR     | Ebony           |    |
| AVAILABLE | At Once         |    |
| MSRP      | \$129.95        |    |
|           | 269006          |    |







# WESTERN WORK

## WESTERN WORK

|                      |                |                  |                         |
|----------------------|----------------|------------------|-------------------------|
| 72 Catalyst™ VX Work | 77 WorkHog® XT | 93 Sierra        | 103 Rebar® Flex Western |
| 73 Hermosa XR™       | 82 WorkHog®    | 97 Ironside      | 106 Groundbreaker       |
| 75 Intrepid™         | 88 RigTek™     | 98 Activator     | 109 Rambler Work Wedge  |
| 76 OverDrive™        | 90 Big Rig     | 102 Terrain Work |                         |

## WOMEN'S WESTERN WORK

|                       |                           |
|-----------------------|---------------------------|
| 101 Women's Activator | 111 Women's Anthem Work   |
| 110 Women's Tracey    | 113 Women's Fatbaby® Work |



# CATALYST™ VX WORK

Built for: **Outdoor work**

Best for: **Oil and gas exploration**

Delivers heavy-duty protection with advanced cushioning and maximum wear resistance



UNPARALLELED FIT AND COMFORT

## FEATURES

- Full-length internal shock-absorbing layer combines with midsole for incredible cushioning comfort
- Integrated shank stabilizes the foot, providing superior balance
- Goodyear welt construction for durability
- Oil- and slip-resisting Duratread® outsole for maximum wear resistance, passes hot contact test at 300°C/572°F
- 90° heel



## Catalyst™ VX Work Wide Square Toe H2O

|          |                   |                |             |
|----------|-------------------|----------------|-------------|
| SIZES    | D: 7-12, 13, 14   | UPPER          | 11"         |
|          | EE: 8-12, 13, 14  | TOE            | Wide Square |
| PLATFORM | Catalyst™ VX Work | SLIP RESISTING | SR          |



**DRYShield™** **UTURN®**  
Entry System

## FEATURES

- DRYShield™ waterproof breathable construction
- Premium full-grain leather
- Mesh lining
- Goodyear welt construction
- Protective shin guard
- Protective ExGuards™ on toe and heel
- Lightweight, shock-absorbing EVA midsole
- Oil- and slip-resisting Duratread™ outsole
- 90° heel
- Safety toe is ASTM F2413-18 M/I/C EH rated
- ASTM F3445-21 SR rated

|           |                       |           |
|-----------|-----------------------|-----------|
| STYLE#    | <b>10016253</b>       | <b>CT</b> |
| COLOR     | <b>Bruin Brown</b>    |           |
| DETAILS   | <b>SSW, Full Vamp</b> |           |
| AVAILABLE | <b>At Once</b>        |           |
| MSRP      | <b>\$349.95</b>       |           |
|           | <b>2179006</b>        |           |





## HERMOSA XR™

Built for: **Outdoor work**Best for: **Heavy-duty construction**

Delivers ergonomic support with exceptional durability

## FEATURES

- Precision-molded composite forked shank for enhanced balance
- Resolable Goodyear welt construction for durability
- Oil-, heat- and slip-resisting Duratread™ outsole for maximum wear resistance, passes hot contact test at 400°C/752°F
- 90° heel



## DYNAMICALLY INTEGRATED PERFORMANCE



## COBALT™ XR TECHNOLOGY





## Hermosa XR™ 8"

|          |                  |                |       |
|----------|------------------|----------------|-------|
| SIZES    | D: 7-12, 13, 14  | UPPER          | 8"    |
|          | EE: 7-12, 13, 14 | TOE            | Roper |
| PLATFORM | Hermosa XR       | SLIP RESISTING | SR    |



### FEATURES

- Premium full-grain leather
- Power Support insole for premium cushioning
- Mesh lining
- Lightly padded collar and tongue top
- Removable kiltie
- Goodyear welt construction
- Molded external heel protector
- Oil- and slip-resisting Duratread™ outsole
- 90° heel
- Safety toe is ASTM F2413-24 I/C EH SR rated
- Soft toe is ASTM F2892-24 EH SR rated

|           |                 |
|-----------|-----------------|
| STYLE#    | <b>10002457</b> |
| COLOR     | Redwood         |
| DETAILS   | SSW             |
| AVAILABLE | At Once         |
| MSRP      | \$209.95        |
|           | 2105006         |

|        |                 |           |
|--------|-----------------|-----------|
| STYLE# | <b>10002460</b> | <b>ST</b> |
| MSRP   | \$209.95        |           |
|        | 2105506         |           |





# INTREPID™

Built for: **Outdoor work**

Best for: **Heavy-duty construction**

Delivers active rebound and stability for superior comfort

FEATURES

- Innovative chassis provides heel rebound, midfoot stability and flexible forefoot protection
- Roomier toe box in unique square toe shape with anatomical fit
- Shock-absorbing midsole for comfort all day
- Oil- and slip-resisting Duratread™ outsole for maximum wear resistance, passes hot contact test at 300°C/572°F
- 90° heel



## ACTIVE SUPPORT AND FLEXIBILITY



### Intrepid™ VentTEK™

|          |                      |                |        |
|----------|----------------------|----------------|--------|
| SIZES    | D: 7-12, 13, 14, 15  | UPPER          | 11"    |
|          | EE: 7-12, 13, 14, 15 | TOE            | Square |
| PLATFORM | Intrepid™            | SLIP RESISTING | SR     |



FEATURES

- Full-grain leather w/ VentTEK™ mesh panels
- Pro Performance insole for cushioning support
- High tech Dri-Freeze® lining in foot and upper
- Anatomical last for true fit
- Cement construction
- Protective ExGuards™ on heel
- Shock-absorbing PU midsole
- Oil- and slip-resisting Duratread™ outsole
- 90° heel
- Safety toe is ASTM F2413-18 M/I/C EH rated
- ASTM F3445-21 SR rated

|           |                    |    |
|-----------|--------------------|----|
| STYLE#    | 10020072           | CT |
| COLOR     | Cocoa Brown/Orange |    |
| DETAILS   | SSW, Full Vamp     |    |
| AVAILABLE | At Once            |    |
| MSRP      | \$249.95           |    |
|           | 2127506            |    |



### Intrepid™ VentTEK™ (cont.)

|           |                          |    |
|-----------|--------------------------|----|
| STYLE#    | 10023042                 | CT |
| COLOR     | Bruin Brown/Sassy Orange |    |
| DETAILS   | SSW, Full Vamp           |    |
| AVAILABLE | At Once                  |    |
| MSRP      | \$249.95                 |    |
|           | 2127506                  |    |





## OVERDRIVE™

Built for: **Outdoor work**

Best for: **Oil and gas exploration**

Delivers maximum side-to-side stability and comfort with superior durability



**MAXIMUM STABILITY AND PERFORMANCE**

### FEATURES

- Extra wide shank for maximum stability
- Reinforced ExGuards™ reduce wear on toe and heel
- Goodyear welt construction for durability
- Oil- and slip-resisting Duratread™ outsole for maximum wear resistance, passes hot contact test at 300°C/572°F
- 90° heel



### OverDrive™ Wide Square Toe

|          |                                     |                |             |
|----------|-------------------------------------|----------------|-------------|
| SIZES    | D: 7-12, 13, 14<br>EE: 8-12, 13, 14 | UPPER          | 11"         |
| PLATFORM | OverDrive™                          | TOE            | Wide Square |
|          |                                     | SLIP RESISTING | SR          |



#### FEATURES

- Full-grain leather
- Pro Performance insole for cushioning support
- 50% recycled polyester lining
- Six-row stitch pattern w/ embroidery
- Goodyear welt construction
- Lightweight, shock-absorbing EVA midsole
- Oil- and slip-resisting Duratread™ outsole
- 90° heel
- Safety toe is ASTM F2413-18 M/I/C EH rated
- ASTM F3445-21 SR rated

|           |                   |    |
|-----------|-------------------|----|
| STYLE#    | <b>10053644</b>   | CT |
| COLOR     | Brown/Rough Stone |    |
| DETAILS   | SSW, Full Vamp    |    |
| AVAILABLE | At Once           |    |
| MSRP      | \$239.95          |    |
|           | 2120006           |    |



|           |                 |    |
|-----------|-----------------|----|
| STYLE#    | <b>10011933</b> | CT |
| COLOR     | Alamo Brown     |    |
| DETAILS   | SSW, Full Vamp  |    |
| AVAILABLE | At Once         |    |
| MSRP      | \$239.95        |    |
|           | 2120006         |    |



### OverDrive™ 8" Wide Square Toe H2O

|          |                                     |                |             |
|----------|-------------------------------------|----------------|-------------|
| SIZES    | D: 7-12, 13, 14<br>EE: 8-12, 13, 14 | UPPER          | 8"          |
| PLATFORM | OverDrive™                          | TOE            | Wide Square |
|          |                                     | SLIP RESISTING | SR          |



**DRYShield™**

#### FEATURES

- DRYShield™ waterproof breathable construction
- Full-grain leather foot
- Pro Performance insole for cushioning support
- Mesh lining
- Lightly padded collar and tongue top
- Goodyear welt construction
- Protective ExGuards™ on toe, heel and side
- Lightweight, shock-absorbing EVA midsole
- Oil- and slip-resisting Duratread™ outsole
- 90° heel
- Safety toe is ASTM F2413-18 M/I/C EH rated
- ASTM F3445-21 SR rated

|           |                 |    |
|-----------|-----------------|----|
| STYLE#    | <b>10012940</b> | CT |
| COLOR     | Chestnut Brown  |    |
| DETAILS   | SSW             |    |
| AVAILABLE | At Once         |    |
| MSRP      | \$239.95        |    |
|           | 2122006         |    |





# WORKHOG® XT

Built for: **Outdoor work**

Best for: **Oil and gas exploration**

Delivers maximum side-to-side stability and comfort with superior durability



**MAXIMUM STABILITY AND PERFORMANCE**

## FEATURES

- Shock-absorbing midsole for comfort all day
- Extra wide shank for maximum stability
- Goodyear welt construction for durability
- Oil- and slip-resisting Duratread™ outsole for maximum wear resistance, passes hot contact test at 300°C/572°F
- 90° heel



## WORKHOG® XT BOA®



Dial in a fast, effortless, precision fit with the micro-adjustable BOA® Fit System, designed to provide custom support and performance.

# BOA®

*Workhog® XT Wide Square Toe BOA® H2O  
#10038924 Bruin Brown/Dark Forest*



Premium full-grain leather

DRYShield™ construction available on select styles

Safety toe is ASTM F2413-24 I/C EH SRO rated

Oil- and slip-resisting Duratread™ outsole provides maximum wear resistance

90° heel

Energy Max™ anti-fatigue insole provides cushioning and rebound for maximum comfort

Premium full-grain leather

Six-row stitch pattern

Micro-adjustable BOA® Fit System creates a fast, effortless, precision fit around the instep and ankle

Cushioning dual-density EVA midsole provides shock absorption with support

Goodyear welt construction for durability



## WorkHog® XT Wide Square Toe BOA®

|          |                                             |                |             |
|----------|---------------------------------------------|----------------|-------------|
| SIZES    | D: 7-12, 13, 14, 15<br>EE: 7-12, 13, 14, 15 | UPPER          | 11"         |
| PLATFORM | WorkHog® XT                                 | TOE            | Wide Square |
|          |                                             | SLIP RESISTING | <b>SRO</b>  |



### FEATURES

- Premium full-grain leather
- Energy Max™ anti-fatigue insole
- Mesh lining
- Dial in a fast, effortless, precision fit with the micro-adjustable BOA® Fit System
- Six-row stitch pattern
- Goodyear welt construction
- Lightweight, shock-absorbing dual-density EVA midsole
- Oil- and slip-resisting Duratread™ outsole
- 90° heel
- Safety toe is ASTM F2413-24 I/C EH SRO rated

|           |                  |
|-----------|------------------|
| STYLE#    | <b>10038923</b>  |
| COLOR     | Dark Earth/Black |
| DETAILS   | SSW, Full Vamp   |
| AVAILABLE | <b>At Once</b>   |
| MSRP      | \$299.95         |
|           | 2150006          |



## WorkHog® XT Wide Square Toe BOA® H2O

|          |                                             |                |             |
|----------|---------------------------------------------|----------------|-------------|
| SIZES    | D: 7-12, 13, 14, 15<br>EE: 7-12, 13, 14, 15 | UPPER          | 11"         |
| PLATFORM | WorkHog® XT                                 | TOE            | Wide Square |
|          |                                             | SLIP RESISTING | <b>SRO</b>  |



### FEATURES

- DRYShield™ waterproof breathable construction
- Premium full-grain leather
- Energy Max™ anti-fatigue insole
- Mesh lining
- Dial in a fast, effortless, precision fit with the micro-adjustable BOA® Fit System
- Six-row stitch pattern
- Goodyear welt construction
- Lightweight, shock-absorbing dual-density EVA midsole
- Oil- and slip-resisting Duratread™ outsole
- 90° heel
- Safety toe is ASTM F2413-24 I/C EH SRO rated

|           |                         |
|-----------|-------------------------|
| STYLE#    | <b>10038924</b>         |
| COLOR     | Bruin Brown/Dark Forest |
| DETAILS   | SSW, Full Vamp          |
| AVAILABLE | <b>At Once</b>          |
| MSRP      | \$314.95                |
|           | 2158006                 |



## WorkHog® XT 8" BOA® H2O

|          |                                             |                |             |
|----------|---------------------------------------------|----------------|-------------|
| SIZES    | D: 7-12, 13, 14, 15<br>EE: 7-12, 13, 14, 15 | UPPER          | 8"          |
| PLATFORM | WorkHog® XT                                 | TOE            | Wide Square |
|          |                                             | SLIP RESISTING | <b>SRO</b>  |



### FEATURES

- DRYShield™ waterproof breathable construction
- Premium full-grain leather
- Energy Max™ anti-fatigue insole
- Mesh lining
- Dial in a fast, effortless, precision fit with the micro-adjustable BOA® Fit System
- Goodyear welt construction
- Protective ExGuards™ on toe and heel
- Lightweight, shock-absorbing EVA midsole
- Oil- and slip-resisting Duratread™ outsole
- 90° heel
- Safety toe is ASTM F2413-24 I/C EH SRO rated

|           |                 |
|-----------|-----------------|
| STYLE#    | <b>10038922</b> |
| COLOR     | Chocolate Brown |
| DETAILS   | SSW             |
| AVAILABLE | <b>At Once</b>  |
| MSRP      | \$294.95        |
|           | 2148006         |



## WorkHog® XT VentTEK™ Bold H2O

|          |                                             |                |             |
|----------|---------------------------------------------|----------------|-------------|
| SIZES    | D: 7-12, 13, 14, 15<br>EE: 7-12, 13, 14, 15 | UPPER          | 11"         |
| PLATFORM | WorkHog® XT                                 | TOE            | Wide Square |
|          |                                             | SLIP RESISTING | <b>SRO</b>  |



### FEATURES

- DRYShield™ waterproof breathable construction
- Full-grain leather w/ VentTEK™ mesh panels
- Energy Max™ anti-fatigue insole
- Cooling waterproof lining in foot
- Goodyear welt construction
- Protective ExGuards™ on toe and heel
- Lightweight, shock-absorbing dual-density EVA midsole
- Oil- and slip-resisting Duratread™ outsole
- 90° heel
- Safety toe is ASTM F2413-24 I/C EH SRO rated

|           |                  |
|-----------|------------------|
| STYLE#    | <b>10035881</b>  |
| COLOR     | Iron Coffee/Acid |
| DETAILS   | SSW, Full Vamp   |
| AVAILABLE | <b>At Once</b>   |
| MSRP      | \$279.95         |
|           | 2142506          |





## WorkHog® XT VentTEK™ H2O

|          |                      |                |             |
|----------|----------------------|----------------|-------------|
| SIZES    | D: 7-12, 13, 14, 15  | UPPER          | 11"         |
|          | EE: 7-12, 13, 14, 15 | TOE            | Wide Square |
| PLATFORM | WorkHog® XT          | SLIP RESISTING | SR          |



**DRYShield™**



### FEATURES

- DRYShield™ waterproof breathable construction
- Full-grain leather w/ VentTEK™ mesh panels
- Energy Max™ anti-fatigue insole
- Cooling waterproof lining in foot
- Goodyear welt construction
- Lightweight, shock-absorbing dual-density EVA midsole
- Oil- and slip-resisting Duratread™ outsole
- 90° heel
- Safety toe is ASTM F2413-24 I/C EH SRO rated
- Soft toe is ASTM F2892-18 EH rated
- ASTM F3445-21 SR rated

|           |                    |
|-----------|--------------------|
| STYLE#    | <b>10044504</b>    |
| COLOR     | Iron Coffee/Sunset |
| DETAILS   | SSW, Full Vamp     |
| AVAILABLE | <b>At Once</b>     |
| MSRP      | \$259.95           |
|           | 2132506            |
| STYLE#    | <b>10050835</b>    |
| MSRP      | \$269.95           |
|           | 2137506            |



## WorkHog® XT Bolt Skull H2O

NEW STYLE

|          |                      |                |             |
|----------|----------------------|----------------|-------------|
| SIZES    | D: 7-12, 13, 14, 15  | UPPER          | 11"         |
|          | EE: 7-12, 13, 14, 15 | TOE            | Wide Square |
| PLATFORM | WorkHog® XT          | SLIP RESISTING | SR          |



**DRYShield™**



### FEATURES

- DRYShield™ waterproof breathable construction
- Premium full-grain leather
- Unique graphic detail on upper
- Energy Max™ anti-fatigue insole
- 50% recycled polyester lining
- Two-row stitch pattern w/ embroidery
- Goodyear welt construction
- Lightweight, shock-absorbing dual-density EVA midsole
- Oil- and slip-resisting Duratread™ outsole
- 90° heel
- Safety toe is ASTM F2413-24 I/C EH SR rated
- Soft toe is ASTM F2892-24 EH SR rated

|           |                   |
|-----------|-------------------|
| STYLE#    | <b>10074286</b>   |
| COLOR     | Iron Coffee/Black |
| DETAILS   | SSW, Full Vamp    |
| AVAILABLE | <b>11/1/2025</b>  |
| MSRP      | \$249.95          |
|           | 2127506           |
| STYLE#    | <b>10074207</b>   |
| MSRP      | \$259.95          |
|           | 2132506           |



## WorkHog® XT VentTEK™ H2O

|          |                      |                |             |
|----------|----------------------|----------------|-------------|
| SIZES    | D: 7-12, 13, 14, 15  | UPPER          | 11"         |
|          | EE: 7-12, 13, 14, 15 | TOE            | Wide Square |
| PLATFORM | WorkHog® XT          | SLIP RESISTING | SR          |



**DRYShield™**



### FEATURES

- DRYShield™ waterproof breathable construction
- Full-grain leather w/ VentTEK™ mesh panels
- Energy Max™ anti-fatigue insole
- Cooling waterproof lining in foot
- Goodyear welt construction
- Lightweight, shock-absorbing dual-density EVA midsole
- Oil- and slip-resisting Duratread™ outsole
- 90° heel
- Safety toe is ASTM F2413-24 I/C EH SRO rated
- Soft toe is ASTM F2892-18 EH rated
- ASTM F3445-21 SR rated

|             |                 |
|-------------|-----------------|
| STYLE#      | <b>10035984</b> |
| COLOR       | Rye Brown/Storm |
| DETAILS     | SSW, Full Vamp  |
| AVAILABLE   | <b>At Once</b>  |
| MSRP        | \$259.95        |
|             | 2132506         |
| EXTRA SIZES | D:16            |
|             | EE:16           |
| STYLE#      | <b>10036005</b> |
| MSRP        | \$269.95        |
|             | 2137506         |
| EXTRA SIZES | D:16            |
|             | EE:16           |



## WorkHog® XT Patriot H2O

|          |                      |                |             |
|----------|----------------------|----------------|-------------|
| SIZES    | D: 7-12, 13, 14, 15  | UPPER          | 11"         |
|          | EE: 7-12, 13, 14, 15 | TOE            | Wide Square |
| PLATFORM | WorkHog® XT          | SLIP RESISTING | SRO         |



**DRYShield™**



### FEATURES

- DRYShield™ waterproof breathable construction
- Premium full-grain leather
- Energy Max™ anti-fatigue insole
- Mesh lining
- Patriotic stitch pattern
- Goodyear welt construction
- Lightweight, shock-absorbing dual-density EVA midsole
- Oil- and slip-resisting Duratread™ outsole
- 90° heel
- Safety toe is ASTM F2413-24 I/C EH SRO rated

|           |                  |
|-----------|------------------|
| STYLE#    | <b>10036002</b>  |
| COLOR     | Distressed Brown |
| DETAILS   | SSW, Full Vamp   |
| AVAILABLE | <b>At Once</b>   |
| MSRP      | \$259.95         |
|           | 2133506          |





## WorkHog® XT Phoenix

|          |                                             |                |             |
|----------|---------------------------------------------|----------------|-------------|
| SIZES    | D: 7-12, 13, 14, 15<br>EE: 7-12, 13, 14, 15 | UPPER          | 11"         |
| PLATFORM | WorkHog® XT                                 | TOE            | Wide Square |
|          |                                             | SLIP RESISTING | <b>SRO</b>  |



### FEATURES

- Premium full-grain leather
- Energy Max™ anti-fatigue insole
- 50% recycled polyester lining
- Heavy embroidery firebird design
- Goodyear welt construction
- Lightweight, shock-absorbing dual-density EVA midsole
- Oil- and slip-resisting Duratread™ outsole
- 90° heel
- Safety toe is ASTM F2413-24 I/C EH SRO rated

|           |                  |
|-----------|------------------|
| STYLE#    | <b>10046931</b>  |
| COLOR     | Distressed Brown |
| DETAILS   | SSW, Full Vamp   |
| AVAILABLE | <b>At Once</b>   |
| MSRP      | \$249.95         |
|           | 2125506          |



## WorkHog® XT Coil Wide Square Toe

NEW STYLE

|          |                                             |                |             |
|----------|---------------------------------------------|----------------|-------------|
| SIZES    | D: 7-12, 13, 14, 15<br>EE: 7-12, 13, 14, 15 | UPPER          | 12"         |
| PLATFORM | WorkHog® XT                                 | TOE            | Wide Square |
|          |                                             | SLIP RESISTING | <b>SR</b>   |



### FEATURES

- Premium full-grain leather
- Energy Max™ anti-fatigue insole
- 50% recycled polyester lining
- Three-row stitch pattern w/ embroidery
- Goodyear welt construction
- Lightweight, shock-absorbing dual-density EVA midsole
- Oil- and slip-resisting Duratread™ outsole
- 90° heel
- Safety toe is ASTM F2413-24 I/C EH SR rated

|           |                 |
|-----------|-----------------|
| STYLE#    | <b>10074160</b> |
| COLOR     | Earth/Black     |
| DETAILS   | SSW, Full Vamp  |
| AVAILABLE | <b>1/1/2026</b> |
| MSRP      | \$249.95        |
|           | 2127506         |



## WorkHog® XT Wellington H20

|          |                                             |                |             |
|----------|---------------------------------------------|----------------|-------------|
| SIZES    | D: 7-12, 13, 14, 15<br>EE: 7-12, 13, 14, 15 | UPPER          | 11"         |
| PLATFORM | WorkHog® XT                                 | TOE            | Wide Square |
|          |                                             | SLIP RESISTING | <b>SR</b>   |



### FEATURES

- DRYShield™ waterproof breathable construction
- Premium full-grain leather
- Energy Max™ anti-fatigue insole
- 50% recycled polyester lining
- Goodyear welt construction
- Lightweight, shock-absorbing dual-density EVA midsole
- Oil- and slip-resisting Duratread™ outsole
- 90° heel
- Safety toe is ASTM F2413-24 I/C EH SRO rated
- Soft toe is ASTM F2892-18 EH rated
- ASTM F3445-21 SR rated

|           |                  |
|-----------|------------------|
| STYLE#    | <b>10050832</b>  |
| COLOR     | Distressed Brown |
| DETAILS   | SSW, Full Vamp   |
| AVAILABLE | <b>At Once</b>   |
| MSRP      | \$239.95         |
|           | 2121006          |



|        |                 |
|--------|-----------------|
| STYLE# | <b>10050833</b> |
| MSRP   | \$249.95        |
|        | 2126006         |



## WorkHog® XT Cottonwood

|          |                      |                |             |
|----------|----------------------|----------------|-------------|
| SIZES    | D: 7-12, 13, 14, 15  | UPPER          | 11"         |
|          | EE: 7-12, 13, 14, 15 | TOE            | Wide Square |
| PLATFORM | WorkHog® XT          | SLIP RESISTING | SR          |



### FEATURES

- Premium full-grain leather
- Energy Max™ anti-fatigue insole
- Mesh lining
- Five-row stitch pattern w/ embroidery
- Goodyear welt construction
- Lightweight, shock-absorbing dual-density EVA midsole
- Oil- and slip-resisting Duratread™ outsole
- 90° heel
- Safety toe is ASTM F2413-24 I/C EH SRO rated
- Soft toe is ASTM F2892-18 EH rated
- ASTM F3445-21 SR rated

|           |                  |
|-----------|------------------|
| STYLE#    | <b>10038323</b>  |
| COLOR     | Dark Earth/Brick |
| DETAILS   | SSW, Full Vamp   |
| AVAILABLE | At Once          |
| MSRP      | \$229.95         |
|           | 2117006          |

**EXTRA SIZES** B: 10-12, 13

|        |                 |
|--------|-----------------|
| STYLE# | <b>10038316</b> |
| MSRP   | \$239.95        |
|        | 2122506         |

**EXTRA SIZES** B: 10-12, 13

|           |                                     |
|-----------|-------------------------------------|
| STYLE#    | <b>10038320</b>                     |
| COLOR     | Brown Oiled Rowdy/<br>Midnight Blue |
| DETAILS   | SSW, Full Vamp                      |
| AVAILABLE | At Once                             |
| MSRP      | \$229.95                            |
|           | 2117006                             |



## WorkHog® XT Wide Square Toe H2O

|          |                      |                |             |
|----------|----------------------|----------------|-------------|
| SIZES    | D: 7-12, 13, 14, 15  | UPPER          | 11"         |
|          | EE: 7-12, 13, 14, 15 | TOE            | Wide Square |
| PLATFORM | WorkHog® XT          | SLIP RESISTING | SR          |



### FEATURES

- DRYShield™ waterproof breathable construction
- Premium full-grain leather
- Energy Max™ anti-fatigue insole
- Mesh lining
- Six-row stitch pattern w/ embroidery
- Goodyear welt construction
- Lightweight, shock-absorbing dual-density EVA midsole
- Oil- and slip-resisting Duratread™ outsole
- 90° heel
- Safety toe is ASTM F2413-24 I/C EH SRO rated
- Soft toe is ASTM F2892-18 EH rated
- ASTM F3445-21 SR rated

|           |                                  |
|-----------|----------------------------------|
| STYLE#    | <b>10031474</b>                  |
| COLOR     | Distressed Brown/<br>Bravo Brown |
| DETAILS   | SSW, Full Vamp                   |
| AVAILABLE | At Once                          |
| MSRP      | \$249.95                         |
|           | 2127506                          |

|        |                 |
|--------|-----------------|
| STYLE# | <b>10031483</b> |
| MSRP   | \$259.95        |
|        | 2134006         |



|           |                              |
|-----------|------------------------------|
| STYLE#    | <b>10024971</b>              |
| COLOR     | Tumbled Bark/<br>Dark Forest |
| DETAILS   | SSW, Full Vamp               |
| AVAILABLE | At Once                      |
| MSRP      | \$249.95                     |
|           | 2127506                      |

|        |                 |
|--------|-----------------|
| STYLE# | <b>10024966</b> |
| MSRP   | \$259.95        |
|        | 2134006         |



|           |                                 |
|-----------|---------------------------------|
| STYLE#    | <b>10024968</b>                 |
| COLOR     | Oily Distressed Brown/<br>Black |
| DETAILS   | SSW, Full Vamp                  |
| AVAILABLE | At Once                         |
| MSRP      | \$259.95                        |
|           | 2134006                         |





# WORKHOG®

Built for: **Outdoor work**

Best for: **Oil and gas exploration**

Delivers maximum side-to-side stability and comfort with superior durability



**MAXIMUM STABILITY AND PERFORMANCE**

## FEATURES

- Extra wide shank for maximum stability
- Goodyear welt construction for durability
- Cushioning EVA midsole for comfort all day
- Oil- and slip-resisting Duratread™ outsole for maximum wear resistance, passes hot contact test at 300°C/572°F
- 90° heel



## WorkHog® Wide Square Toe H2O CSA® XTR

|          |                                     |                |             |
|----------|-------------------------------------|----------------|-------------|
| SIZES    | D: 7-12, 13, 14<br>EE: 7-12, 13, 14 | UPPER          | 11"         |
| PLATFORM | WorkHog®                            | TOE            | Wide Square |
|          |                                     | SLIP RESISTING | SR          |



**DRYShield™**



## FEATURES

- DRYShield™ waterproof breathable construction
- Premium full-grain leather
- Pro Performance insole for cushioning support
- Puncture resistant, metal-free SWEN-FLEX® insole board
- 50% recycled polyester lining
- Four-row stitch pattern
- Goodyear welt construction
- Protective ExGuards™ on toe and heel
- Lightweight, shock-absorbing EVA midsole
- Oil- and slip-resisting Duratread™ outsole
- 90° heel
- Safety toe is ASTM F2413-18 M/I/C PR EH rated
- ASTM F3445-21 SR rated
- Certified to CSA Standard Z195-14 w/ Grade 1 toe protection, protective sole protection and electric shock resistance (ESR) protection

|           |                 |    |
|-----------|-----------------|----|
| STYLE#    | <b>10042491</b> | CT |
| COLOR     | Rye Brown/Black |    |
| DETAILS   | SSW, Full Vamp  |    |
| AVAILABLE | At Once         |    |
| MSRP      | \$274.95        |    |
|           | 2143506         |    |



## WorkHog® Wide Square Toe CSA®

|          |                                     |                |             |
|----------|-------------------------------------|----------------|-------------|
| SIZES    | D: 7-12, 13, 14<br>EE: 7-12, 13, 14 | UPPER          | 11"         |
| PLATFORM | WorkHog®                            | TOE            | Wide Square |
|          |                                     | SLIP RESISTING | SR          |



## FEATURES

- Premium full-grain leather
- Pro Performance insole for cushioning support
- Puncture resistant, metal-free SWEN-FLEX® insole board
- Mesh lining
- Six-row stitch pattern
- Goodyear welt construction
- Lightweight, shock-absorbing EVA midsole
- Oil- and slip-resisting Duratread™ outsole
- 90° heel
- Safety toe is ASTM F2413-18 M/I/C PR EH rated
- ASTM F3445-21 SR rated
- Certified to CSA Standard Z195-14 w/ Grade 1 toe protection, protective sole protection and electric shock resistance (ESR) protection

|           |                  |    |
|-----------|------------------|----|
| STYLE#    | <b>10017170</b>  | CT |
| COLOR     | Dark Earth/Brick |    |
| DETAILS   | SSW, Full Vamp   |    |
| AVAILABLE | At Once          |    |
| MSRP      | \$239.95         |    |
|           | 2127506          |    |





## WorkHog® Wide Square Toe H2O CSA®

|          |                  |                |             |
|----------|------------------|----------------|-------------|
| SIZES    | D: 7-12, 13, 14  | UPPER          | 11"         |
|          | EE: 7-12, 13, 14 | TOE            | Wide Square |
| PLATFORM | WorkHog®         | SLIP RESISTING | SR          |



**DRYShield™**



### FEATURES

- DRYShield™ waterproof breathable construction
- Full-grain leather
- Pro Performance insole for cushioning support
- Puncture resistant, metal-free SWEN-FLEX® insole board
- 50% recycled polyester lining
- Four-row stitch pattern w/ embroidery
- Goodyear welt construction
- Lightweight, shock-absorbing EVA midsole
- Oil- and slip-resisting Duratread™ outsole
- 90° heel
- Safety toe is ASTM F2413-18 M/I/C PR EH rated
- ASTM F3445-21 SR rated
- Certified to CSA Standard Z195-14 w/ Grade 1 toe protection, protective sole protection and electric shock resistance (ESR) protection

|           |                       |    |
|-----------|-----------------------|----|
| STYLE#    | <b>10042554</b>       | CT |
| COLOR     | Tumbled Bark/Twilight |    |
| DETAILS   | SSW, Full Vamp        |    |
| AVAILABLE | At Once               |    |
| MSRP      | \$264.95              |    |
|           | 2134006               |    |



|           |                 |    |
|-----------|-----------------|----|
| STYLE#    | <b>10017175</b> | CT |
| COLOR     | Dark Copper     |    |
| DETAILS   | SSW, Full Vamp  |    |
| AVAILABLE | At Once         |    |
| MSRP      | \$264.95        |    |
|           | 2139506         |    |



## WorkHog® Wide Square Toe H2O 400G CSA®

|          |                  |                |             |
|----------|------------------|----------------|-------------|
| SIZES    | D: 7-12, 13, 14  | UPPER          | 11"         |
|          | EE: 7-12, 13, 14 | TOE            | Wide Square |
| PLATFORM | WorkHog®         | SLIP RESISTING | SR          |



**DRYShield™**



### FEATURES

- DRYShield™ waterproof breathable construction
- 400g Thinsulate™ Insulation
- Premium full-grain leather
- Pro Performance insole for cushioning support
- Puncture resistant, metal-free SWEN-FLEX® insole board
- 50% recycled polyester lining
- Four-row stitch pattern w/ embroidery
- Goodyear welt construction
- Lightweight, shock-absorbing EVA midsole
- Oil- and slip-resisting Duratread™ outsole
- 90° heel
- Safety toe is ASTM F2413-18 M/I/C PR EH rated
- ASTM F3445-21 SR rated
- Certified to CSA Standard Z195-14 w/ Grade 1 toe protection, protective sole protection and electric shock resistance (ESR) protection

|           |                        |    |
|-----------|------------------------|----|
| STYLE#    | <b>10042552</b>        | CT |
| COLOR     | Bruin Brown/Army Green |    |
| DETAILS   | SSW, Full Vamp         |    |
| AVAILABLE | At Once                |    |
| MSRP      | \$269.95               |    |
|           | 2144506                |    |





## WorkHog® Wide Square Toe Met Guard CSA®

|          |                                     |                |             |
|----------|-------------------------------------|----------------|-------------|
| SIZES    | D: 7-12, 13, 14<br>EE: 7-12, 13, 14 | UPPER          | 11"         |
| PLATFORM | WorkHog®                            | TOE            | Wide Square |
|          |                                     | SLIP RESISTING | SR          |



### FEATURES

- Premium full-grain leather
- Pro Performance insole for cushioning support
- Puncture resistant, metal-free SWEN-FLEX® insole board
- XRD® Internal Metatarsal Guard
- Mesh lining
- Four-row stitch pattern
- Goodyear welt construction
- Lightweight, shock-absorbing EVA midsole
- Oil- and slip-resisting Duratread™ outsole
- 90° heel
- Safety toe is ASTM F2413-18 M/I/C Mt EH PR rated
- ASTM F3445-21 SR rated
- Certified to CSA Standard Z195-14 w/ Grade 1 toe protection, protective sole protection, metatarsal protection and electric shock resistance (ESR) protection

|           |                        |    |
|-----------|------------------------|----|
| STYLE#    | <b>10017174</b>        | CT |
| COLOR     | Ridge Brown/Moss Green |    |
| DETAILS   | SSW, Full Vamp         |    |
| AVAILABLE | At Once                |    |
| MSRP      | \$274.95               |    |
|           | 2144506                |    |



## WorkHog® Wide Square Toe Met Guard H2O CSA®

|          |                                     |                |             |
|----------|-------------------------------------|----------------|-------------|
| SIZES    | D: 7-12, 13, 14<br>EE: 7-12, 13, 14 | UPPER          | 11"         |
| PLATFORM | WorkHog®                            | TOE            | Wide Square |
|          |                                     | SLIP RESISTING | SR          |



### FEATURES

- DRYShield™ waterproof breathable construction
- Premium full-grain leather
- Pro Performance insole for cushioning support
- Puncture resistant, metal-free SWEN-FLEX® insole board
- 50% recycled polyester lining
- Four-row stitch pattern
- Goodyear welt construction
- Lightweight, shock-absorbing EVA midsole
- Oil- and slip-resisting Duratread™ outsole
- 90° heel
- Safety toe is ASTM F2413-18 M/I/C Mt EH PR rated
- ASTM F3445-21 SR rated
- Certified to CSA Standard Z195-14 w/ Grade 1 toe protection, protective sole protection, metatarsal protection and electric shock resistance (ESR) protection

|           |                           |    |
|-----------|---------------------------|----|
| STYLE#    | <b>10042553</b>           | CT |
| COLOR     | Dark Copper/Midnight Blue |    |
| DETAILS   | SSW, Full Vamp            |    |
| AVAILABLE | At Once                   |    |
| MSRP      | \$299.95                  |    |
|           | 2154006                   |    |



## WorkHog® Wide Square Toe Met Guard H2O

|          |                                     |                |             |
|----------|-------------------------------------|----------------|-------------|
| SIZES    | D: 7-12, 13, 14<br>EE: 8-12, 13, 14 | UPPER          | 11"         |
| PLATFORM | WorkHog®                            | TOE            | Wide Square |
|          |                                     | SLIP RESISTING | SR          |



### FEATURES

- DRYShield™ waterproof breathable construction
- Premium full-grain leather
- Pro Performance insole for cushioning support
- XRD® Internal Metatarsal Guard
- Mesh lining
- Four-row stitch pattern
- Goodyear welt construction
- Lightweight, shock-absorbing EVA midsole
- Oil- and slip-resisting Duratread™ outsole
- 90° heel
- Safety toe is ASTM F2413-18 M/I/C Mt EH rated
- ASTM F3445-21 SR rated

|           |                         |    |
|-----------|-------------------------|----|
| STYLE#    | <b>10016265</b>         | CT |
| COLOR     | Bruin Brown/Crazy Black |    |
| DETAILS   | SSW, Full Vamp          |    |
| AVAILABLE | At Once                 |    |
| MSRP      | \$289.95                |    |
|           | 2150006                 |    |



## WorkHog® Wide Square Toe H2O 400G

|          |                                     |                |             |
|----------|-------------------------------------|----------------|-------------|
| SIZES    | D: 7-12, 13, 14<br>EE: 7-12, 13, 14 | UPPER          | 11"         |
| PLATFORM | WorkHog®                            | TOE            | Wide Square |
|          |                                     | SLIP RESISTING | SR          |



### FEATURES

- DRYShield™ waterproof breathable construction
- 400g Thinsulate™ Insulation
- Premium full-grain leather
- Pro Performance insole for cushioning support
- Mesh lining
- Seven-row stitch pattern
- Goodyear welt construction
- Lightweight, shock-absorbing EVA midsole
- Oil- and slip-resisting Duratread™ outsole
- 90° heel
- Safety toe is ASTM F2413-24 I/C EH SR rated

|           |                  |    |
|-----------|------------------|----|
| STYLE#    | <b>10018555</b>  | CT |
| COLOR     | Rye Brown/Coffee |    |
| DETAILS   | SSW, Full Vamp   |    |
| AVAILABLE | At Once          |    |
| MSRP      | \$264.95         |    |
|           | 2139506          |    |





## WorkHog® Wide Square Toe VentTEK™

|          |                  |                |             |
|----------|------------------|----------------|-------------|
| SIZES    | D: 7-12, 13, 14  | UPPER          | 11"         |
|          | EE: 7-12, 13, 14 | TOE            | Wide Square |
| PLATFORM | WorkHog®         | SLIP RESISTING | SR          |



### FEATURES

- Full-grain leather w/ VentTEK™ mesh panels
- Pro Performance insole for cushioning support
- High tech Dri-Freeze® lining in foot and upper
- Goodyear welt construction
- Lightweight, shock-absorbing EVA midsole
- Oil- and slip-resisting Duratread™ outsole
- 90° heel
- Safety toe is ASTM F2413-24 I/C EH SR rated
- Soft toe is ASTM F2892-24 EH SR rated

|           |                         |
|-----------|-------------------------|
| STYLE#    | <b>10020083</b>         |
| COLOR     | Bruin Brown/Grass Green |
| DETAILS   | SSW, Full Vamp          |
| AVAILABLE | At Once                 |
| MSRP      | \$229.95                |
|           | 2117506                 |

|        |                 |    |
|--------|-----------------|----|
| STYLE# | <b>10020084</b> | CT |
| MSRP   | \$239.95        |    |
|        | 2122506         |    |



## WorkHog® Patriot

|          |                  |                |             |
|----------|------------------|----------------|-------------|
| SIZES    | D: 7-12, 13, 14  | UPPER          | 11"         |
|          | EE: 7-12, 13, 14 | TOE            | Wide Square |
| PLATFORM | WorkHog®         | SLIP RESISTING | SR          |



### FEATURES

- Full-grain leather foot
- Camo printed textile shaft w/ flag patch
- Pro Performance insole for cushioning support
- Mesh lining
- Goodyear welt construction
- Lightweight, shock-absorbing EVA midsole
- Oil- and slip-resisting Duratread™ outsole
- 90° heel
- Safety toe is ASTM F2413-24 I/C EH SR rated

|           |                       |    |
|-----------|-----------------------|----|
| STYLE#    | <b>10022968</b>       | ST |
| COLOR     | Earth/Sand Camo Print |    |
| DETAILS   | SSW, Full Vamp        |    |
| AVAILABLE | At Once               |    |
| MSRP      | \$234.95              |    |
|           | 2123006               |    |



## WorkHog® Wide Square Toe

|          |                     |                |             |
|----------|---------------------|----------------|-------------|
| SIZES    | D: 7-12, 13, 14, 15 | UPPER          | 11"         |
|          | EE: 7-12, 13, 14    | TOE            | Wide Square |
| PLATFORM | WorkHog®            | SLIP RESISTING | SR          |



### FEATURES

- Premium full-grain leather
- Pro Performance insole for cushioning support
- Mesh lining
- Six-row stitch pattern
- Goodyear welt construction
- Lightweight, shock-absorbing EVA midsole
- Oil- and slip-resisting Duratread™ outsole
- 90° heel
- Safety toe is ASTM F2413-24 I/C EH SR rated
- Soft toe is ASTM F2892-24 EH SR rated

|           |                  |
|-----------|------------------|
| STYLE#    | <b>10005888</b>  |
| COLOR     | Dark Earth/Brick |
| DETAILS   | SSW, Full Vamp   |
| AVAILABLE | At Once          |
| MSRP      | \$219.95         |
|           | 2117006          |

|             |                |
|-------------|----------------|
| EXTRA SIZES | B: 10-12, 13   |
|             | D: 6, 6.5      |
|             | EE: 6, 6.5, 15 |

|             |                 |    |
|-------------|-----------------|----|
| STYLE#      | <b>10006961</b> | ST |
| MSRP        | \$229.95        |    |
|             | 2122506         |    |
| EXTRA SIZES | B: 10-12, 13    |    |
|             | D: 6, 6.5       |    |
|             | EE: 6, 6.5, 15  |    |





## WorkHog® Wide Square Toe H20

|          |                                 |                |             |
|----------|---------------------------------|----------------|-------------|
| SIZES    | D: 7-12, 13, 14<br>EE: 8-12, 13 | UPPER          | 11"         |
| PLATFORM | WorkHog®                        | TOE            | Wide Square |
|          |                                 | SLIP RESISTING | SR          |



**DRYShield™**



### FEATURES

- DRYShield™ waterproof breathable construction
- Premium full-grain leather
- Pro Performance insole for cushioning support
- Mesh lining
- Six-row stitch pattern w/ embroidery
- Goodyear welt construction
- Lightweight, shock-absorbing EVA midsole
- Oil- and slip-resisting Duratread™ outsole
- 90° heel
- Safety toe is ASTM F2413-24 I/C EH SR rated
- Soft toe is ASTM F2892-24 EH SR rated

|                    |                                |
|--------------------|--------------------------------|
| STYLE#             | <b>10017436</b>                |
| COLOR              | Bruin Brown/Coffee             |
| DETAILS            | SSW, Full Vamp                 |
| AVAILABLE          | <b>At Once</b>                 |
| MSRP               | \$229.95                       |
|                    | 2122506                        |
| <b>EXTRA SIZES</b> | B: 10-12, 13<br>EE: 7, 7.5, 14 |



|                    |                                |    |
|--------------------|--------------------------------|----|
| STYLE#             | <b>10017420</b>                | CT |
| MSRP               | \$239.95                       |    |
|                    | 2127506                        |    |
| <b>EXTRA SIZES</b> | B: 10-12, 13<br>EE: 7, 7.5, 14 |    |

|           |                 |    |
|-----------|-----------------|----|
| STYLE#    | <b>10010133</b> | ST |
| COLOR     | Aged Bark/Black |    |
| DETAILS   | SSW, Full Vamp  |    |
| AVAILABLE | <b>At Once</b>  |    |
| MSRP      | \$234.95        |    |
|           | 2127506         |    |



## WorkHog® 8" H20

|          |                                 |                |       |
|----------|---------------------------------|----------------|-------|
| SIZES    | D: 7-12, 13, 14<br>EE: 7-12, 13 | UPPER          | 8"    |
| PLATFORM | WorkHog®                        | TOE            | Roper |
|          |                                 | SLIP RESISTING | SR    |



**DRYShield™**

### FEATURES

- DRYShield™ waterproof breathable construction
- Premium full-grain leather
- Pro Performance insole for cushioning support
- Mesh lining
- Removable kiltie
- Goodyear welt construction
- Lightweight, shock-absorbing EVA midsole
- Oil- and slip-resisting Duratread™ outsole
- 90° heel
- Safety toe is ASTM F2413-18 M/I/C EH rated
- Soft toe is ASTM F2892-18 EH rated
- ASTM F3445-21 SR rated

|           |                       |
|-----------|-----------------------|
| STYLE#    | <b>10011939</b>       |
| COLOR     | Oily Distressed Brown |
| DETAILS   | SSW                   |
| AVAILABLE | <b>At Once</b>        |
| MSRP      | \$229.95              |
|           | 2122506               |



|        |                 |    |
|--------|-----------------|----|
| STYLE# | <b>10011943</b> | CT |
| MSRP   | \$239.95        |    |
|        | 2127506         |    |

## WorkHog® Pull-On

|          |                                         |                |       |
|----------|-----------------------------------------|----------------|-------|
| SIZES    | D: 7-12, 13, 14, 15<br>EE: 7-12, 13, 14 | UPPER          | 10"   |
| PLATFORM | WorkHog®                                | TOE            | Roper |
|          |                                         | SLIP RESISTING | SR    |



### FEATURES

- Premium full-grain leather
- Pro Performance insole for cushioning support
- Mesh lining
- Six-row stitch pattern
- Goodyear welt construction
- Lightweight, shock-absorbing EVA midsole
- Oil- and slip-resisting Duratread™ outsole
- 90° heel
- Safety toe is ASTM F2413-18 M/I/C EH rated
- Soft toe is ASTM F2892-18 EH rated
- ASTM F3445-21 SR rated

|                    |                      |
|--------------------|----------------------|
| STYLE#             | <b>10001188</b>      |
| COLOR              | Aged Bark/Army Green |
| DETAILS            | SSW, Saddle Vamp     |
| AVAILABLE          | <b>At Once</b>       |
| MSRP               | \$199.95             |
|                    | 2108256              |
| <b>EXTRA SIZES</b> | B: 10-12, 13         |

|                    |                 |    |
|--------------------|-----------------|----|
| STYLE#             | <b>10001191</b> | CT |
| MSRP               | \$229.95        |    |
|                    | 2122506         |    |
| <b>EXTRA SIZES</b> | B: 10-12, 13    |    |





## WorkHog® Pull-On H2O

|          |                                     |                |       |
|----------|-------------------------------------|----------------|-------|
| SIZES    | D: 7-12, 13, 14<br>EE: 7-12, 13, 14 | UPPER          | 10"   |
| PLATFORM | WorkHog®                            | TOE            | Roper |
|          |                                     | SLIP RESISTING | SR    |



**DRYShield™**

**UTURN™**  
Entry System

### FEATURES

- DRYShield™ waterproof breathable construction
- Premium full-grain leather
- Pro Performance insole for cushioning support
- Mesh lining
- Six-row stitch pattern
- Goodyear welt construction
- Lightweight, shock-absorbing EVA midsole
- Oil- and slip-resisting Duratread™ outsole
- 90° heel
- Safety toe is ASTM F2413-18 M/I/C EH rated
- Soft toe is ASTM F2892-18 EH rated
- ASTM F3445-21 SR rated

|             |                      |
|-------------|----------------------|
| STYLE#      | <b>10008633</b>      |
| COLOR       | Aged Bark/Army Green |
| DETAILS     | SSW, Saddle Vamp     |
| AVAILABLE   | At Once              |
| MSRP        | \$229.95             |
|             | 2122506              |
| EXTRA SIZES | B: 10-12, 13         |

|             |                 |    |
|-------------|-----------------|----|
| STYLE#      | <b>10008635</b> | CT |
| MSRP        | \$239.95        |    |
|             | 2127506         |    |
| EXTRA SIZES | B: 10-12, 13    |    |



## WorkHog® Pull-On H2O

|          |                                     |                |       |
|----------|-------------------------------------|----------------|-------|
| SIZES    | D: 7-12, 13, 14<br>EE: 7-12, 13, 14 | UPPER          | 10"   |
| PLATFORM | WorkHog®                            | TOE            | Roper |
|          |                                     | SLIP RESISTING | SR    |



**DRYShield™**

**UTURN™**  
Entry System

### FEATURES

- DRYShield™ waterproof breathable construction
- Premium full-grain leather
- Pro Performance insole for cushioning support
- Mesh lining
- Three-row stitch pattern
- Goodyear welt construction
- Lightweight, shock-absorbing EVA midsole
- Oil- and slip-resisting Duratread™ outsole
- 90° heel
- Safety toe is ASTM F2413-18 M/I/C EH rated
- Soft toe is ASTM F2892-18 EH rated
- ASTM F3445-21 SR rated

|           |                       |
|-----------|-----------------------|
| STYLE#    | <b>10001198</b>       |
| COLOR     | Oily Distressed Brown |
| DETAILS   | SSW, Full Vamp        |
| AVAILABLE | At Once               |
| MSRP      | \$229.95              |
|           | 2122506               |

|        |                 |    |
|--------|-----------------|----|
| STYLE# | <b>10001200</b> | CT |
| MSRP   | \$239.95        |    |
|        | 2127506         |    |





## RIGTEK™

Built for: **Outdoor work, performs indoors**

Best for: **Oilfield or industrial work with chemicals**

Delivers durable traction with long-lasting cushioning

**AS**® ADVANCED STABILITY AND PERFORMANCE

### FEATURES

- Lightweight composite forked shank for stability
- Goodyear injection construction for durability
- Durable sole with lug tread designed for traction on metal surfaces
- Oil- and slip-resisting PU outsole, passes hot contact test at 150°C/302°F
- 90° heel



## RIGTEK™ WILDCAT

Specially designed for oil and gas field work, this boot is built entirely without leather to withstand damage from harsh chemicals, such as Calcium Bromide. Constructed with high-tenacity polyurethane, polyester, and aramid fibers, it offers durable, dependable protection against corrosives.

(Left) RigTEK™ Wildcat 8" BOA® H2O CSA®  
#10035930 Forged Iron,  
RigTEK™ Wildcat Pull-On H2O CSA®  
#10035929 Forged Iron

BOA® Fit System provides custom support and performance

Composite safety toe is ASTM F2413-24 I/C EH PR SR rated



Protective ExGuards™ on toe and heel

Puncture resistant, provides penetration protection to the bottom of the foot

DRYShield™ waterproof breathable construction keeps you dry in wet environments



Durable water-repellent fabric made with high-tenacity polyurethane, polyester and aramid fibers



## RigTEK® Wildcat 8" BOA® H2O CSA®

|          |                  |                |             |
|----------|------------------|----------------|-------------|
| SIZES    | D: 7-12, 13, 14  | UPPER          | 8"          |
|          | EE: 7-12, 13, 14 | TOE            | Wide Square |
| PLATFORM | RigTEK™          | SLIP RESISTING | SR          |



## FEATURES

- DRYShield™ waterproof breathable construction
- Durable water-repellent fabric made with high-tenacity polyurethane, polyester and aramid fibers
- Pro Performance insole for cushioning support
- Puncture resistant, metal-free SWEN-FLEX® insole board
- 50% recycled polyester lining
- Dial in a fast, effortless, precision fit with the micro-adjustable BOA® Fit System
- Protective ExGuards™ on toe and heel
- Goodyear welt construction
- Oil- and slip-resisting, direct attach PU outsole for durability
- 90° heel
- ASTM F2413-24 I/C EH PR SR rated
- Certified to CSA Standard Z195-14 w/ Grade 1 toe protection, protective sole protection and electric shock resistance (ESR) protection

|           |                 |     |
|-----------|-----------------|-----|
| STYLE#    | <b>10035930</b> | ⓈCT |
| COLOR     | Forged Iron     |     |
| DETAILS   | SSW             |     |
| AVAILABLE | 8/1/2025        |     |
| MSRP      | \$334.95        |     |
|           | 2170006         |     |



## RigTEK® Wildcat Pull-On H2O CSA®

|          |                  |                |             |
|----------|------------------|----------------|-------------|
| SIZES    | D: 7-12, 13, 14  | UPPER          | 11"         |
|          | EE: 7-12, 13, 14 | TOE            | Wide Square |
| PLATFORM | RigTEK™          | SLIP RESISTING | SR          |



## FEATURES

- DRYShield™ waterproof breathable construction
- Durable water-repellent fabric made with high-tenacity polyurethane, polyester and aramid fibers
- Pro Performance insole for cushioning support
- Puncture resistant, metal-free SWEN-FLEX® insole board
- 50% recycled polyester lining
- Protective ExGuards™ on toe and heel
- Goodyear welt construction
- Oil- and slip-resisting, direct attach PU outsole for durability
- 90° heel
- ASTM F2413-24 I/C EH PR SR rated
- Certified to CSA Standard Z195-14 w/ Grade 1 toe protection, protective sole protection and electric shock resistance (ESR) protection

|           |                 |     |
|-----------|-----------------|-----|
| STYLE#    | <b>10035929</b> | ⓈCT |
| COLOR     | Forged Iron     |     |
| DETAILS   | SSW, Full Vamp  |     |
| AVAILABLE | 8/1/2025        |     |
| MSRP      | \$294.95        |     |
|           | 2149006         |     |



## RigTEK® 8" Wide Square Toe

|          |                  |                |             |
|----------|------------------|----------------|-------------|
| SIZES    | D: 7-12, 13, 14  | UPPER          | 8"          |
|          | EE: 7-12, 13, 14 | TOE            | Wide Square |
| PLATFORM | RigTEK™          | SLIP RESISTING | SR          |



## FEATURES

- Full-grain leather and 1,200 denier nylon
- Pro Performance insole for cushioning support
- Mesh lining
- Lightly padded collar and tongue top
- Goodyear welt construction
- Oil- and slip-resisting, direct attach PU outsole for durability
- 90° heel
- Safety toe is ASTM F2413-18 M/I/C EH rated
- ASTM F3445-21 SR rated

|           |                 |     |
|-----------|-----------------|-----|
| STYLE#    | <b>10012927</b> | ⓈCT |
| COLOR     | Oiled Brown     |     |
| DETAILS   | SSW             |     |
| AVAILABLE | At Once         |     |
| MSRP      | \$199.95        |     |
|           | 2102506         |     |



## RigTEK® Wide Square Toe H2O

|          |                  |                |             |
|----------|------------------|----------------|-------------|
| SIZES    | D: 7-12, 13, 14  | UPPER          | 11"         |
|          | EE: 7-12, 13, 14 | TOE            | Wide Square |
| PLATFORM | RigTEK™          | SLIP RESISTING | SR          |



## FEATURES

- DRYShield™ waterproof breathable construction
- Full-grain leather
- Pro Performance insole for cushioning support
- Mesh lining
- Five-row stitch pattern
- Goodyear welt construction
- Oil- and slip-resisting, direct attach PU outsole for durability
- 90° heel
- Safety toe is ASTM F2413-18 M/I/C EH rated
- ASTM F3445-21 SR rated

|           |                   |     |
|-----------|-------------------|-----|
| STYLE#    | <b>10012932</b>   | ⓈCT |
| COLOR     | Oiled Brown/Black |     |
| DETAILS   | SSW, Saddle Vamp  |     |
| AVAILABLE | At Once           |     |
| MSRP      | \$219.95          |     |
|           | 2113006           |     |



|           |                         |     |
|-----------|-------------------------|-----|
| STYLE#    | <b>10034156</b>         | ⓈCT |
| COLOR     | Distressed Brown/Coffee |     |
| DETAILS   | SSW, Full Vamp          |     |
| AVAILABLE | At Once                 |     |
| MSRP      | \$219.95                |     |
|           | 2113006                 |     |





## BIG RIG

Built for: **Outdoor work, performs indoors**

Best for: **Heavy-duty construction**

Delivers a roomier fit with durable support for those with a bigger build

**ATS**® **ADVANCED STABILITY AND PERFORMANCE**

### FEATURES

- Built roomier all-around to accommodate higher insteps and wider feet and calves
- Dual-density FLX Foam™ midsole for lightweight cushion and rebound with protection
- Lightweight, composite forked shank for stability
- Goodyear welt construction for durability
- Oil- and slip-resisting Duratread™ outsole for maximum wear resistance, passes hot contact test at 300°C/572°
- 90° heel



## BIG RIG

Bigger is better with the Big Rig. Extended sizes, widths and wider shaft entry to accommodate wider calves, it is built to fit all customers.

It's designed to tackle harsh outdoor work environment or oil and gas exploration.

*Big Rig Tread VentTEK® #10050828  
Earth/Graphite*

Wider shaft entry

Lightweight, shock-absorbing  
FLX Foam™ midsole

Composite safety toe  
available on select  
styles

Oil- and slip-resisting  
Duratread™ outsole

Lightweight composite forked  
shank for enhanced stability protection

90° heel

Premium full-grain leathers

VentTEK™ upper combines  
full-grain leather with cooling  
mesh panels to enable air flow

Revolutionary patented  
Ariat U-Turn® Entry System

Energy Max™  
anti-fatigue insole

"Flared" outsole design  
w/ debris-release tread  
provides an extra stable base





## Big Rig BOA® H2O

|          |                                  |                |             |
|----------|----------------------------------|----------------|-------------|
| SIZES    | EE: 6-12, 13, 14, 15, 16, 17, 18 | UPPER          | 11"         |
|          | EEEE: 8-12, 13, 14, 15, 16       | TOE            | Wide Square |
| PLATFORM | Big Rig                          | SLIP RESISTING | SR          |



### FEATURES

- DRYShield™ waterproof breathable construction
- Premium full-grain leather
- Energy Max™ anti-fatigue insole
- 50% recycled polyester lining
- Dial in a fast, effortless, precision fit with the micro-adjustable BOA® Fit System
- Wider shaft entry
- Embroidered stitch pattern
- Goodyear welt construction
- Lightweight, shock-absorbing FLX Foam™ midsole
- Oil- and slip-resisting Duratread™ outsole
- Flared outsole design w/ debris-release tread provides an extra stable base
- 90° heel
- Safety toe is ASTM F2413-18 M/I/C EH rated
- Soft toe is ASTM F2892-18 EH rated
- ASTM F3445-21 SR rated

|           |                   |
|-----------|-------------------|
| STYLE#    | <b>10053777</b>   |
| COLOR     | Iron Coffee/Black |
| DETAILS   | SSW, Full Vamp    |
| AVAILABLE | At Once           |
| MSRP      | \$289.95          |
|           | 2143506           |



|           |                   |     |
|-----------|-------------------|-----|
| STYLE#    | <b>10053617</b>   | ECT |
| COLOR     | Natural Tan/Black |     |
| DETAILS   | SSW, Full Vamp    |     |
| AVAILABLE | At Once           |     |
| MSRP      | \$299.95          |     |
|           | 2149006           |     |



## Big Rig Tread VentTEK™

|          |                                  |                |             |
|----------|----------------------------------|----------------|-------------|
| SIZES    | EE: 6-12, 13, 14, 15, 16, 17, 18 | UPPER          | 11"         |
|          | EEEE: 8-12, 13, 14, 15, 16       | TOE            | Wide Square |
| PLATFORM | Big Rig                          | SLIP RESISTING | SR          |



### FEATURES

- Full-grain leather w/ VentTEK™ mesh panels
- Energy Max™ anti-fatigue insole
- High tech Dri-Freeze® lining in foot and upper
- Wider shaft entry
- Goodyear welt construction
- Lightweight, shock-absorbing FLX Foam™ midsole
- Oil- and slip-resisting Duratread™ outsole
- Flared outsole design w/ debris-release tread provides an extra stable base
- 90° heel
- Safety toe is ASTM F2413-18 M/I/C EH rated
- Soft toe is ASTM F2892-18 EH rated
- ASTM F3445-21 SR rated

|           |                 |
|-----------|-----------------|
| STYLE#    | <b>10050828</b> |
| COLOR     | Earth/Graphite  |
| DETAILS   | SSW, Full Vamp  |
| AVAILABLE | At Once         |
| MSRP      | \$234.95        |
|           | 2117006         |

|        |                 |     |
|--------|-----------------|-----|
| STYLE# | <b>10050834</b> | ECT |
| MSRP   | \$244.95        |     |
|        | 2122506         |     |



## Big Rig

|          |                                  |                |             |
|----------|----------------------------------|----------------|-------------|
| SIZES    | EE: 6-12, 13, 14, 15, 16, 17, 18 | UPPER          | 11"         |
|          | EEEE: 8-12, 13, 14, 15, 16       | TOE            | Wide Square |
| PLATFORM | Big Rig                          | SLIP RESISTING | SR          |



### FEATURES

- Premium full-grain leather
- Energy Max™ anti-fatigue insole
- Mesh lining
- Wider shaft entry
- Four-row stitch pattern
- Goodyear welt construction
- Lightweight, shock-absorbing FLX Foam™ midsole
- Oil- and slip-resisting Duratread™ outsole
- Flared outsole design w/ debris-release tread provides an extra stable base
- 90° heel
- Safety toe is ASTM F2413-18 M/I/C EH rated
- ASTM F3445-21 SR rated

|           |                   |     |
|-----------|-------------------|-----|
| STYLE#    | <b>10033966</b>   | ECT |
| COLOR     | Iron Coffee/Slate |     |
| DETAILS   | SSW, Full Vamp    |     |
| AVAILABLE | At Once           |     |
| MSRP      | \$229.95          |     |
|           | 2115006           |     |





## Big Rig H2O

|          |                                                                |                |             |
|----------|----------------------------------------------------------------|----------------|-------------|
| SIZES    | EE: 6-12, 13, 14, 15, 16, 17, 18<br>EEEE: 8-12, 13, 14, 15, 16 | UPPER          | 11"         |
| PLATFORM | Big Rig                                                        | TOE            | Wide Square |
|          |                                                                | SLIP RESISTING | SR          |



**DRYShield™**



### FEATURES

- DRYShield™ waterproof breathable construction
- Premium full-grain leather
- Energy Max™ anti-fatigue insole
- Mesh lining
- Wider shaft entry
- Four-row stitch pattern
- Goodyear welt construction
- Lightweight, shock-absorbing FLX Foam™ midsole
- Oil- and slip-resisting Duratread™ outsole
- Flared outsole design w/ debris-release tread provides an extra stable base
- 90° heel
- Safety toe is ASTM F2413-18 M/I/C EH rated
- Soft toe is ASTM F2892-18 EH rated
- ASTM F3445-21 SR rated

|           |                             |
|-----------|-----------------------------|
| STYLE#    | <b>10033991</b>             |
| COLOR     | Dark Brown/Distressed Brown |
| DETAILS   | SSW, Full Vamp              |
| AVAILABLE | At Once                     |
| MSRP      | \$234.95                    |
|           | 2117006                     |

|        |                 |    |
|--------|-----------------|----|
| STYLE# | <b>10033993</b> | CT |
| MSRP   | \$244.95        |    |
|        | 2122506         |    |





## SIERRA

Built for: **Outdoor work**Best for: **High heat environments**

Delivers extreme durability and high heat resistance

 **ADVANCED STABILITY AND PERFORMANCE**

## FEATURES

- Goodyear welt construction for durability
- Lightweight, composite forked shank for stability
- Oil- and slip-resisting Duratread™ outsole for maximum wear resistance - passes hot contact test at 300°C/572°F
- 90° heel

SIERRA SHOCK SHIELD®  
(SELECT STYLES)

## SIERRA SHOCK SHIELD®

Our Sierra platform delivers extreme durability and high heat resistance with advanced stability and cushioning. It's the ideal platform for harsh outdoor jobs, high heat environments or intense construction work.

*Sierra Shock Shield® Wide Square Toe H2O #10044545  
Distressed Brown*





## Sierra Shock Shield® Wide Square Toe H2O

|          |                                             |                |             |
|----------|---------------------------------------------|----------------|-------------|
| SIZES    | D: 7-12, 13, 14, 15<br>EE: 7-12, 13, 14, 15 | UPPER          | 10"         |
| PLATFORM | Sierra                                      | TOE            | Wide Square |
|          |                                             | SLIP RESISTING | SR          |



### FEATURES

- DRYShield™ waterproof breathable construction
- Premium full-grain leather
- Energy Max™ anti-fatigue insole
- 50% recycled polyester lining
- Four-row stitch pattern w/ embroidery
- Goodyear welt construction
- Oil- and slip-resisting Duratread™ outsole
- High heat-resistant outsole
- 90° heel
- Safety toe is ASTM F2413-18 M/I/C EH rated
- Soft toe is ASTM F2892-18 EH rated
- ASTM F3445-21 SR rated

|           |                  |
|-----------|------------------|
| STYLE#    | <b>10044545</b>  |
| COLOR     | Distressed Brown |
| DETAILS   | SSW, Full Vamp   |
| AVAILABLE | At Once          |
| MSRP      | \$219.95         |
|           | 2112006          |
| STYLE#    | <b>10044544</b>  |
| MSRP      | \$229.95         |
|           | 2117006          |



## Sierra Shock Shield® Wide Square Toe

|          |                                             |                |             |
|----------|---------------------------------------------|----------------|-------------|
| SIZES    | D: 7-12, 13, 14, 15<br>EE: 7-12, 13, 14, 15 | UPPER          | 10"         |
| PLATFORM | Sierra                                      | TOE            | Wide Square |
|          |                                             | SLIP RESISTING | SR          |



### FEATURES

- Premium full-grain leather
- Energy Max™ anti-fatigue insole
- 50% recycled polyester lining
- Four-row stitch pattern w/ embroidery
- Goodyear welt construction
- Oil- and slip-resisting Duratread™ outsole
- High heat-resistant outsole
- 90° heel
- Safety toe is ASTM F2413-18 M/I/C EH rated
- Soft toe is ASTM F2892-18 EH rated
- ASTM F3445-21 SR rated

|           |                         |
|-----------|-------------------------|
| STYLE#    | <b>10042555</b>         |
| COLOR     | Dark Brown/Glass Green  |
| DETAILS   | SSW, Saddle Vamp, Lined |
| AVAILABLE | At Once                 |
| MSRP      | \$199.95                |
|           | 2101006                 |

|        |                 |
|--------|-----------------|
| STYLE# | <b>10042541</b> |
| MSRP   | \$209.95        |
|        | 2106506         |



|           |                         |
|-----------|-------------------------|
| STYLE#    | <b>10046929</b>         |
| COLOR     | Black                   |
| DETAILS   | SSW, Full Vamp, Unlined |
| AVAILABLE | At Once                 |
| MSRP      | \$209.95                |
|           | 2106506                 |





## Sierra Shock Shield® Patriot Wide Square Toe

SIZES D: 7-12, 13, 14, 15  
EE: 7-12, 13, 14, 15  
PLATFORM Sierra

UPPER 11"  
TOE Wide Square  
SLIP RESISTING SR



## FEATURES

- Premium full-grain leather
- Large stamped flag design on upper
- Energy Max™ anti-fatigue insole
- Unlined upper w/ exposed outseam construction
- Goodyear welt construction
- Oil- and slip-resisting Duratread™ outsole
- High heat-resistant outsole
- 90° heel
- Safety toe is ASTM F2413-18 M/I/C EH rated
- Soft toe is ASTM F2892-18 EH rated
- ASTM F3445-21 SR rated

STYLE# 10044505

COLOR Distressed Brown  
DETAILS SSW, Full Vamp  
AVAILABLE At Once  
MSRP \$209.95  
2106506

STYLE# 10044426   
MSRP \$219.95  
2112006



## Sierra Wide Square Toe Puncture Resistant

SIZES D: 7-12, 13, 14  
EE: 7-12, 13, 14  
PLATFORM Sierra

UPPER 10"  
TOE Wide Square  
SLIP RESISTING SR



## FEATURES

- Premium full-grain leather
- All Day Cushioning insole
- Puncture resistant, metal-free SWEN-FLEX® insole board
- Mesh lining
- Six-row stitch pattern
- Goodyear welt construction
- Oil- and slip-resisting Duratread™ outsole
- High heat-resistant outsole
- 90° heel
- Safety toe is ASTM F2413-18 M/I/C PR EH rated
- ASTM F3445-21 SR rated

STYLE# 10012948   
COLOR Earth/Black Crunch  
DETAILS SSW, Full Vamp  
AVAILABLE At Once  
MSRP \$199.95  
2108506



## Sierra Wide Square Toe

SIZES D: 7-12, 13, 14  
EE: 7-12, 13, 14  
PLATFORM Sierra

UPPER 10"  
TOE Wide Square  
SLIP RESISTING SR



## FEATURES

- Premium full-grain leather
- All Day Cushioning insole
- Unlined
- Six-row stitch pattern
- Goodyear welt construction
- Oil- and slip-resisting Duratread™ outsole
- High heat-resistant outsole
- 90° heel
- Safety toe is ASTM F2413-24 I/C EH SR rated
- Soft toe is ASTM F2892-18 EH rated
- ASTM F3445-21 SR rated

STYLE# 10010148

COLOR Aged Bark  
DETAILS SSW, Saddle Vamp, Unlined  
AVAILABLE At Once  
MSRP \$179.95  
297006

STYLE# 10010134   
MSRP \$189.95  
2102006



STYLE# 10017434   
COLOR Dark Brown/Pine Green  
DETAILS SSW, Full Vamp, Mesh lined  
AVAILABLE At Once  
MSRP \$189.95  
2102006



## Sierra

SIZES D: 7-12, 13, 14  
EE: 7-12, 13, 14  
PLATFORM Sierra

UPPER 10"  
TOE Roper  
SLIP RESISTING SR



## FEATURES

- Premium full-grain leather
- All Day Cushioning insole
- Unlined
- Goodyear welt construction
- Oil- and slip-resisting Duratread™ outsole
- High heat-resistant outsole
- 90° heel
- Safety toe is ASTM F2413-18 M/I/C EH rated
- Soft toe is ASTM F2892-18 EH rated
- ASTM F3445-21 SR rated

STYLE# 10002422  
COLOR Black  
DETAILS SSW, Full Vamp  
AVAILABLE At Once  
MSRP \$169.95  
291506

STYLE# 10021473   
MSRP \$179.95  
297006





## Sierra H2O

|          |                  |                |       |
|----------|------------------|----------------|-------|
| SIZES    | D: 7-12, 13, 14  | UPPER          | 10"   |
|          | EE: 7-12, 13, 14 | TOE            | Roper |
| PLATFORM | Sierra           | SLIP RESISTING | SR    |



### FEATURES

- DRYShield™ waterproof breathable construction
- Premium full-grain leather
- All Day Cushioning insole
- Mesh lining
- Goodyear welt construction
- Oil- and slip-resisting Duratread™ outsole
- High heat-resistant outsole
- 90° heel
- Safety toe is ASTM F2413-24 I/C EH SR rated
- Soft toe is ASTM F2892-18 EH rated
- ASTM F3445-21 SR rated

|           |                 |
|-----------|-----------------|
| STYLE#    | <b>10002385</b> |
| COLOR     | Sunshine        |
| DETAILS   | SSW, Full Vamp  |
| AVAILABLE | At Once         |
| MSRP      | \$179.95        |
|           | 297006          |



|           |                 |
|-----------|-----------------|
| STYLE#    | <b>10034142</b> |
| COLOR     | Black           |
| DETAILS   | SSW, Full Vamp  |
| AVAILABLE | At Once         |
| MSRP      | \$179.95        |
|           | 297006          |



|        |                 |    |
|--------|-----------------|----|
| STYLE# | <b>10063833</b> | ST |
| MSRP   | \$189.95        |    |
|        | 2101006         |    |

## Cascade 8"

|          |                  |                |       |
|----------|------------------|----------------|-------|
| SIZES    | D: 7-12, 13, 14  | UPPER          | 8"    |
|          | EE: 7-12, 13, 14 | TOE            | Roper |
| PLATFORM | Sierra           | SLIP RESISTING | SR    |



### FEATURES

- Premium full-grain leather
- All Day Cushioning insole
- Unlined
- Removable kiltie
- Goodyear welt construction
- Oil- and slip-resisting Duratread™ outsole
- High heat-resistant outsole
- 90° heel
- Soft toe is ASTM F2892-18 EH rated
- ASTM F3445-21 SR rated

|           |                 |
|-----------|-----------------|
| STYLE#    | <b>10002418</b> |
| COLOR     | Aged Bark       |
| DETAILS   | SSW             |
| AVAILABLE | At Once         |
| MSRP      | \$169.95        |
|           | 291506          |



|           |                  |
|-----------|------------------|
| STYLE#    | <b>10002420</b>  |
| COLOR     | Sunshine Wildcat |
| DETAILS   | SSW              |
| AVAILABLE | At Once          |
| MSRP      | \$169.95         |
|           | 291506           |

EXTRA SIZES B: 9-12  
EE: 6, 6.5



## Cascade 8" Wide Square Toe

|          |                  |                |             |
|----------|------------------|----------------|-------------|
| SIZES    | D: 7-12, 13, 14  | UPPER          | 8"          |
|          | EE: 7-12, 13, 14 | TOE            | Wide Square |
| PLATFORM | Sierra           | SLIP RESISTING | SR          |



### FEATURES

- Premium full-grain leather
- All Day Cushioning insole
- Unlined
- Goodyear welt construction
- Oil- and slip-resisting Duratread™ outsole
- High heat-resistant outsole
- 90° heel
- Safety toe is ASTM F2413-24 I/C EH SR rated
- Soft toe is ASTM F2892-18 EH rated
- ASTM F3445-21 SR rated

|           |                 |
|-----------|-----------------|
| STYLE#    | <b>10011916</b> |
| COLOR     | Alamo Brown     |
| DETAILS   | SSW             |
| AVAILABLE | At Once         |
| MSRP      | \$179.95        |
|           | 297006          |



|        |                 |    |
|--------|-----------------|----|
| STYLE# | <b>10011917</b> | ST |
| MSRP   | \$189.95        |    |
|        | 2102506         |    |

## Cascade 8" H2O

|          |                  |                |       |
|----------|------------------|----------------|-------|
| SIZES    | D: 7-12, 13, 14  | UPPER          | 8"    |
|          | EE: 7-12, 13, 14 | TOE            | Roper |
| PLATFORM | Sierra           | SLIP RESISTING | SR    |



### FEATURES

- DRYShield™ waterproof breathable construction
- Premium full-grain leather
- All Day Cushioning insole
- Mesh lining
- Removable kiltie
- Goodyear welt construction
- Oil- and slip-resisting Duratread™ outsole
- High heat-resistant outsole
- 90° heel
- Soft toe is ASTM F2892-18 EH rated
- ASTM F3445-21 SR rated

|           |                 |
|-----------|-----------------|
| STYLE#    | <b>10002397</b> |
| COLOR     | Sunshine        |
| DETAILS   | SSW             |
| AVAILABLE | At Once         |
| MSRP      | \$179.95        |
|           | 297006          |





# IRONSIDE

Built for: **Outdoor work, performs indoors**Best for: **Farm and ranch work**

Delivers durable stability with multi-surface traction



EVERYDAY COMFORT AND STABILITY

## FEATURES

- Lightweight, composite forked shank for stability
- TekStep™ provides toe-to-heel cushion for comfort
- Oil- and slip-resisting Duratread® outsole for maximum wear resistance, passes hot contact test at 300°C/572°F
- Cowboy heel



## Ironside Square Toe

|          |                      |                |        |
|----------|----------------------|----------------|--------|
| SIZES    | D: 7-12, 13, 14, 15  | UPPER          | 11"    |
|          | EE: 7-12, 13, 14, 15 | TOE            | Square |
| PLATFORM | Ironside             | SLIP RESISTING | SR     |



TEKSTEP™

### FEATURES

- Premium full-grain leather
- Pro Performance insole for cushioning support
- 50% recycled polyester lining
- Six-row stitch pattern
- Cement construction
- Oil- and slip-resisting Duratread™ outsole
- 90° heel
- Safety toe is ASTM F2413-24 I/C EH SR rated

|           |                  |           |
|-----------|------------------|-----------|
| STYLE#    | <b>10061252</b>  | <b>ST</b> |
| COLOR     | Dark Earth/Brick |           |
| DETAILS   | SSW, Full Vamp   |           |
| AVAILABLE | At Once          |           |
| MSRP      | \$209.95         |           |
|           | 2106506          |           |



|           |                 |           |
|-----------|-----------------|-----------|
| STYLE#    | <b>10061251</b> | <b>ST</b> |
| COLOR     | Rye Brown/Tan   |           |
| DETAILS   | SSW, Full Vamp  |           |
| AVAILABLE | At Once         |           |
| MSRP      | \$209.95        |           |
|           | 2106506         |           |



## Ironside Square Toe (cont.)

|           |                               |           |
|-----------|-------------------------------|-----------|
| STYLE#    | <b>10063891</b>               | <b>ST</b> |
| COLOR     | Brown Croco Print/Bravo Brown |           |
| DETAILS   | SSW, Full Vamp                |           |
| AVAILABLE | 10/1/2025                     |           |
| MSRP      | \$209.95                      |           |
|           | 2106506                       |           |



|           |                          |           |
|-----------|--------------------------|-----------|
| STYLE#    | <b>10063892</b>          | <b>ST</b> |
| COLOR     | Black Dragon Print/Black |           |
| DETAILS   | SSW, Full Vamp           |           |
| AVAILABLE | 11/1/2025                |           |
| MSRP      | \$209.95                 |           |
|           | 2106506                  |           |





# ACTIVATOR

Built for: **Outdoor work, performs indoors**

Best for: **Construction**

Delivers lightweight, cushioning comfort with durability

**ATS®** ADVANCED STABILITY AND PERFORMANCE

## FEATURES

- Lightweight, composite forked shank for stability
- Lightweight, durable sole with shock-absorbing FLX Foam™ midsole
- Oil- and slip-resisting outsole
- 90° heel



## ACTIVATOR

A long workday demands a boot that can keep up. Featuring a lightweight, durable sole, Activator offers superior energy return and cushioning for long days on your feet.

Activator H20 #10060893  
Dusted Brown/Basin Blue

DRYShield™ construction available on select styles

Tempered steel safety toe on select styles

Removable All Day Cushioning insole

Oil- and slip-resisting sole

Revolutionary patented Ariat U-Turn® Entry System

90° heel

Lightweight, shock-absorbing FLX Foam™ midsole





## Activator Chelsea H2O

NEW STYLE

|          |                      |                |             |
|----------|----------------------|----------------|-------------|
| SIZES    | D: 7-12, 13, 14, 15  | UPPER          | 6"          |
|          | EE: 7-12, 13, 14, 15 | TOE            | Wide Square |
| PLATFORM | Activator            | SLIP RESISTING | SR          |



### FEATURES

- DRYShield™ waterproof breathable construction
- Premium full-grain leather
- All Day Cushioning insole
- 50% recycled polyester lining
- Cement construction
- Lightweight, shock-absorbing FLX Foam™ midsole
- Oil- and slip-resisting Duratread™ outsole
- 90° heel
- Safety toe is ASTM F2413-24 I/C EH SR rated
- Soft toe is ASTM F2892-24 EH SR rated

|           |                 |
|-----------|-----------------|
| STYLE#    | <b>10074285</b> |
| COLOR     | Rye Brown       |
| DETAILS   | DSW, Full Vamp  |
| AVAILABLE | 4/1/2026        |
| MSRP      | \$179.95        |
|           | 290506          |

|        |                 |    |
|--------|-----------------|----|
| STYLE# | <b>10074284</b> | ST |
| MSRP   | \$189.95        |    |
|        | 295506          |    |



## Activator Argo H2O

|          |                      |                |       |
|----------|----------------------|----------------|-------|
| SIZES    | D: 7-12, 13, 14, 15  | UPPER          | 11"   |
|          | EE: 7-12, 13, 14, 15 | TOE            | Round |
| PLATFORM | Activator            | SLIP RESISTING | SR    |



### FEATURES

- DRYShield™ waterproof breathable construction
- Premium full-grain leather
- All Day Cushioning insole
- 100% non-metallic
- 50% recycled polyester lining
- Two-row stitch pattern
- Cement construction
- Lightweight, shock-absorbing FLX Foam™ midsole
- Lightweight sole made w/ SMARTLITE™ material from Huntsman
- 90° heel
- Safety toe is ASTM F2413-24 I/C EH SR rated
- Soft toe is ASTM F2892-24 EH SR rated


|           |                  |
|-----------|------------------|
| STYLE#    | <b>10063860</b>  |
| COLOR     | Distressed Brown |
| DETAILS   | DSW, Full Vamp   |
| AVAILABLE | 11/1/2025        |
| MSRP      | \$199.95         |
|           | 2101006          |

|        |                 |    |
|--------|-----------------|----|
| STYLE# | <b>10063861</b> | CT |
| MSRP   | \$209.95        |    |
|        | 2106506         |    |



## Activator H2O

|          |                      |                |             |
|----------|----------------------|----------------|-------------|
| SIZES    | D: 7-12, 13, 14, 15  | UPPER          | 11"         |
|          | EE: 7-12, 13, 14, 15 | TOE            | Wide Square |
| PLATFORM | Activator            | SLIP RESISTING | SR          |



### FEATURES

- DRYShield™ waterproof breathable construction
- Premium full-grain leather
- All Day Cushioning insole
- 50% recycled polyester lining
- Embroidered stitch pattern
- Cement construction
- Lightweight, shock-absorbing FLX Foam™ midsole
- Lightweight, durable sole
- 90° heel
- Safety toe is ASTM F2413-24 I/C EH SR rated
- Soft toe is ASTM F2892-24 EH SR rated

|           |                         |
|-----------|-------------------------|
| STYLE#    | <b>10060895</b>         |
| COLOR     | Dusted Brown/Basin Blue |
| DETAILS   | DSW, Full Vamp          |
| AVAILABLE | At Once                 |
| MSRP      | \$199.95                |
|           | 2101006                 |

|        |                 |    |
|--------|-----------------|----|
| STYLE# | <b>10060893</b> | ST |
| MSRP   | \$209.95        |    |
|        | 2106506         |    |



|           |                  |
|-----------|------------------|
| STYLE#    | <b>10060894</b>  |
| COLOR     | Dark Brown/Green |
| DETAILS   | DSW, Full Vamp   |
| AVAILABLE | At Once          |
| MSRP      | \$199.95         |
|           | 2101006          |

|        |                 |    |
|--------|-----------------|----|
| STYLE# | <b>10060892</b> | ST |
| MSRP   | \$209.95        |    |
|        | 2106506         |    |





## Activator VentTEK™ H2O

|          |                                             |                |             |
|----------|---------------------------------------------|----------------|-------------|
| SIZES    | D: 7-12, 13, 14, 15<br>EE: 7-12, 13, 14, 15 | UPPER          | 11"         |
| PLATFORM | Activator                                   | TOE            | Wide Square |
|          |                                             | SLIP RESISTING | SR          |



### FEATURES

- DRYShield™ waterproof breathable construction
- Full-grain leather w/ VentTEK™ mesh panels
- All Day Cushioning insole
- 50% recycled polyester lining
- Cement construction
- Lightweight, shock-absorbing FLX Foam™ midsole
- Lightweight, durable sole
- 90° heel
- Safety toe is ASTM F2413-24 I/C EH SR rated
- Soft toe is ASTM F2892-24 EH SR rated

|           |                   |
|-----------|-------------------|
| STYLE#    | <b>10061120</b>   |
| COLOR     | Dark Brown/Wicker |
| DETAILS   | DSW, Full Vamp    |
| AVAILABLE | At Once           |
| MSRP      | \$209.95          |
|           | 2106506           |

|        |                 |    |
|--------|-----------------|----|
| STYLE# | <b>10061119</b> | ST |
| MSRP   | \$219.95        |    |
|        | 2112006         |    |



## Activator VentTEK™

|          |                                             |                |             |
|----------|---------------------------------------------|----------------|-------------|
| SIZES    | D: 7-12, 13, 14, 15<br>EE: 7-12, 13, 14, 15 | UPPER          | 11"         |
| PLATFORM | Activator                                   | TOE            | Wide Square |
|          |                                             | SLIP RESISTING | SR          |



### FEATURES

- Full-grain leather w/ VentTEK™ mesh panels
- All Day Cushioning insole
- 50% recycled polyester lining
- Cement construction
- Lightweight, shock-absorbing FLX Foam™ midsole
- Lightweight, durable sole
- 90° heel
- Safety toe is ASTM F2413-24 I/C EH SR rated
- Soft toe is ASTM F2892-24 EH SR rated

|           |                        |
|-----------|------------------------|
| STYLE#    | <b>10061285</b>        |
| COLOR     | Alamo Brown/Stone Grey |
| DETAILS   | DSW, Full Vamp         |
| AVAILABLE | At Once                |
| MSRP      | \$199.95               |
|           | 2101006                |

|        |                 |    |
|--------|-----------------|----|
| STYLE# | <b>10061284</b> | ST |
| MSRP   | \$209.95        |    |
|        | 2106506         |    |



## Activator Live Free

NEW STYLE

|          |                                     |                |             |
|----------|-------------------------------------|----------------|-------------|
| SIZES    | D: 7-12, 13, 14<br>EE: 7-12, 13, 14 | UPPER          | 11"         |
| PLATFORM | Activator                           | TOE            | Wide Square |
|          |                                     | SLIP RESISTING | SR          |



### FEATURES

- Premium full-grain leather
- Unique graphic detail on upper
- All Day Cushioning insole
- 50% recycled polyester lining
- Embroidered stitch pattern
- Cement construction
- Lightweight, shock-absorbing FLX Foam™ midsole
- Oil- and slip-resisting Duratread™ outsole
- 90° heel
- Safety toe is ASTM F2413-24 I/C EH SR rated
- Soft toe is ASTM F2892-24 EH SR rated

|           |                        |
|-----------|------------------------|
| STYLE#    | <b>10074208</b>        |
| COLOR     | Distressed Brown/Storm |
| DETAILS   | DSW, Full Vamp         |
| AVAILABLE | 5/1/2026               |
| MSRP      | \$199.95               |
|           | 2101006                |

|        |                 |    |
|--------|-----------------|----|
| STYLE# | <b>10074288</b> | ST |
| MSRP   | \$209.95        |    |
|        | 2106506         |    |



## Activator

NEW STYLE

|          |                                             |                |             |
|----------|---------------------------------------------|----------------|-------------|
| SIZES    | D: 7-12, 13, 14, 15<br>EE: 7-12, 13, 14, 15 | UPPER          | 11"         |
| PLATFORM | Activator                                   | TOE            | Wide Square |
|          |                                             | SLIP RESISTING | SR          |



### FEATURES

- Premium full-grain leather
- All Day Cushioning insole
- Unlined upper w/ exposed outseam construction
- Cement construction
- Lightweight, shock-absorbing FLX Foam™ midsole
- Oil- and slip-resisting Duratread™ outsole
- 90° heel
- Safety toe is ASTM F2413-24 I/C EH SR rated
- Soft toe is ASTM F2892-24 EH SR rated

|           |                 |
|-----------|-----------------|
| STYLE#    | <b>10074290</b> |
| COLOR     | Brown Bomber    |
| DETAILS   | DSW, Full Vamp  |
| AVAILABLE | 3/1/2026        |
| MSRP      | \$189.95        |
|           | 296006          |

|        |                 |    |
|--------|-----------------|----|
| STYLE# | <b>10074291</b> | ST |
| MSRP   | \$199.95        |    |
|        | 2101006         |    |





## Women's Activator H2O CSA®

|          |               |                |             |
|----------|---------------|----------------|-------------|
| SIZES    | B: 5.5-11, 12 | UPPER          | 10"         |
|          | C: 6-11       | TOE            | Wide Square |
| PLATFORM | Activator     | SLIP RESISTING | SR          |



### FEATURES


- DRYShield™ waterproof breathable construction
- Premium full-grain leather
- All Day Cushioning insole
- Puncture resistant, metal-free SWEN-FLEX® insole board
- 50% recycled polyester lining
- Embroidered stitch pattern
- Cement construction
- Lightweight, shock-absorbing FLX Foam™ midsole
- Oil- and slip-resisting Duratread™ outsole
- 90° heel
- Safety toe is ASTM F2413-24 I/C PR EH SR rated
- Certified to CSA Standard Z195-14 w/ Grade 1 toe protection, protective sole protection and electric shock resistance (ESR) protection

|           |                 |           |
|-----------|-----------------|-----------|
| STYLE#    | <b>10063856</b> | <b>ST</b> |
| COLOR     | Dusted Brown    |           |
| DETAILS   | DSW, Full Vamp  |           |
| AVAILABLE | 12/1/2025       |           |
| MSRP      | \$209.95        |           |
|           | 2106506         |           |



## Women's Activator H2O

|          |               |                |             |
|----------|---------------|----------------|-------------|
| SIZES    | B: 5.5-11, 12 | UPPER          | 10"         |
|          | C: 6-11       | TOE            | Wide Square |
| PLATFORM | Activator     | SLIP RESISTING | SR          |



### FEATURES

- DRYShield™ waterproof breathable construction
- Premium full-grain leather
- All Day Cushioning insole
- 50% recycled polyester lining
- Embroidered stitch pattern
- Cement construction
- Lightweight, shock-absorbing FLX Foam™ midsole
- Oil- and slip-resisting Duratread™ outsole
- 90° heel
- Safety toe is ASTM F2413-24 I/C EH SR rated
- Soft toe is ASTM F2892-24 EH SR rated

|           |                       |
|-----------|-----------------------|
| STYLE#    | <b>10063855</b>       |
| COLOR     | Dark Brown/Stone Blue |
| DETAILS   | DSW, Full Vamp        |
| AVAILABLE | 12/1/2025             |
| MSRP      | \$189.95              |
|           | 296006                |

|        |                 |           |
|--------|-----------------|-----------|
| STYLE# | <b>10063832</b> | <b>ST</b> |
| MSRP   | \$199.95        |           |
|        | 2101006         |           |





## TERRAIN WORK

Built for: **Outdoor work, performs indoors**

Best for: **Farm and ranch work**

Delivers versatile traction with comfort

**ATS**® ADVANCED STABILITY AND PERFORMANCE

### FEATURES

- Generous fit accommodates high arches
- Cushioning EVA midsole for day-long comfort
- Lightweight composite forked shank for stability
- Oil- and slip-resisting Duratread™ outsole for maximum wear resistance, passes hot contact test at 300°C/572°F
- 90° heel



### Terrain Steel Toe Wide Square Toe

|          |                 |       |             |
|----------|-----------------|-------|-------------|
| SIZES    | D: 7-12, 13, 14 | UPPER | 5"          |
|          | EE: 7-12, 13    | TOE   | Wide Square |
| PLATFORM | Terrain Work    |       |             |



### FEATURES

- Full-grain leather and Cordura® upper
- Mesh lining
- Lightly padded collar
- Gel-cushioned insole w/ heel stabilizer
- Shock-absorbing EVA midsole
- Duratread™ outsole
- 90° heel
- Safety toe is ASTM F2413-18 M/I/C EH rated

|           |                  |           |
|-----------|------------------|-----------|
| STYLE#    | <b>10016379</b>  | <b>ST</b> |
| COLOR     | Distressed Brown |           |
| AVAILABLE | At Once          |           |
| MSRP      | \$139.95         |           |
|           | 279006           |           |





## REBAR® FLEX WESTERN

Built for: **Outdoor work, performs indoors**Best for: **Construction**

Delivers flexible cushion for kneeling and bending



EVERYDAY COMFORT AND STABILITY

## FEATURES

- 100% non-metallic construction
- Built on an anatomically-contoured last for a true fit
- Lightweight stabilizing shank
- Oil- and slip-resisting Duratread™ outsole for maximum wear resistance, passes hot contact test at 300°C/572°F
- Defined heel



## REBAR® FLEX WESTERN

Have job flexibility with Rebar® Flex Western. This platform provides flexible, lightweight comfort with shock absorption and an anatomical last for a true fit. Perfect for construction work or jobs that require repetitive kneeling and bending.

Rebar® Flex Western VentTEK™ Incognito #10040432  
Iron Coffee / Storm

Composite safety toe  
available on select styles

Removable All Day  
Cushioning insole

Oil- and slip-resisting Duratread™ outsole with  
outdoor traction lugs for debris release



VentTEK™ upper combines  
full-grain leather with cooling  
mesh panels to enable air flow

100% non-metallic  
construction

Defined heel

Lightweight, shock-absorbing EVA midsole



## Rebar® Flex Western VentTEK™ Incognito

|          |                                     |                |             |
|----------|-------------------------------------|----------------|-------------|
| SIZES    | D: 7-12, 13, 14<br>EE: 7-12, 13, 14 | UPPER          | 10"         |
| PLATFORM | Rebar® Flex Western                 | TOE            | Wide Square |
|          |                                     | SLIP RESISTING | SR          |



VENTTEK™



### FEATURES

- Full-grain leather w/ VentTEK™ mesh panels
- All Day Cushioning insole
- 100% non-metallic
- Mesh lining
- Anatomical last for true fit
- Cement construction
- Lightweight, shock-absorbing EVA midsole
- Oil- and slip-resisting Duratread™ outsole
- Outdoor traction lugs w/ debris-releasing tread
- Defined heel
- Safety toe is ASTM F2413-24 I/C EH SR rated
- Soft toe is ASTM F2892-18 EH rated
- ASTM F3445-21 SR rated

|           |                         |
|-----------|-------------------------|
| STYLE#    | <b>10040436</b>         |
| COLOR     | Dark Earth/Golden Wheat |
| DETAILS   | Full Vamp               |
| AVAILABLE | At Once                 |
| MSRP      | \$199.95                |
|           | 2100506                 |



|           |                   |    |
|-----------|-------------------|----|
| STYLE#    | <b>10040432</b>   | CT |
| COLOR     | Iron Coffee/Storm |    |
| DETAILS   | Full Vamp         |    |
| AVAILABLE | At Once           |    |
| MSRP      | \$209.95          |    |
|           | 2106506           |    |



## Rebar® Flex Western H2O

|          |                                     |                |             |
|----------|-------------------------------------|----------------|-------------|
| SIZES    | D: 7-12, 13, 14<br>EE: 7-12, 13, 14 | UPPER          | 10"         |
| PLATFORM | Rebar® Flex Western                 | TOE            | Wide Square |
|          |                                     | SLIP RESISTING | SR          |



DRYShield™



### FEATURES

- DRYShield™ waterproof breathable construction
- Full-grain leather
- All Day Cushioning insole
- 100% non-metallic
- Mesh lining
- Four-row stitch pattern
- Anatomical last for true fit
- Cement construction
- Lightweight, shock-absorbing EVA midsole
- Oil- and slip-resisting Duratread™ outsole
- Outdoor traction lugs w/ debris-releasing tread
- Defined heel
- Safety toe is ASTM F2413-24 I/C EH SR rated
- Soft toe is ASTM F2892-18 EH rated
- ASTM F3445-21 SR rated

|           |                       |
|-----------|-----------------------|
| STYLE#    | <b>10021485</b>       |
| COLOR     | Rye Brown/Olive Green |
| DETAILS   | Saddle Vamp           |
| AVAILABLE | At Once               |
| MSRP      | \$189.95              |
|           | 296006                |



|        |                 |    |
|--------|-----------------|----|
| STYLE# | <b>10021486</b> | CT |
| MSRP   | \$199.95        |    |
|        | 2101006         |    |

|           |                  |    |
|-----------|------------------|----|
| STYLE#    | <b>10034157</b>  | CT |
| COLOR     | Dark Brown/Black |    |
| DETAILS   | Full Vamp        |    |
| AVAILABLE | At Once          |    |
| MSRP      | \$199.95         |    |
|           | 2101006          |    |





## Rebar® Flex Western Patriot H20

|          |                                     |                |             |
|----------|-------------------------------------|----------------|-------------|
| SIZES    | D: 7-12, 13, 14<br>EE: 7-12, 13, 14 | UPPER          | 10"         |
| TOE      |                                     | TOE            | Wide Square |
| PLATFORM | Rebar® Flex Western                 | SLIP RESISTING | SR          |



**DRYShield™**



### FEATURES

- DRYShield™ waterproof breathable construction
- Full-grain leather foot
- Camo printed suede shaft w/ flag patch
- All Day Cushioning insole
- 100% non-metallic
- Mesh lining
- Anatomical last for true fit
- Cement construction
- Lightweight, shock-absorbing EVA midsole
- Oil- and slip-resisting Duratread™ outsole
- Outdoor traction lugs w/ debris-releasing tread
- Defined heel
- Safety toe is ASTM F2413-24 I/C EH SR rated

|           |                       |  |
|-----------|-----------------------|--|
| STYLE#    | <b>10029518</b>       |  |
| COLOR     | Dark Brown/Olive Camo |  |
| DETAILS   | Saddle Vamp           |  |
| AVAILABLE | At Once               |  |
| MSRP      | \$209.95              |  |
|           | 2106506               |  |



## Rebar® Flex Western SD

|          |                                     |                |             |
|----------|-------------------------------------|----------------|-------------|
| SIZES    | D: 7-12, 13, 14<br>EE: 7-12, 13, 14 | UPPER          | 10"         |
| TOE      |                                     | TOE            | Wide Square |
| PLATFORM | Rebar® Flex Western                 | SLIP RESISTING | SR          |



### FEATURES

- Full-grain leather
- All Day Cushioning insole
- 100% non-metallic
- 50% recycled polyester lining
- Four-row stitch pattern
- Anatomical last for true fit
- Cement construction
- Lightweight, shock-absorbing EVA midsole
- Oil- and slip-resisting Duratread™ outsole
- Outdoor traction lugs w/ debris-releasing tread
- Defined heel
- Safety toe is ASTM F2413-18 M/I/C SD 35 rated
- ASTM F3445-21 SR rated

|           |                        |  |
|-----------|------------------------|--|
| STYLE#    | <b>10053616</b>        |  |
| COLOR     | Distressed Brown/Stone |  |
| DETAILS   | Full Vamp              |  |
| AVAILABLE | At Once                |  |
| MSRP      | \$209.95               |  |
|           | 2106506                |  |





## GROUNDBREAKER

Built for: **Outdoor work, performs indoors**

Best for: **Farm and ranch work**

Delivers lightweight, flexible all-day comfort

**4LR™** EVERYDAY COMFORT AND STABILITY

### FEATURES

- Lightweight stabilizing shank
- Shock-absorbing EVA midsole
- Oil- and slip-resisting Duratread™ outsole for maximum wear resistance, passes hot contact test at 300°C/572°F
- 90° heel



### Groundbreaker Wide Square Toe Met Guard

|          |                                     |                |             |
|----------|-------------------------------------|----------------|-------------|
| SIZES    | D: 7-12, 13, 14<br>EE: 7-12, 13, 14 | UPPER          | 10"         |
| PLATFORM | Groundbreaker                       | TOE            | Wide Square |
|          |                                     | SLIP RESISTING | SR          |



#### FEATURES

- Full-grain leather foot w/ suede upper
- All Day Cushioning insole
- XRD® Internal Metatarsal Guard
- Mesh lining
- Four-row stitch pattern
- Cement construction
- Oil- and slip-resisting Duratread™ outsole
- 90° heel
- Safety toe is ASTM F2413-24 I/C Mt EH SR rated

|           |                 |           |
|-----------|-----------------|-----------|
| STYLE#    | <b>10020063</b> | <b>ST</b> |
| COLOR     | Brown           |           |
| DETAILS   | SSW, Full Vamp  |           |
| AVAILABLE | At Once         |           |
| MSRP      | \$199.95        |           |
|           | 2105006         |           |



### Groundbreaker Antler H2O

NEW STYLE

|          |                                     |                |             |
|----------|-------------------------------------|----------------|-------------|
| SIZES    | D: 7-12, 13, 14<br>EE: 7-12, 13, 14 | UPPER          | 11"         |
| PLATFORM | Groundbreaker                       | TOE            | Wide Square |
|          |                                     | SLIP RESISTING | SR          |



#### FEATURES

- DRYShield™ waterproof breathable construction
- Premium full-grain leather
- Deer skull embroidery on front
- All Day Cushioning insole
- 50% recycled polyester lining
- Cement construction
- Oil- and slip-resisting Duratread™ outsole
- 90° heel
- Safety toe is ASTM F2413-24 I/C EH SR rated
- Soft toe is ASTM F2892-24 EH SRO rated

|           |                  |  |
|-----------|------------------|--|
| STYLE#    | <b>10074211</b>  |  |
| COLOR     | Bruin Brown/Camo |  |
| DETAILS   | SSW, Full Vamp   |  |
| AVAILABLE | 1/1/2026         |  |
| MSRP      | \$189.95         |  |
|           | 294006           |  |

|        |                 |           |
|--------|-----------------|-----------|
| STYLE# | <b>10074287</b> | <b>ST</b> |
| MSRP   | \$199.95        |           |
|        | 299006          |           |





## Groundbreaker Wide Square Toe

|          |                                     |                |             |
|----------|-------------------------------------|----------------|-------------|
| SIZES    | D: 7-12, 13, 14<br>EE: 7-12, 13, 14 | UPPER          | 10"         |
| PLATFORM | Groundbreaker                       | TOE            | Wide Square |
|          |                                     | SLIP RESISTING | SR          |



### FEATURES

- Full-grain leather foot w/ suede upper
- All Day Cushioning insole
- Mesh lining
- Four-row stitch pattern
- Cement construction
- Lightweight, shock-absorbing EVA midsole
- Oil- and slip-resisting Duratread™ outsole
- 90° heel
- Safety toe is ASTM F2413-24 I/C EH SR rated
- Soft toe is ASTM F2892-24 EH SRO rated

|             |                                 |
|-------------|---------------------------------|
| STYLE#      | <b>10020059</b>                 |
| COLOR       | Brown                           |
| DETAILS     | SSW, Full Vamp                  |
| AVAILABLE   | 6/1/2026                        |
| MSRP        | \$164.95                        |
|             | 285506                          |
| EXTRA SIZES | D: 6, 6.5, 15<br>EE: 6, 6.5, 15 |

|           |                 |    |
|-----------|-----------------|----|
| STYLE#    | <b>10021108</b> | ST |
| AVAILABLE | At Once         |    |
| MSRP      | \$174.95        |    |
|           | 288506          |    |

|           |                 |    |
|-----------|-----------------|----|
| STYLE#    | <b>10015191</b> | ST |
| COLOR     | Brown/Ember     |    |
| DETAILS   | SSW, Full Vamp  |    |
| AVAILABLE | At Once         |    |
| MSRP      | \$174.95        |    |
|           | 288506          |    |



## Groundbreaker Wide Square Toe H2O

|          |                                     |                |             |
|----------|-------------------------------------|----------------|-------------|
| SIZES    | D: 7-12, 13, 14<br>EE: 7-12, 13, 14 | UPPER          | 10"         |
| PLATFORM | Groundbreaker                       | TOE            | Wide Square |
|          |                                     | SLIP RESISTING | SR          |



**DRYShield™**

### FEATURES

- DRYShield™ waterproof breathable construction
- Full-grain leather foot w/ suede upper
- All Day Cushioning insole
- Mesh lining
- Four-row stitch pattern
- Cement construction
- Oil- and slip-resisting Duratread™ outsole
- 90° heel
- Safety toe is ASTM F2413-24 I/C EH SR rated
- Soft toe is ASTM F2892-24 EH SRO rated

|           |                 |
|-----------|-----------------|
| STYLE#    | <b>10024984</b> |
| COLOR     | Dark Brown      |
| DETAILS   | SSW, Full Vamp  |
| AVAILABLE | 3/1/2026        |
| MSRP      | \$179.95        |
|           | 294006          |

|           |                 |    |
|-----------|-----------------|----|
| STYLE#    | <b>10024992</b> | ST |
| AVAILABLE | At Once         |    |
| MSRP      | \$189.95        |    |
|           | 299006          |    |

|           |                            |    |
|-----------|----------------------------|----|
| STYLE#    | <b>10015196</b>            | ST |
| COLOR     | Palm Brown/Ballistic Brown |    |
| DETAILS   | SSW, Full Vamp             |    |
| AVAILABLE | At Once                    |    |
| MSRP      | \$194.95                   |    |
|           | 299006                     |    |





## Groundbreaker Chelsea Wide Square Toe H2O

|          |                                     |                |             |
|----------|-------------------------------------|----------------|-------------|
| SIZES    | D: 7-12, 13, 14<br>EE: 7-12, 13, 14 | UPPER          | 6"          |
| PLATFORM | Groundbreaker                       | TOE            | Wide Square |
|          |                                     | SLIP RESISTING | SR          |



### FEATURES

- DRYShield™ waterproof breathable construction
- Full-grain leather
- All Day Cushioning insole
- Mesh lining
- Easy pull-on twin gore style
- Reflective piping on heel
- Cement construction
- Oil- and slip-resisting Duratread™ outsole
- 90° heel
- Safety toe is ASTM F2413-24 I/C EH SR rated
- Soft toe is ASTM F2892-24 EH SRO rated

|           |                 |
|-----------|-----------------|
| STYLE#    | <b>10038324</b> |
| COLOR     | Dark Brown      |
| DETAILS   | SSW, Full Vamp  |
| AVAILABLE | At Once         |
| MSRP      | \$169.95        |
|           | 285506          |

|        |                 |
|--------|-----------------|
| STYLE# | <b>10034148</b> |
| MSRP   | \$179.95        |
|        | 290506          |



## Groundwork Wide Square Toe H2O

|          |                                     |                |             |
|----------|-------------------------------------|----------------|-------------|
| SIZES    | D: 7-12, 13, 14<br>EE: 7-12, 13, 14 | UPPER          | 11"         |
| PLATFORM | Groundbreaker                       | TOE            | Wide Square |
|          |                                     | SLIP RESISTING | SR          |



### FEATURES

- DRYShield™ waterproof breathable construction
- Full-grain leather foot
- Leather collar and embroidered pull holes
- All Day Cushioning insole
- Mesh lining
- Four-row stitch pattern
- Cement construction
- Oil- and slip-resisting Duratread™ outsole
- 90° heel
- Safety toe is ASTM F2413-24 I/C EH SR rated

|           |                       |
|-----------|-----------------------|
| STYLE#    | <b>10034720</b>       |
| COLOR     | Dark Brown/After Dark |
| DETAILS   | SSW, Full Vamp        |
| AVAILABLE | At Once               |
| MSRP      | \$199.95              |
|           | 2100506               |



## Groundwork Wide Square Toe

|          |                                     |                |             |
|----------|-------------------------------------|----------------|-------------|
| SIZES    | D: 7-12, 13, 14<br>EE: 7-12, 13, 14 | UPPER          | 11"         |
| PLATFORM | Groundbreaker                       | TOE            | Wide Square |
|          |                                     | SLIP RESISTING | SR          |



### FEATURES

- Full-grain leather foot
- Leather collar and embroidered pull holes
- All Day Cushioning insole
- Mesh lining
- Four-row stitch pattern
- Cement construction
- Oil- and slip-resisting Duratread™ outsole
- 90° heel
- Safety toe is ASTM F2413-24 I/C EH SR rated

|           |                    |
|-----------|--------------------|
| STYLE#    | <b>10034717</b>    |
| COLOR     | Brown/Bitter Brown |
| DETAILS   | SSW, Full Vamp     |
| AVAILABLE | At Once            |
| MSRP      | \$184.95           |
|           | 292006             |



## Groundwork Pull-On H2O

|          |                                     |                |       |
|----------|-------------------------------------|----------------|-------|
| SIZES    | D: 7-12, 13, 14<br>EE: 7-12, 13, 14 | UPPER          | 11"   |
| PLATFORM | Groundbreaker                       | TOE            | Round |
|          |                                     | SLIP RESISTING | SRO   |



### FEATURES

- DRYShield™ waterproof breathable construction
- Full-grain leather foot
- Leather collar and embroidered pull holes
- All Day Cushioning insole
- Mesh lining
- Four-row stitch pattern
- Cement construction
- Oil- and slip-resisting Duratread™ outsole
- 90° heel
- Soft toe is ASTM F2892-24 EH SRO rated

|           |                         |
|-----------|-------------------------|
| STYLE#    | <b>10035965</b>         |
| COLOR     | Dark Brown/Bitter Brown |
| DETAILS   | SSW, Full Vamp          |
| AVAILABLE | At Once                 |
| MSRP      | \$189.95                |
|           | 295506                  |





# RAMBLER WORK WEDGE

Built for: **Outdoor work, performs indoors**

Best for: **Construction**

Delivers all-day cushioning and stability



EVERYDAY COMFORT AND STABILITY

## FEATURES

- Lightweight stabilizing shank
- Goodyear® welt construction for durable comfort, resoleable
- Oil- and slip-resisting PU outsole, passes hot contact test at 150°C/302°F
- Wedge sole – no defined heel



## Rambler Work Wedge

|          |                    |                |        |
|----------|--------------------|----------------|--------|
| SIZES    | D: 7-12, 13, 14    | UPPER          | 10"    |
|          | EE: 7-12, 13, 14   | TOE            | Square |
| PLATFORM | Rambler Work Wedge | SLIP RESISTING | SR     |



## FEATURES

- Full-grain leather
- All Day Cushioning insole
- Unlined upper w/ exposed outseam construction
- Resoleable Goodyear welt construction
- Oil- and slip-resisting PU outsole
- Flat bottom, wedge sole
- Safety toe is ASTM F2413-18 M/I/C EH rated
- ASTM F3445-21 SR rated

|           |                 |           |
|-----------|-----------------|-----------|
| STYLE#    | <b>10035883</b> | <b>ST</b> |
| COLOR     | Foothill Brown  |           |
| DETAILS   | SSW, Full Vamp  |           |
| AVAILABLE | At Once         |           |
| MSRP      | \$199.95        |           |
|           | 2100006         |           |





## WOMEN'S TRACEY

Built for: **Indoor work, performs outdoors**

Best for: **Factory and warehouse work**

Delivers slip resistance with durability

**4LR™** EVERYDAY COMFORT AND STABILITY

### FEATURES

- Lightweight stabilizing shank
- Indoor/outdoor Grip Strip™ sole tread design
- Oil- and slip-resisting Duratread™ outsole for maximum wear resistance, passes hot contact test at 300°C/572°F
- 90° heel



### Women's Tracey Pull-On

SIZES **B: 6-10, 11**  
PLATFORM **Tracey**

UPPER **9"**  
TOE **Roper**  
SLIP RESISTING **SR**



### FEATURES

- Premium full-grain leather
- All Day Cushioning insole
- Mesh lining
- Six-row stitch pattern
- Generous last
- Cement construction
- Lightweight, shock-absorbing EVA midsole
- Oil- and slip-resisting Duratread™ outsole
- Unique multi-surface traction design
- 90° heel
- Safety toe is ASTM F2413-18 F/I/C EH rated
- ASTM F3445-21 SR rated

STYLE# **10008634** **CT**  
COLOR **Dusted Brown**  
DETAILS **SSW, Full Vamp**  
AVAILABLE **At Once**  
MSRP **\$174.95**  
**288506**





## WOMEN'S ANTHEM WORK

Built for: **Outdoor work, performs indoors**Best for: **Farm and ranch work**

Delivers lightweight, flexible all-day comfort



EVERYDAY COMFORT AND STABILITY

## FEATURES

- Lightweight stabilizing shank
- Shock-absorbing EVA midsole
- Oil- and slip-resisting Duratread™ outsole for maximum wear resistance, passes hot contact test at 300°C/572°F
- 90° heel



WESTERN WORK

## Women's Anthem VentTEK™ H20

|          |               |                |        |
|----------|---------------|----------------|--------|
| SIZES    | B: 5.5-11, 12 | UPPER          | 10"    |
|          | C: 6-11       | TOE            | Square |
| PLATFORM | Anthem        | SLIP RESISTING | SR     |



DRYShield™



VENTTEK™

## FEATURES

- DRYShield™ waterproof breathable construction
- Full-grain leather w/ VentTEK™ mesh panels
- All Day Cushioning insole
- 50% recycled polyester lining
- Cement construction
- Lightweight, shock-absorbing EVA midsole
- Oil- and slip-resisting Duratread™ outsole
- 90° heel
- Safety toe is ASTM F2413-18 F/I/C EH rated
- ASTM F3445-21 SR rated

|           |                       |    |
|-----------|-----------------------|----|
| STYLE#    | 10050827              | CT |
| COLOR     | Dark Chocolate/Serape |    |
| DETAILS   | DSW, Full Vamp        |    |
| AVAILABLE | At Once               |    |
| MSRP      | \$199.95              |    |
|           | 2101006               |    |



## Women's Anthem VentTEK™

|          |               |                |        |
|----------|---------------|----------------|--------|
| SIZES    | B: 5.5-11, 12 | UPPER          | 10"    |
|          | C: 6-11       | TOE            | Square |
| PLATFORM | Anthem        | SLIP RESISTING | SR     |



VENTTEK™

## FEATURES

- Full-grain leather w/ VentTEK™ mesh panels
- Removable comfort insole
- Mesh lining
- Cement construction
- Lightweight, shock-absorbing EVA midsole
- Oil- and slip-resisting Duratread™ outsole
- 90° heel
- Safety toe is ASTM F2413-18 F/I/C EH rated
- ASTM F3445-21 SR rated

|           |                          |    |
|-----------|--------------------------|----|
| STYLE#    | 10031663                 | CT |
| COLOR     | Chocolate Chip/Turquoise |    |
| DETAILS   | DSW, Full Vamp           |    |
| AVAILABLE | At Once                  |    |
| MSRP      | \$184.95                 |    |
|           | 294006                   |    |





## Women's Anthem Deco

|          |               |                |        |
|----------|---------------|----------------|--------|
| SIZES    | B: 5.5-11, 12 | UPPER          | 10"    |
|          | C: 6-11       | TOE            | Square |
| PLATFORM | Anthem        | SLIP RESISTING | SR     |



### FEATURES

- Full-grain leather
- Removable comfort insole
- Mesh lining
- Cement construction
- Lightweight, shock-absorbing EVA midsole
- Oil- and slip-resisting Duratread™ outsole
- 90° heel
- Safety toe is ASTM F2413-18 F/I/C EH rated
- ASTM F3445-21 SR rated

|           |                 |    |
|-----------|-----------------|----|
| STYLE#    | <b>10029498</b> | CT |
| COLOR     | Brown Bomber    |    |
| DETAILS   | DSW, Full Vamp  |    |
| AVAILABLE | At Once         |    |
| MSRP      | \$174.95        |    |
|           | 288506          |    |



## Women's Anthem H2O

|          |               |                |        |
|----------|---------------|----------------|--------|
| SIZES    | B: 5.5-11, 12 | UPPER          | 10"    |
|          | C: 6-11       | TOE            | Square |
| PLATFORM | Anthem        | SLIP RESISTING | SR     |



**DRYShield™**

### FEATURES

- DRYShield™ waterproof breathable construction
- Full-grain leather
- Removable comfort insole
- Mesh lining
- Six-row stitch pattern w/ embroidery
- Cement construction
- Lightweight, shock-absorbing EVA midsole
- Oil- and slip-resisting Duratread™ outsole
- 90° heel
- Safety toe is ASTM F2413-18 F/I/C EH rated
- ASTM F3445-21 SR rated

|           |                  |    |
|-----------|------------------|----|
| STYLE#    | <b>10031664</b>  | CT |
| COLOR     | Distressed Brown |    |
| DETAILS   | DSW, Full Vamp   |    |
| AVAILABLE | At Once          |    |
| MSRP      | \$184.95         |    |
|           | 294006           |    |





## WOMEN'S FATBABY® WORK

Built for: **Outdoor work, performs indoors**Best for: **Farm and ranch work**

Delivers durable, stirrup-friendly support

 **EVERYDAY COMFORT AND STABILITY**

## FEATURES

- Lightweight stabilizing shank
- Oil- and slip-resisting Duratread™ outsole for maximum wear resistance, passes hot contact test at 300°C/572°F
- 90° heel



WESTERN WORK

## Women's Krista Pull-On H2O

|          |                   |                |             |
|----------|-------------------|----------------|-------------|
| SIZES    | B: 5.5-10, 11, 12 | UPPER          | 9"          |
|          | C: 6-11           | TOE            | Wide Square |
| PLATFORM | Fatbaby® Work     | SLIP RESISTING | SR          |



## FEATURES

- DRYShield™ waterproof breathable construction
- Premium full-grain leather
- All Day Cushioning insole
- Mesh lining
- Six-row stitch pattern
- Cement construction
- Oil- and slip-resisting Duratread™ outsole
- 90° heel
- Safety toe is ASTM F2413-18 F/I/C EH rated
- ASTM F3445-21 SR rated

|           |                 |           |
|-----------|-----------------|-----------|
| STYLE#    | <b>10029516</b> | <b>ST</b> |
| COLOR     | Dark Brown      |           |
| DETAILS   | SSW, Full Vamp  |           |
| AVAILABLE | At Once         |           |
| MSRP      | \$194.95        |           |
|           | 299006          |           |



## Women's Krista Pull-On Met Guard

|          |                   |                |             |
|----------|-------------------|----------------|-------------|
| SIZES    | B: 5.5-10, 11, 12 | UPPER          | 9"          |
|          | C: 6-11           | TOE            | Wide Square |
| PLATFORM | Fatbaby® Work     | SLIP RESISTING | SR          |



## FEATURES

- Premium full-grain leather
- All Day Cushioning insole
- XRD® Internal Metatarsal Guard
- Mesh lining
- Six-row stitch pattern
- Cement construction
- Oil- and slip-resisting Duratread™ outsole
- 90° heel
- Safety toe is ASTM F2413-18 F/I/C Mt EH rated
- ASTM F3445-21 SR rated

|           |                 |           |
|-----------|-----------------|-----------|
| STYLE#    | <b>10033994</b> | <b>ST</b> |
| COLOR     | Dark Brown      |           |
| DETAILS   | SSW, Full Vamp  |           |
| AVAILABLE | At Once         |           |
| MSRP      | \$194.95        |           |
|           | 299006          |           |





## Women's Fatbaby® Work Pull-On

|          |               |                |          |
|----------|---------------|----------------|----------|
| SIZES    | B: 5.5-10, 11 | UPPER          | 8"       |
| PLATFORM | Fatbaby® Work | TOE            | Fatbaby® |
|          |               | SLIP RESISTING | SR       |



### FEATURES

- Full-grain leather
- All Day Cushioning insole
- Mesh lining
- Cement construction
- Oil- and slip-resisting Duratread™ outsole
- 90° heel
- Safety toe is ASTM F2413-18 F/I/C EH rated
- ASTM F3445-21 SR rated

|           |                  |           |
|-----------|------------------|-----------|
| STYLE#    | <b>10040431</b>  | <b>ST</b> |
| COLOR     | Distressed Brown |           |
| DETAILS   | SSW, Full Vamp   |           |
| AVAILABLE | At Once          |           |
| MSRP      | \$139.95         |           |
|           | 270006           |           |







# REFERENCE

## REFERENCE

|                                      |                                               |
|--------------------------------------|-----------------------------------------------|
| 116 Marketing Materials              | 132 Index by Puncture Resistant               |
| 121 Sizing Reference                 | 133 Index by Carbon Toe                       |
| 121 International Sizing Equivalents | 134 Index by Composite Toe                    |
| 121 Extra Sizes                      | 135 Index by Steel Toe                        |
| 129 Index by DryShield™              | 135 Index by 100% Non-Metallic                |
| 130 Index by BOA®                    | 136 Index by Slip Resistance Rating SR rated  |
| 131 Index by Insulated               | 138 Index by Slip Resistance Rating SRO rated |
| 131 Index by Met Guard               | 138 Index by Style Name                       |
| 132 Index by Static Dissipative      | 140 Index by Style Number                     |



## Hanging Ariat Work Banner

STYLE # 10025290 SIZE 5'W x 3'H UOM 1 PK



## Vertical Ariat Work Banner

STYLE # 10025289 SIZE 2'W x 5'H UOM 1 PK

For use with the banner stand (10000888)



## Small Ariat Work Tufted Floor Mat

STYLE # 10046685 SIZE 2.5'W x 3.25'L UOM 1 PK



## Large Ariat Work Tufted Floor Mat

STYLE # 10032452 SIZE 3'W x 5'L UOM 1 PK



## Ariat Work Tape Handle

STYLE # MKT1325 SIZE 24"W x 1.375"H UOM 24 PK



## Ariat Work Authorized Retailer Window Cling

STYLE # 10034479 SIZE 10"W x 8"H UOM 1 PK





Ariat Work Double Footwear Bench

STYLE # 10029879    SIZE 37"W x 19.5"H x 18"D    UOM 1pk



Ariat Work Lozier Shelf

STYLE # 10051180    SIZE 11"W x 1.5"H x 7"D    UOM 1pk



Large Ariat Work Hang Sign

STYLE # 10032256    SIZE 42"W x 24"H x 1.2"D    UOM 1pk



Small Ariat Work Hang Sign

STYLE # 10032258  
SIZE 27"W x 15.5"H x 1.2"D  
UOM 1pk

Ariat Work Logo Sign

STYLE # 10032399    SIZE 48"W x 48"H    UOM 1pk



Ariat Work Logo Sign

STYLE # 10032402    SIZE 96"W x 48"H    UOM 1pk



Small Work Shoe Shelves

STYLE # 10032276    SIZE 11"W x 2.125"H x 6"D    UOM 6pk



Ariat Work Footwear Tower

STYLE # 10049800    SIZE 14"W x 72"H x 14"D    UOM 1pk

Ariat Work Boot Stack Organizer

STYLE # 10046014    SIZE 14"W x 55"L    UOM 1pk



Front View

Back View

REFERENCE



# Marketing Materials

## Ariat Work Counter Card

STYLE # MKT1509 SIZE 11"W x 14"H



## Big Rig Counter Card

STYLE # MKT1701 SIZE 11"W x 14"H



## CSA® Footwear Counter Card

STYLE # MKT1702 SIZE 11"W x 14"H



## CSA® Footwear Counter Card (French)

STYLE # MKT1730 SIZE 11"W x 14"H



## Endeavor Counter Card

STYLE # MKT1586 SIZE 11"W x 14"H



## Footwear Counter Card (Spanish)

STYLE # MKT1607 SIZE 11"W x 14"H



## Groundbreaker Counter Card

STYLE # MKT1592 SIZE 11"W x 14"H



## Intrepid™ Counter Card

STYLE # MKT1594 SIZE 11"W x 14"H



## MasterGrip™ Counter Card

STYLE # MKT1593 SIZE 11"W x 14"H




## OverDrive™ Counter Card

STYLE # MKT1591 SIZE 11"W x 14"H



## Outpace® Counter Card

STYLE # MKT1904 SIZE 11"W x 14"H



## Powerline Counter Card


STYLE # MKT1596 SIZE 11"W x 14"H





## Rebar® Flex Counter Card

STYLE # MKT1597 SIZE 11"W x 14"H



## Rebar® Lift Counter Card

STYLE # MKT1972 SIZE 11"W x 14"H




## Rebar® Wedge Counter Card

STYLE # MKT1599 SIZE 11"W x 14"H



## RigTek™ Counter Card

STYLE # MKT1590 SIZE 11"W x 14"H



## Shock Shield® Counter Card

STYLE # MKT1911 SIZE 11"W x 14"H



## Sierra Counter Card

STYLE # MKT1588 SIZE 11"W x 14"H




## Stump Jumper™ Counter Card

STYLE # MKT1858 SIZE 11"W x 14"H



## Treadfast Counter Card

STYLE # MKT1824 SIZE 11"W x 14"H



## Turbo Counter Card

STYLE # MKT1584 SIZE 11"W x 14"H



## WorkHog® Counter Card

STYLE # MKT1589 SIZE 11"W x 14"H



## WorkHog® XT BOA® Counter Card

STYLE # MKT1892 SIZE 11"W x 14"H



## WorkHog® XT Counter Card

STYLE # MKT1598 SIZE 11"W x 14"H



REFERENCE



# Marketing Materials

## Ariat Work Full Wall Example



### DIFFERENT WALL SCENARIOS:


- 1 Shown with Wall Backer, Shelf Backer, and Shoe Shelf Magnet
- 2 Shown with Shelf Backer, and Shoe Shelf Magnet
- 3 Shown with Shoe Shelf Magnet only
- 4 Shown with Wall Backer and Shoe Shelf Magnet

## Wall Backer

STYLE # 10032443

UOM 1 PK

SIZE 12"W x 60"H



## Shelf Backers

| STYLE #                 | SIZE 11"W x 11"H |
|-------------------------|------------------|
| MKT1575 · Ariat Work    | UOM 4pk          |
| MKT1700 · Big Rig       | UOM 1pk          |
| MKT1565 · Edge          | UOM 1pk          |
| MKT1568 · Endeavor      | UOM 1pk          |
| MKT1570 · Groundbreaker | UOM 1pk          |
| MKT1563 · MasterGrip™   | UOM 1pk          |
| MKT1573 · OverDrive™    | UOM 1pk          |
| MKT1564 · Powerline     | UOM 1pk          |
| MKT1562 · Rebar® Flex   | UOM 1pk          |
| MKT1561 · Rebar® Wedge  | UOM 1pk          |
| MKT1574 · Sierra        | UOM 1pk          |
| MKT1569 · Stump Jumper™ | UOM 1pk          |
| MKT1567 · Telluride     | UOM 1pk          |
| MKT1560 · Treadfast     | UOM 1pk          |
| MKT1560 · Turbo         | UOM 1pk          |
| MKT1572 · WorkHog®      | UOM 1pk          |
| MKT1571 · WorkHog® XT   | UOM 1pk          |

## Shoe Shelf Magnets

| STYLE #                           | SIZE 11"W x 1.5"H |
|-----------------------------------|-------------------|
| MKT1558 · 30 Day                  | UOM 4pk           |
| MKT1556 · 100% Non-Metallic       | UOM 4pk           |
| MKT1559 · Ariat Work (blank)      | UOM 4pk           |
| MKT1549 · Carbon Toe              | UOM 4pk           |
| MKT1548 · Composite Toe           | UOM 4pk           |
| MKT1731 · CSA® Certified          | UOM 4pk           |
| MKT1732 · CSA® Certified (French) | UOM 4pk           |
| MKT1856 · Glacier Grip™           | UOM 4pk           |
| MKT1552 · Insulated               | UOM 4pk           |
| MKT1553 · Met Guard               | UOM 4pk           |
| MKT1554 · Puncture Resistant      | UOM 4pk           |
| MKT1546 · Safety Toe              | UOM 4pk           |
| MKT1912 · Shock Shield®           | UOM 4pk           |
| MKT1550 · Soft Toe                | UOM 4pk           |
| MKT1555 · Static Dissipative      | UOM 4pk           |
| MKT1547 · Steel Toe               | UOM 4pk           |
| MKT1853 · USA Assembled           | UOM 4pk           |
| MKT1551 · Waterproof              | UOM 4pk           |
| MKT1557 · Women's                 | UOM 4pk           |
| MKT1910 · WorkHog® XT BOA®        | UOM 4pk           |

## Lozier Shelf Inserts

| STYLE #                      | SIZE 9.75"W x 1.875"H |
|------------------------------|-----------------------|
| MKT1520 · 30 Day             | UOM 6pk               |
| MKT1540 · 100% Non-Metallic  | UOM 6pk               |
| MKT1542 · Ariat Work (blank) | UOM 6pk               |
| MKT1533 · Carbon Toe         | UOM 6pk               |
| MKT1532 · Composite Toe      | UOM 6pk               |
| MKT1536 · Insulated          | UOM 6pk               |
| MKT1857 · Glacier Grip™      | UOM 6pk               |
| MKT1537 · Met Guard          | UOM 6pk               |
| MKT1538 · Puncture Resistant | UOM 6pk               |
| MKT1530 · Safety Toe         | UOM 6pk               |
| MKT1534 · Soft Toe           | UOM 6pk               |
| MKT1539 · Static Dissipative | UOM 6pk               |
| MKT1531 · Steel Toe          | UOM 6pk               |
| MKT1854 · USA Assembled      | UOM 6pk               |
| MKT1535 · Waterproof         | UOM 6pk               |
| MKT1541 · Women's            | UOM 6pk               |





# Sizing Reference INTERNATIONAL SIZING EQUIVALENTS / MEN'S WORK EXTRA SIZES

## INTERNATIONAL SIZING EQUIVALENTS

| MEN | UK      | 6  | 6.5 | 7  | 7.5  | 8  | 8.5  | 9  | 9.5  | 10   | 10.5 | 11 | 12 | 13 | 14 | 15 | 16 | 17 |  |  |  |  |
|-----|---------|----|-----|----|------|----|------|----|------|------|------|----|----|----|----|----|----|----|--|--|--|--|
|     | EUROPE* | 39 | 40  | 41 | 41.5 | 42 | 42.5 | 43 | 44   | 44.5 | 45   | 46 | 47 | 48 | 49 | 50 | 51 | 52 |  |  |  |  |
|     | USA     | 7  | 7.5 | 8  | 8.5  | 9  | 9.5  | 10 | 10.5 | 11   | 11.5 | 12 | 13 | 14 | 15 | 16 | 17 | 18 |  |  |  |  |

| WOMEN | UK      | 1.5  | 2   | 2.5  | 3   | 3.5  | 4   | 4.5  | 5   | 5.5  | 6   | 6.5 | 7   | 7.5  | 8    | 8.5  | 9  |  |  |  |  |
|-------|---------|------|-----|------|-----|------|-----|------|-----|------|-----|-----|-----|------|------|------|----|--|--|--|--|
|       | EUROPE* | 33.5 | 34  | 34.5 | 36  | 36.5 | 37  | 37.5 | 38  | 38.5 | 39  | 40  | 41  | 41.5 | 42   | 42.5 | 43 |  |  |  |  |
|       | USA     | 4    | 4.5 | 5    | 5.5 | 6    | 6.5 | 7    | 7.5 | 8    | 8.5 | 9   | 9.5 | 10   | 10.5 | 11   | 12 |  |  |  |  |

\* EUROPEAN MEASUREMENTS ARE TAKEN TO THEIR NEAREST HALF SIZE.

## MEN'S WORK EXTRA SIZES

| STYLE | COLOR | SAFETY TOE | PAGE | D |     |   |     |    |    | EE |   |   |     |    |    | B |     |    |      |    |      |    |    |
|-------|-------|------------|------|---|-----|---|-----|----|----|----|---|---|-----|----|----|---|-----|----|------|----|------|----|----|
|       |       |            |      | 5 | 5.5 | 6 | 6.5 | 15 | 16 | 4  | 5 | 6 | 6.5 | 15 | 16 | 9 | 9.5 | 10 | 10.5 | 11 | 11.5 | 12 | 13 |

|                               |                         |               |                     |  |  |  |  |   |  |  |  |  |   |   |  |  |   |   |   |   |   |   |  |
|-------------------------------|-------------------------|---------------|---------------------|--|--|--|--|---|--|--|--|--|---|---|--|--|---|---|---|---|---|---|--|
| <b>ACTIVATOR</b>              |                         |               |                     |  |  |  |  |   |  |  |  |  |   |   |  |  |   |   |   |   |   |   |  |
| 10074290                      | BROWN BOMBER            | N/A           | <a href="#">100</a> |  |  |  |  | X |  |  |  |  |   | X |  |  |   |   |   |   |   |   |  |
| 10074291                      | BROWN BOMBER            | STEEL TOE     | <a href="#">100</a> |  |  |  |  | X |  |  |  |  |   | X |  |  |   |   |   |   |   |   |  |
| <b>ACTIVATOR ARGO H20</b>     |                         |               |                     |  |  |  |  |   |  |  |  |  |   |   |  |  |   |   |   |   |   |   |  |
| 10063860                      | DARK BROWN/WICKER       | N/A           | <a href="#">99</a>  |  |  |  |  | X |  |  |  |  |   | X |  |  |   |   |   |   |   |   |  |
| 10063861                      | DARK BROWN/WICKER       | COMPOSITE TOE | <a href="#">99</a>  |  |  |  |  | X |  |  |  |  |   | X |  |  |   |   |   |   |   |   |  |
| <b>ACTIVATOR CHELSEA H20</b>  |                         |               |                     |  |  |  |  |   |  |  |  |  |   |   |  |  |   |   |   |   |   |   |  |
| 10074285                      | RYE BROWN               | N/A           | <a href="#">99</a>  |  |  |  |  | X |  |  |  |  |   | X |  |  |   |   |   |   |   |   |  |
| 10074284                      | RYE BROWN               | STEEL TOE     | <a href="#">99</a>  |  |  |  |  | X |  |  |  |  |   | X |  |  |   |   |   |   |   |   |  |
| <b>ACTIVATOR H20</b>          |                         |               |                     |  |  |  |  |   |  |  |  |  |   |   |  |  |   |   |   |   |   |   |  |
| 10060895                      | DUSTED BROWN/BASIN BLUE | N/A           | <a href="#">99</a>  |  |  |  |  | X |  |  |  |  |   | X |  |  |   |   |   |   |   |   |  |
| 10060893                      | DUSTED BROWN/BASIN BLUE | STEEL TOE     | <a href="#">99</a>  |  |  |  |  | X |  |  |  |  |   | X |  |  |   |   |   |   |   |   |  |
| 10060894                      | DARK BROWN/GREEN        | N/A           | <a href="#">99</a>  |  |  |  |  | X |  |  |  |  |   | X |  |  |   |   |   |   |   |   |  |
| 10060892                      | DARK BROWN/GREEN        | STEEL TOE     | <a href="#">99</a>  |  |  |  |  | X |  |  |  |  |   | X |  |  |   |   |   |   |   |   |  |
| <b>ACTIVATOR LIVE FREE</b>    |                         |               |                     |  |  |  |  |   |  |  |  |  |   |   |  |  |   |   |   |   |   |   |  |
| 10074208                      | DISTRESSED BROWN/STORM  | N/A           | <a href="#">100</a> |  |  |  |  |   |  |  |  |  |   | X |  |  |   |   |   |   |   |   |  |
| 10074288                      | DISTRESSED BROWN/STORM  | STEEL TOE     | <a href="#">100</a> |  |  |  |  |   |  |  |  |  |   | X |  |  |   |   |   |   |   |   |  |
| <b>ACTIVATOR VENTTEK™</b>     |                         |               |                     |  |  |  |  |   |  |  |  |  |   |   |  |  |   |   |   |   |   |   |  |
| 10061285                      | ALAMO BROWN/STONE GREY  | N/A           | <a href="#">100</a> |  |  |  |  | X |  |  |  |  |   | X |  |  |   |   |   |   |   |   |  |
| 10061284                      | ALAMO BROWN/STONE GREY  | STEEL TOE     | <a href="#">100</a> |  |  |  |  | X |  |  |  |  |   | X |  |  |   |   |   |   |   |   |  |
| <b>ACTIVATOR VENTTEK™ H20</b> |                         |               |                     |  |  |  |  |   |  |  |  |  |   |   |  |  |   |   |   |   |   |   |  |
| 10061120                      | DARK BROWN/WICKER       | N/A           | <a href="#">100</a> |  |  |  |  | X |  |  |  |  |   | X |  |  |   |   |   |   |   |   |  |
| 10061119                      | DARK BROWN/WICKER       | STEEL TOE     | <a href="#">100</a> |  |  |  |  | X |  |  |  |  |   | X |  |  |   |   |   |   |   |   |  |
| <b>CASCADE 8"</b>             |                         |               |                     |  |  |  |  |   |  |  |  |  |   |   |  |  |   |   |   |   |   |   |  |
| 10002420                      | SUNSHINE WILDCAT        | N/A           | <a href="#">96</a>  |  |  |  |  |   |  |  |  |  | X | X |  |  | X | X | X | X | X | X |  |
| <b>ENDEAVOR 6" H20</b>        |                         |               |                     |  |  |  |  |   |  |  |  |  |   |   |  |  |   |   |   |   |   |   |  |
| 10031659                      | CHOCOLATE BROWN         | N/A           | <a href="#">21</a>  |  |  |  |  | X |  |  |  |  |   | X |  |  |   |   |   |   |   |   |  |
| 10031591                      | CHOCOLATE BROWN         | CARBON TOE    | <a href="#">21</a>  |  |  |  |  | X |  |  |  |  |   | X |  |  |   |   |   |   |   |   |  |
| 10050826                      | DUSTED BROWN            | N/A           | <a href="#">21</a>  |  |  |  |  | X |  |  |  |  |   | X |  |  |   |   |   |   |   |   |  |
| <b>ENDEAVOR 8" H20</b>        |                         |               |                     |  |  |  |  |   |  |  |  |  |   |   |  |  |   |   |   |   |   |   |  |
| 10038373                      | CHOCOLATE BROWN         | CARBON TOE    | <a href="#">22</a>  |  |  |  |  | X |  |  |  |  |   | X |  |  |   |   |   |   |   |   |  |

REFERENCE



# Sizing Reference MEN'S WORK EXTRA SIZES

MEN'S WORK EXTRA SIZES (CONT.)

| MEN'S WORK EXTRA SIZES (CONT.)               |                                   |               |                     | D |     |   |     |    | EE |   |   |   |     | B  |    |   |     |    |      |    |      |    |    |
|----------------------------------------------|-----------------------------------|---------------|---------------------|---|-----|---|-----|----|----|---|---|---|-----|----|----|---|-----|----|------|----|------|----|----|
| STYLE                                        | COLOR                             | SAFETY TOE    | PAGE                | 5 | 5.5 | 6 | 6.5 | 15 | 16 | 4 | 5 | 6 | 6.5 | 15 | 16 | 9 | 9.5 | 10 | 10.5 | 11 | 11.5 | 12 | 13 |
| ENDEAVOR 8" H2O 400G                         |                                   |               |                     |   |     |   |     |    |    |   |   |   |     |    |    |   |     |    |      |    |      |    |    |
| 10053775                                     | DUSTED BROWN                      | N/A           | <a href="#">22</a>  |   |     |   |     | X  |    |   |   |   |     | X  |    |   |     |    |      |    |      |    |    |
| 10053571                                     | DUSTED BROWN                      | CARBON TOE    | <a href="#">22</a>  |   |     |   |     | X  |    |   |   |   |     | X  |    |   |     |    |      |    |      |    |    |
| GROUNDBREAKER MET GUARD                      |                                   |               |                     |   |     |   |     |    |    |   |   |   |     |    |    |   |     |    |      |    |      |    |    |
| 10036107                                     | BROWN                             | STEEL TOE     | <a href="#">52</a>  |   |     |   |     | X  |    |   |   |   |     | X  |    |   |     |    |      |    |      |    |    |
| GROUNDBREAKER WIDE SQUARE TOE                |                                   |               |                     |   |     |   |     |    |    |   |   |   |     |    |    |   |     |    |      |    |      |    |    |
| 10020059                                     | BROWN                             | N/A           | <a href="#">107</a> |   |     | X | X   | X  |    |   |   | X | X   | X  |    |   |     |    |      |    |      |    |    |
| INTREPID™ VENTTEK™                           |                                   |               |                     |   |     |   |     |    |    |   |   |   |     |    |    |   |     |    |      |    |      |    |    |
| 10023042                                     | BRUIN BROWN/SASSY ORANGE          | COMPOSITE TOE | <a href="#">75</a>  |   |     |   |     | X  |    |   |   |   |     | X  |    |   |     |    |      |    |      |    |    |
| 10020072                                     | COCOA BROWN/WORK ORANGE           | COMPOSITE TOE | <a href="#">72</a>  |   |     |   |     | X  |    |   |   |   |     | X  |    |   |     |    |      |    |      |    |    |
| IRONSIDE SQUARE TOE                          |                                   |               |                     |   |     |   |     |    |    |   |   |   |     |    |    |   |     |    |      |    |      |    |    |
| 10063891                                     | BROWN CROCO PRINT/<br>BRAVO BROWN | STEEL TOE     | <a href="#">97</a>  |   |     |   |     | X  |    |   |   |   |     | X  |    |   |     |    |      |    |      |    |    |
| 10063892                                     | BLACK DRAGON PRINT/<br>BLACK      | STEEL TOE     | <a href="#">97</a>  |   |     |   |     | X  |    |   |   |   |     | X  |    |   |     |    |      |    |      |    |    |
| 10061252                                     | DARK EARTH/BRICK                  | STEEL TOE     | <a href="#">97</a>  |   |     |   |     | X  |    |   |   |   |     | X  |    |   |     |    |      |    |      |    |    |
| 10061251                                     | ALAMO BROWN/TAN                   | STEEL TOE     | <a href="#">97</a>  |   |     |   |     | X  |    |   |   |   |     | X  |    |   |     |    |      |    |      |    |    |
| LOGGER SHOCK SHIELD® H2O                     |                                   |               |                     |   |     |   |     |    |    |   |   |   |     |    |    |   |     |    |      |    |      |    |    |
| 10050842                                     | BLACK                             | N/A           | <a href="#">25</a>  | X | X   | X | X   | X  | X  |   |   | X | X   | X  |    |   |     |    |      |    |      |    |    |
| 10050841                                     | COPPER BROWN                      | N/A           | <a href="#">25</a>  | X | X   | X | X   | X  | X  |   |   | X | X   | X  |    |   |     |    |      |    |      |    |    |
| 10050840                                     | COPPER BROWN                      | COMPOSITE TOE | <a href="#">25</a>  | X | X   | X | X   | X  | X  |   |   | X | X   | X  |    |   |     |    |      |    |      |    |    |
| LOGGER SHOCK SHIELD® H2O 400G                |                                   |               |                     |   |     |   |     |    |    |   |   |   |     |    |    |   |     |    |      |    |      |    |    |
| 10053569                                     | COPPER BROWN                      | N/A           | <a href="#">25</a>  | X | X   | X | X   | X  | X  |   |   | X | X   | X  |    |   |     |    |      |    |      |    |    |
| 10053570                                     | COPPER BROWN                      | COMPOSITE TOE | <a href="#">25</a>  | X | X   | X | X   | X  | X  |   |   | X | X   | X  |    |   |     |    |      |    |      |    |    |
| LONGVIEW SHOCK SHIELD® H2O                   |                                   |               |                     |   |     |   |     |    |    |   |   |   |     |    |    |   |     |    |      |    |      |    |    |
| 10053818                                     | COPPER BROWN                      | N/A           | <a href="#">25</a>  | X | X   | X | X   | X  | X  |   |   | X | X   | X  |    |   |     |    |      |    |      |    |    |
| 10053817                                     | COPPER BROWN                      | COMPOSITE TOE | <a href="#">25</a>  | X | X   | X | X   | X  | X  |   |   | X | X   | X  |    |   |     |    |      |    |      |    |    |
| LONGVIEW SHOCK SHIELD® PULL-ON H2O           |                                   |               |                     |   |     |   |     |    |    |   |   |   |     |    |    |   |     |    |      |    |      |    |    |
| 10063853                                     | RYE BROWN                         | COMPOSITE TOE | <a href="#">26</a>  |   |     |   |     | X  |    |   |   |   |     | X  |    |   |     |    |      |    |      |    |    |
| LONGVIEW SHOCK SHIELD® PULL-ON MET GUARD H2O |                                   |               |                     |   |     |   |     |    |    |   |   |   |     |    |    |   |     |    |      |    |      |    |    |
| 10063852                                     | OILY DISTRESSED BROWN             | COMPOSITE TOE | <a href="#">26</a>  |   |     |   |     | X  |    |   |   |   |     | X  |    |   |     |    |      |    |      |    |    |
| OUTMATCH                                     |                                   |               |                     |   |     |   |     |    |    |   |   |   |     |    |    |   |     |    |      |    |      |    |    |
| 10074280                                     | BROWN BOMBER                      | COMPOSITE TOE | <a href="#">64</a>  |   |     |   |     | X  |    |   |   |   |     | X  |    |   |     |    |      |    |      |    |    |
| 10074281                                     | BLACK                             | COMPOSITE TOE | <a href="#">64</a>  |   |     |   |     | X  |    |   |   |   |     | X  |    |   |     |    |      |    |      |    |    |
| OUTMATCH MID                                 |                                   |               |                     |   |     |   |     |    |    |   |   |   |     |    |    |   |     |    |      |    |      |    |    |
| 10074282                                     | BROWN BOMBER                      | COMPOSITE TOE | <a href="#">64</a>  |   |     |   |     | X  |    |   |   |   |     | X  |    |   |     |    |      |    |      |    |    |
| 10074283                                     | BLACK                             | COMPOSITE TOE | <a href="#">64</a>  |   |     |   |     | X  |    |   |   |   |     | X  |    |   |     |    |      |    |      |    |    |
| OUTMATCH SD                                  |                                   |               |                     |   |     |   |     |    |    |   |   |   |     |    |    |   |     |    |      |    |      |    |    |
| 10074215                                     | GREY                              | COMPOSITE TOE | <a href="#">65</a>  |   |     |   |     | X  |    |   |   |   |     | X  |    |   |     |    |      |    |      |    |    |
| OUTPACE® SHIFT 6" SD H2O                     |                                   |               |                     |   |     |   |     |    |    |   |   |   |     |    |    |   |     |    |      |    |      |    |    |
| 10060891                                     | NATURAL BROWN                     | COMPOSITE TOE | <a href="#">68</a>  | X | X   | X | X   | X  | X  |   |   | X | X   | X  |    |   |     |    |      |    |      |    |    |
| OUTPACE®                                     |                                   |               |                     |   |     |   |     |    |    |   |   |   |     |    |    |   |     |    |      |    |      |    |    |
| 10040283                                     | BLACK                             | COMPOSITE TOE | <a href="#">70</a>  |   |     |   |     | X  |    |   |   |   |     | X  |    |   |     |    |      |    |      |    |    |



# Sizing Reference MEN'S WORK EXTRA SIZES

MEN'S WORK EXTRA SIZES (CONT.)

| MEN'S WORK EXTRA SIZES (CONT.) |                                      |               |                    | D |     |   |     |    |    |   | EE |   |     |    |    |   | B   |    |      |    |      |    |    |  |  |  |
|--------------------------------|--------------------------------------|---------------|--------------------|---|-----|---|-----|----|----|---|----|---|-----|----|----|---|-----|----|------|----|------|----|----|--|--|--|
| STYLE                          | COLOR                                | SAFETY TOE    | PAGE               | 5 | 5.5 | 6 | 6.5 | 15 | 16 | 4 | 5  | 6 | 6.5 | 15 | 16 | 9 | 9.5 | 10 | 10.5 | 11 | 11.5 | 12 | 13 |  |  |  |
| OUTPACE® SHIFT                 |                                      |               |                    |   |     |   |     |    |    |   |    |   |     |    |    |   |     |    |      |    |      |    |    |  |  |  |
| 10047027                       | BLACK                                | N/A           | <a href="#">69</a> |   |     |   |     | X  |    |   |    |   |     | X  |    |   |     |    |      |    |      |    |    |  |  |  |
| 10047026                       | BLACK                                | COMPOSITE TOE | <a href="#">69</a> |   |     |   |     | X  |    |   |    |   |     | X  |    |   |     |    |      |    |      |    |    |  |  |  |
| 10047025                       | CAMO                                 | COMPOSITE TOE | <a href="#">69</a> |   |     |   |     | X  |    |   |    |   |     | X  |    |   |     |    |      |    |      |    |    |  |  |  |
| OUTPACE® SHIFT H2O             |                                      |               |                    |   |     |   |     |    |    |   |    |   |     |    |    |   |     |    |      |    |      |    |    |  |  |  |
| 10053619                       | BLACK                                | COMPOSITE TOE | <a href="#">68</a> |   |     |   |     | X  |    |   |    |   |     | X  |    |   |     |    |      |    |      |    |    |  |  |  |
| OUTPACE® SHIFT MID             |                                      |               |                    |   |     |   |     |    |    |   |    |   |     |    |    |   |     |    |      |    |      |    |    |  |  |  |
| 10050844                       | DARK SHADOW                          | COMPOSITE TOE | <a href="#">68</a> |   |     |   |     | X  |    |   |    |   |     | X  |    |   |     |    |      |    |      |    |    |  |  |  |
| POWERLINE 8" H2O               |                                      |               |                    |   |     |   |     |    |    |   |    |   |     |    |    |   |     |    |      |    |      |    |    |  |  |  |
| 10018566                       | OILY DISTRESSED BROWN                | COMPOSITE TOE | <a href="#">23</a> |   |     |   |     | X  |    |   |    |   |     | X  |    |   |     |    |      |    |      |    |    |  |  |  |
| REBAR® LIFT 6" H2O             |                                      |               |                    |   |     |   |     |    |    |   |    |   |     |    |    |   |     |    |      |    |      |    |    |  |  |  |
| 10063919                       | BLACK                                | N/A           | <a href="#">45</a> |   |     | X | X   | X  |    |   |    |   | X   | X  | X  |   |     |    |      |    |      |    |    |  |  |  |
| 10063920                       | BLACK                                | COMPOSITE TOE | <a href="#">45</a> |   |     | X | X   | X  |    |   |    |   | X   | X  | X  |   |     |    |      |    |      |    |    |  |  |  |
| 10046877                       | DISTRESSED BROWN                     | N/A           | <a href="#">45</a> |   |     | X | X   | X  |    |   |    |   | X   | X  | X  |   |     |    |      |    |      |    |    |  |  |  |
| 10046876                       | DISTRESSED BROWN                     | COMPOSITE TOE | <a href="#">45</a> |   |     | X | X   | X  |    |   |    |   | X   | X  | X  |   |     |    |      |    |      |    |    |  |  |  |
| REBAR® LIFT 8" H2O             |                                      |               |                    |   |     |   |     |    |    |   |    |   |     |    |    |   |     |    |      |    |      |    |    |  |  |  |
| 10047029                       | DISTRESSED BROWN                     | N/A           | <a href="#">45</a> |   |     | X | X   | X  |    |   |    |   | X   | X  | X  |   |     |    |      |    |      |    |    |  |  |  |
| 10047028                       | DISTRESSED BROWN                     | COMPOSITE TOE | <a href="#">45</a> |   |     | X | X   | X  |    |   |    |   | X   | X  | X  |   |     |    |      |    |      |    |    |  |  |  |
| REBAR® LIFT CHUKKA             |                                      |               |                    |   |     |   |     |    |    |   |    |   |     |    |    |   |     |    |      |    |      |    |    |  |  |  |
| 10050836                       | DISTRESSED BROWN                     | N/A           | <a href="#">46</a> |   |     | X | X   | X  |    |   |    |   | X   | X  | X  |   |     |    |      |    |      |    |    |  |  |  |
| 10050837                       | DISTRESSED BROWN                     | COMPOSITE TOE | <a href="#">46</a> |   |     | X | X   | X  |    |   |    |   | X   | X  | X  |   |     |    |      |    |      |    |    |  |  |  |
| 10053587                       | DISTRESSED BROWN/<br>SHARKSKIN PRINT | N/A           | <a href="#">46</a> |   |     | X | X   | X  |    |   |    |   | X   | X  | X  |   |     |    |      |    |      |    |    |  |  |  |
| 10053586                       | DISTRESSED BROWN/<br>SHARKSKIN PRINT | COMPOSITE TOE | <a href="#">46</a> |   |     | X | X   | X  |    |   |    |   | X   | X  | X  |   |     |    |      |    |      |    |    |  |  |  |
| REBAR® LIFT CHUKKA H2O         |                                      |               |                    |   |     |   |     |    |    |   |    |   |     |    |    |   |     |    |      |    |      |    |    |  |  |  |
| 10050846                       | DISTRESSED BROWN                     | N/A           | <a href="#">46</a> |   |     | X | X   | X  |    |   |    |   | X   | X  | X  |   |     |    |      |    |      |    |    |  |  |  |
| REBAR® LIFT CHUKKA MET GUARD   |                                      |               |                    |   |     |   |     |    |    |   |    |   |     |    |    |   |     |    |      |    |      |    |    |  |  |  |
| 10063850                       | DISTRESSED BROWN                     | COMPOSITE TOE | <a href="#">45</a> |   |     |   |     | X  |    |   |    |   |     | X  |    |   |     |    |      |    |      |    |    |  |  |  |
| REBAR® LIFT PULL ON MOC TOE    |                                      |               |                    |   |     |   |     |    |    |   |    |   |     |    |    |   |     |    |      |    |      |    |    |  |  |  |
| 10061286                       | DISTRESSED BROWN                     | N/A           | <a href="#">46</a> |   |     | X | X   | X  |    |   |    |   | X   | X  | X  |   |     |    |      |    |      |    |    |  |  |  |
| 10061114                       | DISTRESSED BROWN                     | COMPOSITE TOE | <a href="#">46</a> |   |     | X | X   | X  |    |   |    |   | X   | X  | X  |   |     |    |      |    |      |    |    |  |  |  |
| REBAR® WEDGE CHELSEA H2O       |                                      |               |                    |   |     |   |     |    |    |   |    |   |     |    |    |   |     |    |      |    |      |    |    |  |  |  |
| 10061116                       | DISTRESSED BROWN                     | N/A           | <a href="#">48</a> |   |     | X | X   | X  |    |   |    |   | X   | X  | X  |   |     |    |      |    |      |    |    |  |  |  |
| 10061115                       | DISTRESSED BROWN                     | COMPOSITE TOE | <a href="#">48</a> |   |     | X | X   | X  |    |   |    |   | X   | X  | X  |   |     |    |      |    |      |    |    |  |  |  |
| REBAR® WEDGE MOC TOE 6" H2O    |                                      |               |                    |   |     |   |     |    |    |   |    |   |     |    |    |   |     |    |      |    |      |    |    |  |  |  |
| 10053614                       | DISTRESSED BROWN                     | N/A           | <a href="#">48</a> |   |     | X | X   | X  |    |   |    |   | X   | X  | X  |   |     |    |      |    |      |    |    |  |  |  |
| 10053615                       | DISTRESSED BROWN                     | COMPOSITE TOE | <a href="#">48</a> |   |     | X | X   | X  |    |   |    |   | X   | X  | X  |   |     |    |      |    |      |    |    |  |  |  |
| REBAR® WEDGE PULL-ON H2O       |                                      |               |                    |   |     |   |     |    |    |   |    |   |     |    |    |   |     |    |      |    |      |    |    |  |  |  |
| 10053612                       | DISTRESSED BROWN                     | N/A           | <a href="#">49</a> |   |     | X | X   | X  |    |   |    |   | X   | X  | X  |   |     |    |      |    |      |    |    |  |  |  |
| 10053613                       | DISTRESSED BROWN                     | COMPOSITE TOE | <a href="#">49</a> |   |     | X | X   | X  |    |   |    |   | X   | X  | X  |   |     |    |      |    |      |    |    |  |  |  |
| RIGTEK™ 6" H2O CSA®            |                                      |               |                    |   |     |   |     |    |    |   |    |   |     |    |    |   |     |    |      |    |      |    |    |  |  |  |
| 10045418                       | OILY DISTRESSED BROWN                | COMPOSITE TOE | <a href="#">30</a> |   |     | X | X   | X  |    | X | X  | X | X   | X  |    |   |     |    |      |    |      |    |    |  |  |  |

REFERENCE



## Sizing Reference MEN'S WORK EXTRA SIZES

## MEN'S WORK EXTRA SIZES (CONT.)

| MEN'S WORK EXTRA SIZES (CONT.)               |                        |               |                    | D |     |   |     |    |    |   | EE |   |     |    |    |   | B   |    |      |    |      |    |    |  |
|----------------------------------------------|------------------------|---------------|--------------------|---|-----|---|-----|----|----|---|----|---|-----|----|----|---|-----|----|------|----|------|----|----|--|
| STYLE                                        | COLOR                  | SAFETY TOE    | PAGE               | 5 | 5.5 | 6 | 6.5 | 15 | 16 | 4 | 5  | 6 | 6.5 | 15 | 16 | 9 | 9.5 | 10 | 10.5 | 11 | 11.5 | 12 | 13 |  |
| RIGTEK™ 8" H2O CSA®                          |                        |               |                    |   |     |   |     |    |    |   |    |   |     |    |    |   |     |    |      |    |      |    |    |  |
| 10035989                                     | OILY DISTRESSED BROWN  | COMPOSITE TOE | <a href="#">30</a> |   |     | X | X   | X  |    | X | X  | X | X   | X  |    |   |     |    |      |    |      |    |    |  |
| RIGTEK™ PULL-ON H2O CSA®                     |                        |               |                    |   |     |   |     |    |    |   |    |   |     |    |    |   |     |    |      |    |      |    |    |  |
| 10035988                                     | OILY DISTRESSED BROWN  | COMPOSITE TOE | <a href="#">31</a> |   |     | X | X   | X  |    | X | X  | X | X   | X  |    |   |     |    |      |    |      |    |    |  |
| SIERRA SHOCK SHIELD® PATRIOT WIDE SQUARE TOE |                        |               |                    |   |     |   |     |    |    |   |    |   |     |    |    |   |     |    |      |    |      |    |    |  |
| 10044505                                     | DISTRESSED BROWN       | N/A           | <a href="#">95</a> |   |     |   |     | X  |    |   |    |   |     | X  |    |   |     |    |      |    |      |    |    |  |
| 10044426                                     | DISTRESSED BROWN       | STEEL TOE     | <a href="#">95</a> |   |     |   |     | X  |    |   |    |   |     | X  |    |   |     |    |      |    |      |    |    |  |
| SIERRA SHOCK SHIELD® WIDE SQUARE TOE         |                        |               |                    |   |     |   |     |    |    |   |    |   |     |    |    |   |     |    |      |    |      |    |    |  |
| 10042555                                     | DARK BROWN/GRASS GREEN | N/A           | <a href="#">94</a> |   |     |   |     | X  |    |   |    |   |     | X  |    |   |     |    |      |    |      |    |    |  |
| 10042541                                     | DARK BROWN/GRASS GREEN | STEEL TOE     | <a href="#">94</a> |   |     |   |     | X  |    |   |    |   |     | X  |    |   |     |    |      |    |      |    |    |  |
| 10046929                                     | BLACK                  | STEEL TOE     | <a href="#">94</a> |   |     |   |     | X  |    |   |    |   |     | X  |    |   |     |    |      |    |      |    |    |  |
| SIERRA SHOCK SHIELD® WIDE SQUARE TOE H2O     |                        |               |                    |   |     |   |     |    |    |   |    |   |     |    |    |   |     |    |      |    |      |    |    |  |
| 10044545                                     | DISTRESSED BROWN       | N/A           | <a href="#">94</a> |   |     |   |     | X  |    |   |    |   |     | X  |    |   |     |    |      |    |      |    |    |  |
| 10044544                                     | DISTRESSED BROWN       | STEEL TOE     | <a href="#">94</a> |   |     |   |     | X  |    |   |    |   |     | X  |    |   |     |    |      |    |      |    |    |  |
| STUMP JUMPER™ 6" BOA® H2O                    |                        |               |                    |   |     |   |     |    |    |   |    |   |     |    |    |   |     |    |      |    |      |    |    |  |
| 10048060                                     | IRON COFFEE            | COMPOSITE TOE | <a href="#">28</a> |   |     |   |     | X  |    |   |    |   |     | X  |    |   |     |    |      |    |      |    |    |  |
| STUMP JUMPER™ 8" BOA® H2O                    |                        |               |                    |   |     |   |     |    |    |   |    |   |     |    |    |   |     |    |      |    |      |    |    |  |
| 10048059                                     | IRON COFFEE            | COMPOSITE TOE | <a href="#">28</a> |   |     |   |     | X  |    |   |    |   |     | X  |    |   |     |    |      |    |      |    |    |  |
| STUMP JUMPER™ 8" H2O 600G CSA® GLACIER GRIP™ |                        |               |                    |   |     |   |     |    |    |   |    |   |     |    |    |   |     |    |      |    |      |    |    |  |
| 10038283                                     | IRON COFFEE            | COMPOSITE TOE | <a href="#">29</a> |   |     |   |     | X  |    |   |    |   |     | X  |    |   |     |    |      |    |      |    |    |  |
| STUMP JUMPER™ PULL-ON BOA® H2O               |                        |               |                    |   |     |   |     |    |    |   |    |   |     |    |    |   |     |    |      |    |      |    |    |  |
| 10048061                                     | IRON COFFEE            | COMPOSITE TOE | <a href="#">28</a> |   |     |   |     | X  |    |   |    |   |     | X  |    |   |     |    |      |    |      |    |    |  |
| STUMP JUMPER™ PULL-ON H2O                    |                        |               |                    |   |     |   |     |    |    |   |    |   |     |    |    |   |     |    |      |    |      |    |    |  |
| 10038282                                     | IRON COFFEE            | COMPOSITE TOE | <a href="#">28</a> |   |     |   |     | X  |    |   |    |   |     | X  |    |   |     |    |      |    |      |    |    |  |
| TREADFAST 6"                                 |                        |               |                    |   |     |   |     |    |    |   |    |   |     |    |    |   |     |    |      |    |      |    |    |  |
| 10034672                                     | DISTRESSED BROWN       | N/A           | <a href="#">54</a> |   |     | X | X   | X  |    |   |    |   | X   | X  | X  |   |     |    |      |    |      |    |    |  |
| 10034671                                     | DISTRESSED BROWN       | STEEL TOE     | <a href="#">54</a> |   |     | X | X   | X  |    |   |    |   | X   | X  | X  |   |     |    |      |    |      |    |    |  |
| TREADFAST 6" H2O                             |                        |               |                    |   |     |   |     |    |    |   |    |   |     |    |    |   |     |    |      |    |      |    |    |  |
| 10040266                                     | DARK BROWN             | N/A           | <a href="#">54</a> |   |     | X | X   | X  |    |   |    |   | X   | X  | X  |   |     |    |      |    |      |    |    |  |
| 10034673                                     | DARK BROWN             | STEEL TOE     | <a href="#">54</a> |   |     | X | X   | X  |    |   |    |   | X   | X  | X  |   |     |    |      |    |      |    |    |  |
| TREADFAST 8" H2O                             |                        |               |                    |   |     |   |     |    |    |   |    |   |     |    |    |   |     |    |      |    |      |    |    |  |
| 10042484                                     | DARK BROWN             | N/A           | <a href="#">54</a> |   |     | X | X   | X  |    |   |    |   | X   | X  | X  |   |     |    |      |    |      |    |    |  |
| 10042496                                     | DARK BROWN             | STEEL TOE     | <a href="#">54</a> |   |     | X | X   | X  |    |   |    |   | X   | X  | X  |   |     |    |      |    |      |    |    |  |
| TREADFAST TEMPER 6" MET GUARD H2O CSA®       |                        |               |                    |   |     |   |     |    |    |   |    |   |     |    |    |   |     |    |      |    |      |    |    |  |
| 10053574                                     | BLACK                  | COMPOSITE TOE | <a href="#">54</a> |   |     | X | X   | X  |    |   |    |   | X   | X  | X  |   |     |    |      |    |      |    |    |  |
| TURBO 6" H2O CSA®                            |                        |               |                    |   |     |   |     |    |    |   |    |   |     |    |    |   |     |    |      |    |      |    |    |  |
| 10052209                                     | RICH BROWN             | CARBON TOE    | <a href="#">40</a> |   |     | X | X   | X  |    | X | X  | X | X   | X  |    |   |     |    |      |    |      |    |    |  |
| TURBO DURATREAD™ 8" H2O                      |                        |               |                    |   |     |   |     |    |    |   |    |   |     |    |    |   |     |    |      |    |      |    |    |  |
| 10074264                                     | RICH BROWN             | N/A           | <a href="#">36</a> |   |     |   |     | X  |    |   |    |   |     | X  |    |   |     |    |      |    |      |    |    |  |
| 10074263                                     | RICH BROWN             | CARBON TOE    | <a href="#">36</a> |   |     |   |     | X  |    |   |    |   |     | X  |    |   |     |    |      |    |      |    |    |  |



# Sizing Reference MEN'S WORK EXTRA SIZES

MEN'S WORK EXTRA SIZES (CONT.)

| MEN'S WORK EXTRA SIZES (CONT.)   |                                     |               |                    | D |     |   |     |    |    |   |   | EE |     |    |    |   |     | B  |      |    |      |    |    |  |  |  |  |
|----------------------------------|-------------------------------------|---------------|--------------------|---|-----|---|-----|----|----|---|---|----|-----|----|----|---|-----|----|------|----|------|----|----|--|--|--|--|
| STYLE                            | COLOR                               | SAFETY TOE    | PAGE               | 5 | 5.5 | 6 | 6.5 | 15 | 16 | 4 | 5 | 6  | 6.5 | 15 | 16 | 9 | 9.5 | 10 | 10.5 | 11 | 11.5 | 12 | 13 |  |  |  |  |
| TURBO DURATREAD™ PULL ON H2O     |                                     |               |                    |   |     |   |     |    |    |   |   |    |     |    |    |   |     |    |      |    |      |    |    |  |  |  |  |
| 10074292                         | DARK BROWN                          | CARBON TOE    | <a href="#">36</a> |   |     |   |     | X  |    |   |   |    |     | X  |    |   |     |    |      |    |      |    |    |  |  |  |  |
| TURBO DURATREAD™ PULL ON SD      |                                     |               |                    |   |     |   |     |    |    |   |   |    |     |    |    |   |     |    |      |    |      |    |    |  |  |  |  |
| 10074209                         | DARK BROWN                          | CARBON TOE    | <a href="#">36</a> |   |     |   |     | X  |    |   |   |    |     | X  |    |   |     |    |      |    |      |    |    |  |  |  |  |
| TURBO DURATREAD™ 6" H2O          |                                     |               |                    |   |     |   |     |    |    |   |   |    |     |    |    |   |     |    |      |    |      |    |    |  |  |  |  |
| 10054293                         | DARK BROWN                          | N/A           | <a href="#">36</a> |   |     |   |     | X  |    |   |   |    |     | X  |    |   |     |    |      |    |      |    |    |  |  |  |  |
| 10054294                         | DARK BROWN                          | CARBON TOE    | <a href="#">36</a> |   |     |   |     | X  |    |   |   |    |     | X  |    |   |     |    |      |    |      |    |    |  |  |  |  |
| TURBO DURATREAD™ XTR 6" H2O      |                                     |               |                    |   |     |   |     |    |    |   |   |    |     |    |    |   |     |    |      |    |      |    |    |  |  |  |  |
| 10054292                         | NATURAL BROWN                       | N/A           | <a href="#">37</a> |   |     |   |     | X  |    |   |   |    |     | X  |    |   |     |    |      |    |      |    |    |  |  |  |  |
| 10054291                         | NATURAL BROWN                       | CARBON TOE    | <a href="#">37</a> |   |     |   |     | X  |    |   |   |    |     | X  |    |   |     |    |      |    |      |    |    |  |  |  |  |
| TURBO OUTLAW 6" H2O CSA®         |                                     |               |                    |   |     |   |     |    |    |   |   |    |     |    |    |   |     |    |      |    |      |    |    |  |  |  |  |
| 10045417                         | RICH BROWN                          | CARBON TOE    | <a href="#">41</a> |   |     | X | X   | X  |    | X | X | X  | X   | X  |    |   |     |    |      |    |      |    |    |  |  |  |  |
| WORKHOG® PULL-ON                 |                                     |               |                    |   |     |   |     |    |    |   |   |    |     |    |    |   |     |    |      |    |      |    |    |  |  |  |  |
| 10001188                         | AGED BARK/ARMY GREEN                | N/A           | <a href="#">86</a> |   |     |   |     | X  |    |   |   |    |     |    |    |   |     | X  | X    | X  | X    | X  | X  |  |  |  |  |
| 10001191                         | AGED BARK/ARMY GREEN                | COMPOSITE TOE | <a href="#">86</a> |   |     |   |     | X  |    |   |   |    |     |    |    |   |     | X  | X    | X  | X    | X  | X  |  |  |  |  |
| WORKHOG® PULL-ON H2O             |                                     |               |                    |   |     |   |     |    |    |   |   |    |     |    |    |   |     |    |      |    |      |    |    |  |  |  |  |
| 10008633                         | AGED BARK/ARMY GREEN                | N/A           | <a href="#">87</a> |   |     |   |     |    |    |   |   |    |     |    |    |   |     | X  | X    | X  | X    | X  | X  |  |  |  |  |
| 10008635                         | AGED BARK/ARMY GREEN                | COMPOSITE TOE | <a href="#">87</a> |   |     |   |     |    |    |   |   |    |     |    |    |   |     | X  | X    | X  | X    | X  | X  |  |  |  |  |
| WORKHOG® WIDE SQUARE TOE         |                                     |               |                    |   |     |   |     |    |    |   |   |    |     |    |    |   |     |    |      |    |      |    |    |  |  |  |  |
| 10005888                         | DARK EARTH/BRICK                    | N/A           | <a href="#">85</a> |   |     | X | X   | X  |    |   |   | X  | X   | X  |    |   |     | X  | X    | X  | X    | X  | X  |  |  |  |  |
| 10006961                         | DARK EARTH/BRICK                    | STEEL TOE     | <a href="#">85</a> |   |     | X | X   | X  |    |   |   | X  | X   | X  |    |   |     | X  | X    | X  | X    | X  | X  |  |  |  |  |
| WORKHOG® WIDE SQUARE TOE H2O     |                                     |               |                    |   |     |   |     |    |    |   |   |    |     |    |    |   |     |    |      |    |      |    |    |  |  |  |  |
| 10017436                         | BRUIN BROWN/COFFEE                  | N/A           | <a href="#">86</a> |   |     |   |     |    |    |   |   |    |     |    |    |   |     | X  | X    | X  | X    | X  | X  |  |  |  |  |
| 10017420                         | BRUIN BROWN/COFFEE                  | COMPOSITE TOE | <a href="#">86</a> |   |     |   |     |    |    |   |   |    |     |    |    |   |     | X  | X    | X  | X    | X  | X  |  |  |  |  |
| WORKHOG® XT 8" BOA® H2O          |                                     |               |                    |   |     |   |     |    |    |   |   |    |     |    |    |   |     |    |      |    |      |    |    |  |  |  |  |
| 10038922                         | CHOCOLATE BROWN                     | CARBON TOE    | <a href="#">78</a> |   |     |   |     | X  |    |   |   |    |     | X  |    |   |     |    |      |    |      |    |    |  |  |  |  |
| WORKHOG® XT BOLT SKULL H2O       |                                     |               |                    |   |     |   |     |    |    |   |   |    |     |    |    |   |     |    |      |    |      |    |    |  |  |  |  |
| 10074286                         | IRON COFFEE/BLACK                   | N/A           | <a href="#">79</a> |   |     |   |     | X  |    |   |   |    |     | X  |    |   |     |    |      |    |      |    |    |  |  |  |  |
| 10074207                         | IRON COFFEE/BLACK                   | CARBON TOE    | <a href="#">79</a> |   |     |   |     | X  |    |   |   |    |     | X  |    |   |     |    |      |    |      |    |    |  |  |  |  |
| WORKHOG® XT COIL WIDE SQUARE TOE |                                     |               |                    |   |     |   |     |    |    |   |   |    |     |    |    |   |     |    |      |    |      |    |    |  |  |  |  |
| 10074160                         | EARTH/BLACK                         | CARBON TOE    | <a href="#">80</a> |   |     |   |     | X  |    |   |   |    |     | X  |    |   |     |    |      |    |      |    |    |  |  |  |  |
| WORKHOG® XT COTTONWOOD           |                                     |               |                    |   |     |   |     |    |    |   |   |    |     |    |    |   |     |    |      |    |      |    |    |  |  |  |  |
| 10038320                         | BROWN OILED ROWDY/<br>MIDNIGHT BLUE | N/A           | <a href="#">81</a> |   |     |   |     | X  |    |   |   |    |     | X  |    |   |     |    |      |    |      |    |    |  |  |  |  |
| 10038323                         | DARK EARTH/BRICK                    | N/A           | <a href="#">81</a> |   |     |   |     | X  |    |   |   |    |     | X  |    |   |     | X  | X    | X  | X    | X  | X  |  |  |  |  |
| 10038316                         | DARK EARTH/BRICK                    | CARBON TOE    | <a href="#">81</a> |   |     |   |     | X  |    |   |   |    |     | X  |    |   |     | X  | X    | X  | X    | X  | X  |  |  |  |  |
| WORKHOG® XT PATRIOT H2O          |                                     |               |                    |   |     |   |     |    |    |   |   |    |     |    |    |   |     |    |      |    |      |    |    |  |  |  |  |
| 10036002                         | DISTRESSED BROWN                    | N/A           | <a href="#">79</a> |   |     |   |     | X  |    |   |   |    |     | X  |    |   |     |    |      |    |      |    |    |  |  |  |  |
| WORKHOG® XT PHOENIX              |                                     |               |                    |   |     |   |     |    |    |   |   |    |     |    |    |   |     |    |      |    |      |    |    |  |  |  |  |
| 10046931                         | DISTRESSED BROWN                    | CARBON TOE    | <a href="#">80</a> |   |     |   |     | X  |    |   |   |    |     | X  |    |   |     |    |      |    |      |    |    |  |  |  |  |
| WORKHOG® XT VENTTEK™ BOLD H2O    |                                     |               |                    |   |     |   |     |    |    |   |   |    |     |    |    |   |     |    |      |    |      |    |    |  |  |  |  |
| 10035881                         | IRON/ACID                           | CARBON TOE    | <a href="#">78</a> |   |     |   |     | X  |    |   |   |    |     | X  |    |   |     |    |      |    |      |    |    |  |  |  |  |

REFERENCE



# Sizing Reference MEN'S WORK EXTRA SIZES / MEN'S WORK BIG RIG EXTRA SIZES

MEN'S WORK EXTRA SIZES (CONT.)

| MEN'S WORK EXTRA SIZES (CONT.)       |                              |            |                    | D |     |   |     |    |    | EE |   |   |     |    |    | B |     |    |      |    |      |    |    |
|--------------------------------------|------------------------------|------------|--------------------|---|-----|---|-----|----|----|----|---|---|-----|----|----|---|-----|----|------|----|------|----|----|
| STYLE                                | COLOR                        | SAFETY TOE | PAGE               | 5 | 5.5 | 6 | 6.5 | 15 | 16 | 4  | 5 | 6 | 6.5 | 15 | 16 | 9 | 9.5 | 10 | 10.5 | 11 | 11.5 | 12 | 13 |
| WORKHOG® XT VENTTEK™ H2O             |                              |            |                    |   |     |   |     |    |    |    |   |   |     |    |    |   |     |    |      |    |      |    |    |
| 10035984                             | RYE BROWN/STORM              | N/A        | <a href="#">79</a> |   |     |   |     | X  | X  |    |   |   |     | X  | X  |   |     |    |      |    |      |    |    |
| 10036005                             | RYE BROWN/STORM              | CARBON TOE | <a href="#">79</a> |   |     |   |     | X  | X  |    |   |   |     | X  | X  |   |     |    |      |    |      |    |    |
| 10044504                             | IRON COFFEE/SUNSET           | N/A        | <a href="#">79</a> |   |     |   |     | X  |    |    |   |   |     | X  |    |   |     |    |      |    |      |    |    |
| 10050835                             | IRON COFFEE/SUNSET           | CARBON TOE | <a href="#">79</a> |   |     |   |     | X  |    |    |   |   |     | X  |    |   |     |    |      |    |      |    |    |
| WORKHOG® XT WELLINGTON H2O           |                              |            |                    |   |     |   |     |    |    |    |   |   |     |    |    |   |     |    |      |    |      |    |    |
| 10050832                             | DISTRESSED BROWN             | N/A        | <a href="#">80</a> |   |     |   |     | X  |    |    |   |   |     | X  |    |   |     |    |      |    |      |    |    |
| 10050833                             | DISTRESSED BROWN             | CARBON TOE | <a href="#">80</a> |   |     |   |     | X  |    |    |   |   |     | X  |    |   |     |    |      |    |      |    |    |
| WORKHOG® XT WIDE SQUARE TOE BOA®     |                              |            |                    |   |     |   |     |    |    |    |   |   |     |    |    |   |     |    |      |    |      |    |    |
| 10038923                             | DARK EARTH/BLACK             | CARBON TOE | <a href="#">78</a> |   |     |   |     | X  |    |    |   |   |     | X  |    |   |     |    |      |    |      |    |    |
| WORKHOG® XT WIDE SQUARE TOE BOA® H2O |                              |            |                    |   |     |   |     |    |    |    |   |   |     |    |    |   |     |    |      |    |      |    |    |
| 10038924                             | BRUIN BROWN/DARK FOREST      | CARBON TOE | <a href="#">78</a> |   |     |   |     | X  |    |    |   |   |     | X  |    |   |     |    |      |    |      |    |    |
| WORKHOG® XT WIDE SQUARE TOE H2O      |                              |            |                    |   |     |   |     |    |    |    |   |   |     |    |    |   |     |    |      |    |      |    |    |
| 10031474                             | DISTRESSED BROWN/BRAVO BROWN | N/A        | <a href="#">81</a> |   |     |   |     | X  |    |    |   |   |     | X  |    |   |     |    |      |    |      |    |    |
| 10031483                             | DISTRESSED BROWN/BRAVO BROWN | CARBON TOE | <a href="#">81</a> |   |     |   |     | X  |    |    |   |   |     | X  |    |   |     |    |      |    |      |    |    |
| 10024971                             | TUMBLER BARK/DARK FOREST     | N/A        | <a href="#">81</a> |   |     |   |     | X  |    |    |   |   |     | X  |    |   |     |    |      |    |      |    |    |
| 10024966                             | TUMBLER BARK/DARK FOREST     | CARBON TOE | <a href="#">81</a> |   |     |   |     | X  |    |    |   |   |     | X  |    |   |     |    |      |    |      |    |    |
| 10024968                             | OILY DISTRESSED BROWN/BLACK  | CARBON TOE | <a href="#">81</a> |   |     |   |     | X  |    |    |   |   |     | X  |    |   |     |    |      |    |      |    |    |

MEN'S WORK BIG RIG EXTRA SIZES

|                        |                             |               |                    | EE |     |    |    |    |    | EEEE |     |   |     |    |      |    |      |    |    |    |    |    |  |  |  |
|------------------------|-----------------------------|---------------|--------------------|----|-----|----|----|----|----|------|-----|---|-----|----|------|----|------|----|----|----|----|----|--|--|--|
| STYLE                  | COLOR                       | SAFETY TOE    | PAGE               | 6  | 6.5 | 15 | 16 | 17 | 18 | 8    | 8.5 | 9 | 9.5 | 10 | 10.5 | 11 | 11.5 | 12 | 13 | 14 | 15 | 16 |  |  |  |
| BIG RIG                |                             |               |                    |    |     |    |    |    |    |      |     |   |     |    |      |    |      |    |    |    |    |    |  |  |  |
| 10033966               | IRON COFFEE/SLATE           | COMPOSITE TOE | <a href="#">91</a> | X  | X   | X  | X  | X  | X  | X    | X   | X | X   | X  | X    | X  | X    | X  | X  | X  | X  | X  |  |  |  |
| BIG RIG 6" H2O         |                             |               |                    |    |     |    |    |    |    |      |     |   |     |    |      |    |      |    |    |    |    |    |  |  |  |
| 10042550               | IRON COFFEE                 | COMPOSITE TOE | <a href="#">32</a> | X  | X   | X  | X  | X  | X  | X    | X   | X | X   | X  | X    | X  | X    | X  | X  | X  | X  | X  |  |  |  |
| BIG RIG 8" H2O         |                             |               |                    |    |     |    |    |    |    |      |     |   |     |    |      |    |      |    |    |    |    |    |  |  |  |
| 10053573               | IRON COFFEE                 | COMPOSITE TOE | <a href="#">32</a> | X  | X   | X  | X  | X  | X  | X    | X   | X | X   | X  | X    | X  | X    | X  | X  | X  | X  | X  |  |  |  |
| BIG RIG BOA® H2O       |                             |               |                    |    |     |    |    |    |    |      |     |   |     |    |      |    |      |    |    |    |    |    |  |  |  |
| 10053777               | IRON COFFEE/BLACK           | N/A           | <a href="#">91</a> | X  | X   | X  | X  | X  | X  | X    | X   | X | X   | X  | X    | X  | X    | X  | X  | X  | X  | X  |  |  |  |
| 10053617               | NATURAL TAN/BLACK           | COMPOSITE TOE | <a href="#">91</a> | X  | X   | X  | X  | X  | X  | X    | X   | X | X   | X  | X    | X  | X    | X  | X  | X  | X  | X  |  |  |  |
| BIG RIG CHELSEA H2O    |                             |               |                    |    |     |    |    |    |    |      |     |   |     |    |      |    |      |    |    |    |    |    |  |  |  |
| 10042545               | IRON COFFEE                 | N/A           | <a href="#">33</a> | X  | X   | X  | X  | X  | X  | X    | X   | X | X   | X  | X    | X  | X    | X  | X  | X  | X  | X  |  |  |  |
| 10042544               | IRON COFFEE                 | COMPOSITE TOE | <a href="#">33</a> | X  | X   | X  | X  | X  | X  | X    | X   | X | X   | X  | X    | X  | X    | X  | X  | X  | X  | X  |  |  |  |
| BIG RIG H2O            |                             |               |                    |    |     |    |    |    |    |      |     |   |     |    |      |    |      |    |    |    |    |    |  |  |  |
| 10033991               | DARK BROWN/DISTRESSED BROWN | N/A           | <a href="#">92</a> | X  | X   | X  | X  | X  | X  | X    | X   | X | X   | X  | X    | X  | X    | X  | X  | X  | X  | X  |  |  |  |
| 10033993               | DARK BROWN/DISTRESSED BROWN | COMPOSITE TOE | <a href="#">92</a> | X  | X   | X  | X  | X  | X  | X    | X   | X | X   | X  | X    | X  | X    | X  | X  | X  | X  | X  |  |  |  |
| BIG RIG TREAD VENTTEK™ |                             |               |                    |    |     |    |    |    |    |      |     |   |     |    |      |    |      |    |    |    |    |    |  |  |  |
| 10050828               | EARTH/GRAPHITE              | N/A           | <a href="#">91</a> | X  | X   | X  | X  | X  | X  | X    | X   | X | X   | X  | X    | X  | X    | X  | X  | X  | X  | X  |  |  |  |
| 10050834               | EARTH/GRAPHITE              | COMPOSITE TOE | <a href="#">91</a> | X  | X   | X  | X  | X  | X  | X    | X   | X | X   | X  | X    | X  | X    | X  | X  | X  | X  | X  |  |  |  |



# Sizing Reference WOMEN'S WORK EXTRA SIZES

## WOMEN'S WORK EXTRA SIZES

|                              |                           |               |                     | B  | C/WIDE |     |   |     |   |     |   |     |    |      |    |  |
|------------------------------|---------------------------|---------------|---------------------|----|--------|-----|---|-----|---|-----|---|-----|----|------|----|--|
| STYLE                        | COLOR                     | SAFETY TOE    | PAGE                | 12 | 6      | 6.5 | 7 | 7.5 | 8 | 8.5 | 9 | 9.5 | 10 | 10.5 | 11 |  |
| ACTIVATOR H2O CSA®           |                           |               |                     |    |        |     |   |     |   |     |   |     |    |      |    |  |
| 10063856                     | DUSTED BROWN              | STEEL TOE     | <a href="#">101</a> | X  | X      | X   | X | X   | X | X   | X | X   | X  | X    | X  |  |
| ACTIVATOR H2O                |                           |               |                     |    |        |     |   |     |   |     |   |     |    |      |    |  |
| 10063855                     | DARK BROWN/STONE BLUE     | N/A           | <a href="#">101</a> | X  | X      | X   | X | X   | X | X   | X | X   | X  | X    | X  |  |
| 10063832                     | DARK BROWN/STONE BLUE     | STEEL TOE     | <a href="#">101</a> | X  | X      | X   | X | X   | X | X   | X | X   | X  | X    | X  |  |
| ANTHEM DECO                  |                           |               |                     |    |        |     |   |     |   |     |   |     |    |      |    |  |
| 10029498                     | BROWN BOMBER              | COMPOSITE TOE | <a href="#">112</a> | X  | X      | X   | X | X   | X | X   | X | X   | X  | X    | X  |  |
| ANTHEM H2O                   |                           |               |                     |    |        |     |   |     |   |     |   |     |    |      |    |  |
| 10031664                     | DISTRESSED BROWN          | COMPOSITE TOE | <a href="#">112</a> | X  | X      | X   | X | X   | X | X   | X | X   | X  | X    | X  |  |
| ANTHEM VENTTEK™              |                           |               |                     |    |        |     |   |     |   |     |   |     |    |      |    |  |
| 10031663                     | ROYAL CHOCOLATE/TURQUOISE | COMPOSITE TOE | <a href="#">111</a> | X  | X      | X   | X | X   | X | X   | X | X   | X  | X    | X  |  |
| ANTHEM VENTTEK™ H2O          |                           |               |                     |    |        |     |   |     |   |     |   |     |    |      |    |  |
| 10050827                     | DARK CHOCOLATE/SERAPE     | COMPOSITE TOE | <a href="#">111</a> | X  | X      | X   | X | X   | X | X   | X | X   | X  | X    | X  |  |
| CASEY 6"                     |                           |               |                     |    |        |     |   |     |   |     |   |     |    |      |    |  |
| 10033921                     | SHADOW                    | COMPOSITE TOE | <a href="#">59</a>  | X  | X      | X   | X | X   | X | X   | X | X   | X  | X    | X  |  |
| CASEY 6" MET GUARD           |                           |               |                     |    |        |     |   |     |   |     |   |     |    |      |    |  |
| 10033995                     | SHADOW                    | COMPOSITE TOE | <a href="#">60</a>  | X  | X      | X   | X | X   | X | X   | X | X   | X  | X    | X  |  |
| CASUAL WORK MID LACE SD      |                           |               |                     |    |        |     |   |     |   |     |   |     |    |      |    |  |
| 10020097                     | NUTTY BROWN               | COMPOSITE TOE | <a href="#">61</a>  |    | X      | X   | X | X   | X | X   | X | X   | X  | X    | X  |  |
| EXPERT SAFETY CLOG SD        |                           |               |                     |    |        |     |   |     |   |     |   |     |    |      |    |  |
| 10011976                     | BLACK                     | COMPOSITE TOE | <a href="#">62</a>  |    | X      | X   | X | X   | X | X   | X |     |    |      |    |  |
| KRISTA PULL-ON H2O           |                           |               |                     |    |        |     |   |     |   |     |   |     |    |      |    |  |
| 10029516                     | DARK BROWN                | STEEL TOE     | <a href="#">113</a> | X  | X      | X   | X | X   | X | X   | X | X   | X  | X    | X  |  |
| KRISTA PULL-ON MET GUARD     |                           |               |                     |    |        |     |   |     |   |     |   |     |    |      |    |  |
| 10033994                     | DARK BROWN                | STEEL TOE     | <a href="#">113</a> | X  | X      | X   | X | X   | X | X   | X | X   | X  | X    | X  |  |
| OUTPACE®                     |                           |               |                     |    |        |     |   |     |   |     |   |     |    |      |    |  |
| 10040324                     | BLACK/CHARCOAL            | COMPOSITE TOE | <a href="#">70</a>  |    | X      | X   | X | X   | X | X   | X | X   | X  |      |    |  |
| OUTPACE® SD                  |                           |               |                     |    |        |     |   |     |   |     |   |     |    |      |    |  |
| 10044427                     | EBONY                     | COMPOSITE TOE | <a href="#">70</a>  | X  | X      | X   | X | X   | X | X   | X | X   | X  | X    | X  |  |
| OUTPACE® SHIFT               |                           |               |                     |    |        |     |   |     |   |     |   |     |    |      |    |  |
| 10046880                     | BLACK                     | N/A           | <a href="#">69</a>  | X  | X      | X   | X | X   | X | X   | X | X   | X  | X    | X  |  |
| 10046879                     | BLACK                     | COMPOSITE TOE | <a href="#">69</a>  | X  | X      | X   | X | X   | X | X   | X | X   | X  | X    | X  |  |
| REBAR® LIFT H2O              |                           |               |                     |    |        |     |   |     |   |     |   |     |    |      |    |  |
| 10053822                     | DISTRESSED BROWN          | N/A           | <a href="#">47</a>  | X  | X      | X   | X | X   | X | X   | X | X   | X  | X    | X  |  |
| 10053821                     | DISTRESSED BROWN          | COMPOSITE TOE | <a href="#">47</a>  | X  | X      | X   | X | X   | X | X   | X | X   | X  | X    | X  |  |
| REBAR® LIFT CHUKKA MET GUARD |                           |               |                     |    |        |     |   |     |   |     |   |     |    |      |    |  |
| 10063851                     | DISTRESSED BROWN          | COMPOSITE TOE | <a href="#">47</a>  | X  | X      | X   | X | X   | X | X   | X | X   | X  | X    | X  |  |
| REBAR® WEDGE MOC TOE H2O     |                           |               |                     |    |        |     |   |     |   |     |   |     |    |      |    |  |
| 10053718                     | ANTIQUE BROWN             | N/A           | <a href="#">49</a>  | X  | X      | X   | X | X   | X | X   | X | X   | X  | X    | X  |  |
| 10053717                     | ANTIQUE BROWN             | COMPOSITE TOE | <a href="#">49</a>  | X  | X      | X   | X | X   | X | X   | X | X   | X  | X    | X  |  |

REFERENCE

# Sizing Reference WOMEN'S WORK EXTRA SIZES

WOMEN'S WORK EXTRA SIZES (CONT.)

| WOMEN'S WORK EXTRA SIZES [CONT.]            |               |               |                    | B  | C/WIDE |     |   |     |   |     |   |     |    |      |    |
|---------------------------------------------|---------------|---------------|--------------------|----|--------|-----|---|-----|---|-----|---|-----|----|------|----|
| STYLE                                       | COLOR         | SAFETY TOE    | PAGE               | 12 | 6      | 6.5 | 7 | 7.5 | 8 | 8.5 | 9 | 9.5 | 10 | 10.5 | 11 |
| REBAR® WEDGE CHELSEA H2O                    |               |               |                    |    |        |     |   |     |   |     |   |     |    |      |    |
| 10061118                                    | GREY          | N/A           | <a href="#">49</a> | X  | X      | X   | X | X   | X | X   | X | X   | X  | X    | X  |
| 10061117                                    | GREY          | COMPOSITE TOE | <a href="#">49</a> | X  | X      | X   | X | X   | X | X   | X | X   | X  | X    | X  |
| 10053720                                    | ANTIQUE BROWN | N/A           | <a href="#">49</a> | X  | X      | X   | X | X   | X | X   | X | X   | X  | X    | X  |
| 10053719                                    | ANTIQUE BROWN | COMPOSITE TOE | <a href="#">49</a> | X  | X      | X   | X | X   | X | X   | X | X   | X  | X    | X  |
| RIVETER 6" CSA® H2O                         |               |               |                    |    |        |     |   |     |   |     |   |     |    |      |    |
| 10035773                                    | DARK BROWN    | COMPOSITE TOE | <a href="#">42</a> | X  | X      | X   | X | X   | X | X   | X | X   | X  | X    | X  |
| RIVETER CHELSEA CSA® H2O                    |               |               |                    |    |        |     |   |     |   |     |   |     |    |      |    |
| 10035772                                    | DARK BROWN    | COMPOSITE TOE | <a href="#">42</a> | X  | X      | X   | X | X   | X | X   | X | X   | X  | X    | X  |
| RIVETER PULL-ON CSA® H2O                    |               |               |                    |    |        |     |   |     |   |     |   |     |    |      |    |
| 10035774                                    | DARK BROWN    | COMPOSITE TOE | <a href="#">43</a> | X  | X      | X   | X | X   | X | X   | X | X   | X  | X    | X  |
| RIVETER 8" H2O 400G CSA® GLACIER GRIP™      |               |               |                    |    |        |     |   |     |   |     |   |     |    |      |    |
| 10036707                                    | DARK BROWN    | COMPOSITE TOE | <a href="#">43</a> | X  | X      | X   | X | X   | X | X   | X | X   | X  | X    | X  |
| RIVETER PULL-ON H2O 400G CSA® GLACIER GRIP™ |               |               |                    |    |        |     |   |     |   |     |   |     |    |      |    |
| 10036708                                    | DARK BROWN    | COMPOSITE TOE | <a href="#">43</a> | X  | X      | X   | X | X   | X | X   | X | X   | X  | X    | X  |
| RIVETER PULL-ON BOA® H2O CSA®               |               |               |                    |    |        |     |   |     |   |     |   |     |    |      |    |
| 10050831                                    | DARK BROWN    | COMPOSITE TOE | <a href="#">43</a> | X  | X      | X   | X | X   | X | X   | X | X   | X  | X    | X  |
| TREADFAST 6" H2O                            |               |               |                    |    |        |     |   |     |   |     |   |     |    |      |    |
| 10040404                                    | DARK BROWN    | N/A           | <a href="#">55</a> | X  | X      | X   | X | X   | X | X   | X | X   | X  | X    | X  |
| 10040405                                    | DARK BROWN    | STEEL TOE     | <a href="#">55</a> | X  | X      | X   | X | X   | X | X   | X | X   | X  | X    | X  |



## DRYShield™

| STYLE NAME                                        | GENDER  | STYLE #       | PAGE | STYLE NAME                                        | GENDER  | STYLE #       | PAGE |
|---------------------------------------------------|---------|---------------|------|---------------------------------------------------|---------|---------------|------|
| Activator Argo H2O.....                           | Men's   | 10063860..... | 99   | Rebar® Flex Western H2O.....                      | Men's   | 10034157..... | 104  |
| Activator Argo H2O.....                           | Men's   | 10063861..... | 99   | Rebar® Flex Western Patriot H2O.....              | Men's   | 10029518..... | 105  |
| Activator Chelsea H2O.....                        | Men's   | 10074284..... | 99   | Rebar® Lift 6" H2O.....                           | Men's   | 10046876..... | 45   |
| Activator Chelsea H2O.....                        | Men's   | 10074285..... | 99   | Rebar® Lift 6" H2O.....                           | Men's   | 10046877..... | 45   |
| Activator H2O CSA®.....                           | Women's | 10063856..... | 101  | Rebar® Lift 6" H2O.....                           | Men's   | 10063919..... | 45   |
| Activator H2O.....                                | Men's   | 10060892..... | 99   | Rebar® Lift 6" H2O.....                           | Men's   | 10063920..... | 45   |
| Activator H2O.....                                | Men's   | 10060893..... | 99   | Rebar® Lift 8" H2O.....                           | Men's   | 10047028..... | 45   |
| Activator H2O.....                                | Men's   | 10060894..... | 99   | Rebar® Lift 8" H2O.....                           | Men's   | 10047029..... | 45   |
| Activator H2O.....                                | Men's   | 10060895..... | 99   | Rebar® Lift Chukka H2O.....                       | Men's   | 10050846..... | 46   |
| Activator H2O.....                                | Women's | 10063832..... | 101  | Rebar® Lift H2O.....                              | Women's | 10053821..... | 47   |
| Activator H2O.....                                | Women's | 10063855..... | 101  | Rebar® Lift H2O.....                              | Women's | 10053822..... | 47   |
| Activator VentTEK™ H2O.....                       | Men's   | 10061119..... | 100  | Rebar® Wedge Chelsea H2O.....                     | Men's   | 10061115..... | 48   |
| Activator VentTEK™ H2O.....                       | Men's   | 10061120..... | 100  | Rebar® Wedge Chelsea H2O.....                     | Men's   | 10061116..... | 48   |
| Anthem H2O.....                                   | Women's | 10031664..... | 112  | Rebar® Wedge Chelsea H2O.....                     | Women's | 10053719..... | 49   |
| Anthem VentTEK™ H2O.....                          | Women's | 10050827..... | 111  | Rebar® Wedge Chelsea H2O.....                     | Women's | 10053720..... | 49   |
| Big Rig 6" H2O.....                               | Men's   | 10042550..... | 32   | Rebar® Wedge Chelsea H2O.....                     | Women's | 10061117..... | 49   |
| Big Rig 8" H2O.....                               | Men's   | 10053572..... | 32   | Rebar® Wedge Chelsea H2O.....                     | Women's | 10061118..... | 49   |
| Big Rig 8" H2O.....                               | Men's   | 10053573..... | 32   | Rebar® Wedge Moc Toe 6" H2O.....                  | Men's   | 10053614..... | 48   |
| Big Rig BOA® H2O.....                             | Men's   | 10053617..... | 91   | Rebar® Wedge Moc Toe 6" H2O.....                  | Men's   | 10053615..... | 48   |
| Big Rig BOA® H2O.....                             | Men's   | 10053777..... | 91   | Rebar® Wedge Moc Toe H2O.....                     | Women's | 10053717..... | 49   |
| Big Rig Chelsea H2O.....                          | Men's   | 10042544..... | 33   | Rebar® Wedge Moc Toe H2O.....                     | Women's | 10053718..... | 49   |
| Big Rig Chelsea H2O.....                          | Men's   | 10042545..... | 33   | Rebar® Wedge Pull-On H2O.....                     | Men's   | 10053612..... | 49   |
| Big Rig H2O.....                                  | Men's   | 10033991..... | 92   | Rebar® Wedge Pull-On H2O.....                     | Men's   | 10053613..... | 49   |
| Big Rig H2O.....                                  | Men's   | 10033993..... | 92   | RigTEK™ 6" H2O CSA®.....                          | Men's   | 10045418..... | 30   |
| Cascade 8" H2O.....                               | Men's   | 10002397..... | 96   | RigTEK™ 8" H2O CSA®.....                          | Men's   | 10035989..... | 30   |
| Catalyst™ VX Work 8" Met Guard H2O.....           | Men's   | 10021706..... | 18   | RigTEK™ Pull-On H2O CSA®.....                     | Men's   | 10035988..... | 31   |
| Catalyst™ VX Work Wide Square Toe H2O.....        | Men's   | 10016253..... | 72   | RigTEK™ Wide Square Toe H2O.....                  | Men's   | 10012932..... | 89   |
| Edge Chukka H2O.....                              | Men's   | 10073365..... | 57   | RigTEK™ Wide Square Toe H2O.....                  | Men's   | 10034156..... | 89   |
| Edge Chukka.....                                  | Men's   | 10073366..... | 57   | RigTEK™ Wildcat 8" BOA® H2O CSA®.....             | Men's   | 10035930..... | 89   |
| Edge Moc H2O.....                                 | Men's   | 10073359..... | 56   | RigTEK™ Wildcat Pull-On H2O CSA®.....             | Men's   | 10035929..... | 89   |
| Endeavor 6" AlignRight™ H2O.....                  | Men's   | 10063977..... | 21   | Riveter 6" CSA® H2O.....                          | Women's | 10035773..... | 42   |
| Endeavor 6" AlignRight™ H2O.....                  | Men's   | 10063978..... | 21   | Riveter 8" H2O 400g CSA® Glacier Grip™.....       | Women's | 10036707..... | 43   |
| Endeavor 6" H2O.....                              | Men's   | 10031591..... | 21   | Riveter Chelsea CSA® H2O.....                     | Women's | 10035772..... | 42   |
| Endeavor 6" H2O.....                              | Men's   | 10031659..... | 21   | Riveter Pull-On BOA® H2O CSA®.....                | Women's | 10050831..... | 43   |
| Endeavor 6" H2O.....                              | Men's   | 10050826..... | 21   | Riveter Pull-On CSA® H2O.....                     | Women's | 10035774..... | 43   |
| Endeavor 8" H2O 400G.....                         | Men's   | 10053571..... | 22   | Riveter Pull-On H2O 400g CSA® Glacier Grip™.....  | Women's | 10036708..... | 43   |
| Endeavor 8" H2O 400G.....                         | Men's   | 10053775..... | 22   | Sierra H2O.....                                   | Men's   | 10002385..... | 96   |
| Endeavor 8" H2O.....                              | Men's   | 10038373..... | 22   | Sierra H2O.....                                   | Men's   | 10034142..... | 96   |
| Groundbreaker Antler H2O.....                     | Men's   | 10074211..... | 106  | Sierra H2O.....                                   | Men's   | 10063833..... | 96   |
| Groundbreaker Antler H2O.....                     | Men's   | 10074287..... | 106  | Sierra Shock Shield® Wide Square Toe H2O.....     | Men's   | 10044544..... | 94   |
| Groundbreaker Chelsea H2O.....                    | Men's   | 10024983..... | 51   | Sierra Shock Shield® Wide Square Toe H2O.....     | Men's   | 10044545..... | 94   |
| Groundbreaker Chelsea Wide Square Toe H2O.....    | Men's   | 10034148..... | 108  | Stump Jumper™ 6" BOA® H2O.....                    | Men's   | 10048060..... | 28   |
| Groundbreaker Chelsea Wide Square Toe H2O.....    | Men's   | 10038324..... | 108  | Stump Jumper™ 8" BOA® H2O.....                    | Men's   | 10048059..... | 28   |
| Groundbreaker Wide Square Toe H2O.....            | Men's   | 10015196..... | 107  | Stump Jumper™ 8" H2O 600g CSA® Glacier Grip™..... | Men's   | 10038283..... | 29   |
| Groundbreaker Wide Square Toe H2O.....            | Men's   | 10024984..... | 107  | Stump Jumper™ Pull-On BOA® H2O.....               | Men's   | 10048061..... | 28   |
| Groundbreaker Wide Square Toe H2O.....            | Men's   | 10024992..... | 107  | Stump Jumper™ Pull-On H2O.....                    | Men's   | 10038282..... | 28   |
| Groundwork Pull-On H2O.....                       | Men's   | 10035965..... | 108  | Treadfast 6" H2O.....                             | Men's   | 10034673..... | 54   |
| Groundwork Wide Square Toe H2O.....               | Men's   | 10034720..... | 108  | Treadfast 6" H2O.....                             | Men's   | 10040266..... | 54   |
| Krista Pull-On H2O.....                           | Women's | 10029516..... | 113  | Treadfast 6" H2O.....                             | Women's | 10040404..... | 55   |
| Logger Shock Shield® H2O 400G.....                | Men's   | 10053569..... | 25   | Treadfast 6" H2O.....                             | Women's | 10040405..... | 55   |
| Logger Shock Shield® H2O 400G.....                | Men's   | 10053570..... | 25   | Treadfast 8" H2O.....                             | Men's   | 10042484..... | 54   |
| Logger Shock Shield® H2O.....                     | Men's   | 10050840..... | 25   | Treadfast 8" H2O.....                             | Men's   | 10042496..... | 54   |
| Logger Shock Shield® H2O.....                     | Men's   | 10050841..... | 25   | Treadfast Temper 6" Met Guard H2O CSA®.....       | Men's   | 10053574..... | 54   |
| Logger Shock Shield® H2O.....                     | Men's   | 10050842..... | 25   | Turbo 6" H2O CSA®.....                            | Men's   | 10029134..... | 40   |
| Longview Shock Shield® H2O.....                   | Men's   | 10053817..... | 25   | Turbo 6" H2O CSA®.....                            | Men's   | 10052209..... | 40   |
| Longview Shock Shield® H2O.....                   | Men's   | 10053818..... | 25   | Turbo 6" H2O.....                                 | Men's   | 10027335..... | 39   |
| Longview Shock Shield® Pull-On H2O.....           | Men's   | 10063853..... | 26   | Turbo 6" H2O.....                                 | Men's   | 10032608..... | 39   |
| Longview Shock Shield® Pull-On Met Guard H2O..... | Men's   | 10063852..... | 26   | Turbo 6" H2O.....                                 | Men's   | 10046860..... | 39   |
| Outpace® Shift 6" AlignRight™ H2O.....            | Men's   | 10063979..... | 68   | Turbo 6" H2O.....                                 | Men's   | 10046861..... | 39   |
| Outpace® Shift 6" SD H2O.....                     | Men's   | 10060891..... | 68   | Turbo 8" H2O.....                                 | Men's   | 10027326..... | 39   |
| Outpace® Shift H2O.....                           | Men's   | 10053619..... | 68   | Turbo Chelsea H2O CSA®.....                       | Men's   | 10060897..... | 40   |
| OverDrive™ 8" Wide Square Toe H2O.....            | Men's   | 10012940..... | 76   | Turbo Chelsea H2O CSA®.....                       | Men's   | 10060898..... | 40   |
| OverDrive™ XTR Pull-On H2O.....                   | Men's   | 10012942..... | 19   | Turbo Chelsea H2O.....                            | Men's   | 10027331..... | 39   |
| Powerline 8" H2O.....                             | Men's   | 10018566..... | 23   | Turbo Chelsea H2O.....                            | Men's   | 10032609..... | 39   |
| Rebar® Flex Western H2O.....                      | Men's   | 10021485..... | 104  | Turbo Chelsea H2O.....                            | Men's   | 10060896..... | 39   |
| Rebar® Flex Western H2O.....                      | Men's   | 10021486..... | 104  | Turbo Duratread™ 6" H2O.....                      | Men's   | 10054293..... | 36   |

## DRYShield™ (CONT.)

| STYLE NAME                                   | GENDER      | STYLE #        | PAGE | STYLE NAME                                        | GENDER      | STYLE #        | PAGE |
|----------------------------------------------|-------------|----------------|------|---------------------------------------------------|-------------|----------------|------|
| Turbo Duratread™ 6" H2O .....                | Men's ..... | 10054294 ..... | 36   | WorkHog® Wide Square Toe H2O.....                 | Men's ..... | 10017420 ..... | 86   |
| Turbo Duratread™ 8" H2O .....                | Men's ..... | 10074263 ..... | 36   | WorkHog® Wide Square Toe H2O.....                 | Men's ..... | 10017436 ..... | 86   |
| Turbo Duratread™ 8" H2O .....                | Men's ..... | 10074264 ..... | 36   | WorkHog® Wide Square Toe Met Guard H2O CSA® ..... | Men's ..... | 10042553 ..... | 84   |
| Turbo Duratread™ Pull On H2O .....           | Men's ..... | 10074292 ..... | 36   | WorkHog® Wide Square Toe Met Guard H2O.....       | Men's ..... | 10016265 ..... | 84   |
| Turbo Duratread™ XTR 6" H2O .....            | Men's ..... | 10054291 ..... | 37   | WorkHog® XT 8" BOA® H2O .....                     | Men's ..... | 10038922 ..... | 78   |
| Turbo Duratread™ XTR 6" H2O .....            | Men's ..... | 10054292 ..... | 37   | WorkHog® XT Bolt Skull H2O.....                   | Men's ..... | 10074207 ..... | 79   |
| Turbo Outlaw 6" H2O CSA® .....               | Men's ..... | 10045417 ..... | 41   | WorkHog® XT Bolt Skull H2O.....                   | Men's ..... | 10074286 ..... | 79   |
| Turbo Outlaw 8" Met Guard H2O CSA® .....     | Men's ..... | 10033998 ..... | 41   | WorkHog® XT Patriot H2O.....                      | Men's ..... | 10036002 ..... | 79   |
| Turbo Pull-On Moc Toe H2O .....              | Men's ..... | 10040396 ..... | 40   | WorkHog® XT VentTEK™ Bold H2O.....                | Men's ..... | 10035881 ..... | 78   |
| WorkHog® 8" H2O .....                        | Men's ..... | 10011939 ..... | 86   | WorkHog® XT VentTEK™ H2O .....                    | Men's ..... | 10035984 ..... | 79   |
| WorkHog® 8" H2O .....                        | Men's ..... | 10011943 ..... | 86   | WorkHog® XT VentTEK™ H2O .....                    | Men's ..... | 10036005 ..... | 79   |
| WorkHog® Pull-On H2O .....                   | Men's ..... | 10001198 ..... | 87   | WorkHog® XT VentTEK™ H2O .....                    | Men's ..... | 10044504 ..... | 79   |
| WorkHog® Pull-On H2O .....                   | Men's ..... | 10001200 ..... | 87   | WorkHog® XT VentTEK™ H2O .....                    | Men's ..... | 10050835 ..... | 79   |
| WorkHog® Pull-On H2O .....                   | Men's ..... | 10008633 ..... | 87   | WorkHog® XT Wellington H2O .....                  | Men's ..... | 10050832 ..... | 80   |
| WorkHog® Pull-On H2O .....                   | Men's ..... | 10008635 ..... | 87   | WorkHog® XT Wellington H2O .....                  | Men's ..... | 10050833 ..... | 80   |
| WorkHog® Wide Square Toe H2O 400G CSA® ..... | Men's ..... | 10042552 ..... | 83   | WorkHog® XT Wide Square Toe BOA® H2O.....         | Men's ..... | 10038924 ..... | 78   |
| WorkHog® Wide Square Toe H2O 400G .....      | Men's ..... | 10018555 ..... | 84   | WorkHog® XT Wide Square Toe H2O.....              | Men's ..... | 10024966 ..... | 81   |
| WorkHog® Wide Square Toe H2O CSA® .....      | Men's ..... | 10017175 ..... | 83   | WorkHog® XT Wide Square Toe H2O.....              | Men's ..... | 10024968 ..... | 81   |
| WorkHog® Wide Square Toe H2O CSA® .....      | Men's ..... | 10042554 ..... | 83   | WorkHog® XT Wide Square Toe H2O.....              | Men's ..... | 10024971 ..... | 81   |
| WorkHog® Wide Square Toe H2O CSA® XTR.....   | Men's ..... | 10042491 ..... | 82   | WorkHog® XT Wide Square Toe H2O.....              | Men's ..... | 10031474 ..... | 81   |
| WorkHog® Wide Square Toe H2O.....            | Men's ..... | 10010133 ..... | 86   | WorkHog® XT Wide Square Toe H2O.....              | Men's ..... | 10031483 ..... | 81   |

## BOA®



STYLE NAME **Big Rig BOA® H2O**  
GENDER Men's  
SAFETY TOE N/A  
STYLE # 10053777 PAGE # [91](#)



STYLE NAME **Stump Jumper™ 6" BOA® H2O**  
GENDER Men's  
SAFETY TOE Composite Toe  
STYLE # 10048060 PAGE # [28](#)



STYLE NAME **WorkHog® XT Wide Square Toe BOA®**  
GENDER Men's  
SAFETY TOE Carbon Toe  
STYLE # 10038923 PAGE # [78](#)



STYLE NAME **Big Rig BOA® H2O**  
GENDER Men's  
SAFETY TOE Composite Toe  
STYLE # 10053617 PAGE # [91](#)



STYLE NAME **Stump Jumper™ 8" BOA® H2O**  
GENDER Men's  
SAFETY TOE Composite Toe  
STYLE # 10048059 PAGE # [28](#)



STYLE NAME **WorkHog® XT Wide Square Toe BOA® H2O**  
GENDER Men's  
SAFETY TOE Carbon Toe  
STYLE # 10038924 PAGE # [78](#)



STYLE NAME **RigTEK™ Wildcat 8" BOA® H2O CSA®**  
GENDER Men's  
SAFETY TOE Composite Toe  
STYLE # 10035930 PAGE # [89](#)



STYLE NAME **Stump Jumper™ Pull-On BOA® H2O**  
GENDER Men's  
SAFETY TOE Composite Toe  
STYLE # 10048061 PAGE # [28](#)



STYLE NAME **Riveter Pull-On BOA® H2O CSA®**  
GENDER Women's  
SAFETY TOE Composite Toe  
STYLE # 10050831 PAGE # [43](#)



STYLE NAME **WorkHog® XT 8" BOA® H2O**  
GENDER Men's  
SAFETY TOE Carbon Toe  
STYLE # 10038922 PAGE # [78](#)



**3M**  
 THINSULATE™ **INSULATED**


STYLE NAME **Endeavor 8" H2O 400G**  
 GENDER Men's  
 SAFETY TOE N/A  
 STYLE # 10053775 PAGE # [22](#)



STYLE NAME **Logger Shock Shield® H2O 400G**  
 GENDER Men's  
 SAFETY TOE Composite Toe  
 STYLE # 10053570 PAGE # [25](#)



STYLE NAME **Stump Jumper™ 8" H2O 600g CSA® Glacier Grip™**  
 GENDER Men's  
 SAFETY TOE Composite Toe  
 STYLE # 10038283 PAGE # [29](#)



STYLE NAME **Endeavor 8" H2O 400G**  
 GENDER Men's  
 SAFETY TOE Carbon Toe  
 STYLE # 10053571 PAGE # [22](#)



STYLE NAME **Riveter 8" H2O 400g CSA® Glacier Grip™**  
 GENDER Women's  
 SAFETY TOE Composite Toe  
 STYLE # 10036707 PAGE # [43](#)



STYLE NAME **WorkHog® Wide Square Toe H2O 400G**  
 GENDER Men's  
 SAFETY TOE Composite Toe  
 STYLE # 10018555 PAGE # [84](#)



STYLE NAME **Logger Shock Shield® H2O 400G**  
 GENDER Men's  
 SAFETY TOE N/A  
 STYLE # 10053569 PAGE # [25](#)



STYLE NAME **Riveter Pull-On H2O 400g CSA® Glacier Grip™**  
 GENDER Women's  
 SAFETY TOE Composite Toe  
 STYLE # 10036708 PAGE # [43](#)



STYLE NAME **WorkHog® Wide Square Toe H2O 400G CSA®**  
 GENDER Men's  
 SAFETY TOE Composite Toe  
 STYLE # 10042552 PAGE # [83](#)

**3rd**  
 MET GUARD **MET GUARD**


STYLE NAME **Casey 6" Met Guard**  
 GENDER Women's  
 SAFETY TOE Composite Toe  
 STYLE # 10033995 PAGE # [60](#)



STYLE NAME **Krista Pull-On Met Guard**  
 GENDER Women's  
 SAFETY TOE Steel Toe  
 STYLE # 10033994 PAGE # [113](#)



STYLE NAME **Turbo Outlaw 8" Met Guard H2O CSA®**  
 GENDER Men's  
 SAFETY TOE Carbon Toe  
 STYLE # 10033998 PAGE # [41](#)



STYLE NAME **Catalyst™ VX Work 8" Met Guard H2O**  
 GENDER Men's  
 SAFETY TOE Composite Toe  
 STYLE # 10021706 PAGE # [18](#)



STYLE NAME **Longview Shock Shield® Pull-On Met Guard H2O**  
 GENDER Men's  
 SAFETY TOE Composite Toe  
 STYLE # 10063852 PAGE # [26](#)



STYLE NAME **WorkHog® Wide Square Toe Met Guard CSA®**  
 GENDER Men's  
 SAFETY TOE Composite Toe  
 STYLE # 10017174 PAGE # [84](#)



STYLE NAME **Edge Chukka Met Guard**  
 GENDER Men's  
 SAFETY TOE Composite Toe  
 STYLE # 10073364 PAGE # [57](#)



STYLE NAME **Rebar® Lift Chukka Met Guard**  
 GENDER Men's  
 SAFETY TOE Composite Toe  
 STYLE # 10063850 PAGE # [45](#)



STYLE NAME **WorkHog® Wide Square Toe Met Guard H2O**  
 GENDER Men's  
 SAFETY TOE Composite Toe  
 STYLE # 10016265 PAGE # [84](#)



STYLE NAME **Groundbreaker Met Guard**  
 GENDER Men's  
 SAFETY TOE Steel Toe  
 STYLE # 10036107 PAGE # [52](#)



STYLE NAME **Rebar® Lift Chukka Met Guard**  
 GENDER Women's  
 SAFETY TOE Composite Toe  
 STYLE # 10063851 PAGE # [47](#)



STYLE NAME **WorkHog® Wide Square Toe Met Guard H2O CSA®**  
 GENDER Men's  
 SAFETY TOE Composite Toe  
 STYLE # 10042553 PAGE # [84](#)



STYLE NAME **Groundbreaker Wide Square Toe Met Guard**  
 GENDER Men's  
 SAFETY TOE Steel Toe  
 STYLE # 10020063 PAGE # [106](#)



STYLE NAME **Treadfast Temper 6" Met Guard H2O CSA®**  
 GENDER Men's  
 SAFETY TOE Composite Toe  
 STYLE # 10053574 PAGE # [54](#)

# Index by STATIC DISSIPATIVE / PUNCTURE RESISTANT

## SD STATIC DISSIPATIVE



STYLE NAME **Casual Work Mid Lace SD**  
GENDER Women's  
SAFETY TOE Composite Toe  
STYLE # 10020097 PAGE # [61](#)



STYLE NAME **Outmatch SD**  
GENDER Men's  
SAFETY TOE Composite Toe  
STYLE # 10074215 PAGE # [65](#)



STYLE NAME **Turbo Duratread™ Pull On SD**  
GENDER Men's  
SAFETY TOE Carbon Toe  
STYLE # 10074209 PAGE # [36](#)



STYLE NAME **Edge Chukka SD**  
GENDER Men's  
SAFETY TOE Composite Toe  
STYLE # 10073363 PAGE # [57](#)



STYLE NAME **Outpace® Shift 6" SD H2O**  
GENDER Men's  
SAFETY TOE Composite Toe  
STYLE # 10060891 PAGE # [68](#)



STYLE NAME **Working Mile SD**  
GENDER Men's  
SAFETY TOE Composite Toe  
STYLE # 10042565 PAGE # [63](#)



STYLE NAME **Edge Slip-On SD**  
GENDER Men's  
SAFETY TOE Composite Toe  
STYLE # 10073358 PAGE # [58](#)



STYLE NAME **Outpace® SD**  
GENDER Men's  
SAFETY TOE Composite Toe  
STYLE # 10040319 PAGE # [70](#)



STYLE NAME **Expert Safety Clog SD**  
GENDER Women's  
SAFETY TOE Composite Toe  
STYLE # 10011976 PAGE # [62](#)



STYLE NAME **Outpace® SD**  
GENDER Women's  
SAFETY TOE Composite Toe  
STYLE # 10044427 PAGE # [70](#)



STYLE NAME **MasterGrip™ Pull-On SD**  
GENDER Men's  
SAFETY TOE Composite Toe  
STYLE # 10020094 PAGE # [34](#)



STYLE NAME **Rebar® Flex Western SD**  
GENDER Men's  
SAFETY TOE Composite Toe  
STYLE # 10053616 PAGE # [105](#)

## PUNCTURE RESISTANT



STYLE NAME **Activator H2O CSA®**  
GENDER Women's  
SAFETY TOE Steel Toe  
STYLE # 10063856 PAGE # [101](#)



STYLE NAME **RigTEK™ Wildcat 8" BOA® H2O CSA®**  
GENDER Men's  
SAFETY TOE Composite Toe  
STYLE # 10035930 PAGE # [89](#)



STYLE NAME **Riveter Chelsea CSA® H2O**  
GENDER Women's  
SAFETY TOE Composite Toe  
STYLE # 10035772 PAGE # [42](#)



STYLE NAME **RigTEK™ 6" H2O CSA®**  
GENDER Men's  
SAFETY TOE Composite Toe  
STYLE # 10045418 PAGE # [30](#)



STYLE NAME **RigTEK™ Wildcat Pull-On H2O CSA®**  
GENDER Men's  
SAFETY TOE Composite Toe  
STYLE # 10035929 PAGE # [89](#)



STYLE NAME **Riveter Pull-On BOA® H2O CSA®**  
GENDER Women's  
SAFETY TOE Composite Toe  
STYLE # 10050831 PAGE # [43](#)



STYLE NAME **RigTEK™ 8" H2O CSA®**  
GENDER Men's  
SAFETY TOE Composite Toe  
STYLE # 10035989 PAGE # [30](#)



STYLE NAME **Riveter 6" CSA® H2O**  
GENDER Women's  
SAFETY TOE Composite Toe  
STYLE # 10035773 PAGE # [42](#)



STYLE NAME **Riveter Pull-On CSA® H2O**  
GENDER Women's  
SAFETY TOE Composite Toe  
STYLE # 10035774 PAGE # [43](#)



STYLE NAME **RigTEK™ Pull-On H2O CSA®**  
GENDER Men's  
SAFETY TOE Composite Toe  
STYLE # 10035988 PAGE # [31](#)



STYLE NAME **Riveter 8" H2O 400g CSA® Glacier Grip™**  
GENDER Women's  
SAFETY TOE Composite Toe  
STYLE # 10036707 PAGE # [43](#)



STYLE NAME **Riveter Pull-On H2O 400g CSA® Glacier Grip™**  
GENDER Women's  
SAFETY TOE Composite Toe  
STYLE # 10036708 PAGE # [43](#)



# PUNCTURE RESISTANT (CONT.)



STYLE NAME **Sierra Wide Square Toe  
Puncture Resistant**  
GENDER Men's  
SAFETY TOE Steel Toe  
STYLE # 10012948 PAGE # [95](#)



STYLE NAME **Turbo Chelsea H2O CSA®**  
GENDER Men's  
SAFETY TOE Carbon Toe  
STYLE # 10060898 PAGE # [40](#)



STYLE NAME **WorkHog® Wide Square  
Toe H2O CSA®**  
GENDER Men's  
SAFETY TOE Composite Toe  
STYLE # 10017175 PAGE # [83](#)



STYLE NAME **Stump Jumper™ 8" H2O  
600g CSA® Glacier Grip™**  
GENDER Men's  
SAFETY TOE Composite Toe  
STYLE # 10038283 PAGE # [29](#)



STYLE NAME **Turbo Outlaw 6" H2O CSA®**  
GENDER Men's  
SAFETY TOE Carbon Toe  
STYLE # 10045417 PAGE # [41](#)



STYLE NAME **WorkHog® Wide Square  
Toe H2O CSA® XTR**  
GENDER Men's  
SAFETY TOE Composite Toe  
STYLE # 10042491 PAGE # [82](#)



STYLE NAME **Treadfast Temper 6" Met  
Guard H2O CSA®**  
GENDER Men's  
SAFETY TOE Composite Toe  
STYLE # 10053574 PAGE # [54](#)



STYLE NAME **Turbo Outlaw 8" Met Guard  
H2O CSA®**  
GENDER Men's  
SAFETY TOE Carbon Toe  
STYLE # 10033998 PAGE # [41](#)



STYLE NAME **WorkHog® Wide Square  
Toe Met Guard CSA®**  
GENDER Men's  
SAFETY TOE Composite Toe  
STYLE # 10017174 PAGE # [84](#)



STYLE NAME **Turbo 6" H2O CSA®**  
GENDER Men's  
SAFETY TOE Carbon Toe  
STYLE # 10029134 PAGE # [40](#)



STYLE NAME **WorkHog® Wide Square  
Toe CSA®**  
GENDER Men's  
SAFETY TOE Composite Toe  
STYLE # 10017170 PAGE # [82](#)



STYLE NAME **WorkHog® Wide Square  
Toe Met Guard H2O CSA®**  
GENDER Men's  
SAFETY TOE Composite Toe  
STYLE # 10042553 PAGE # [84](#)



STYLE NAME **Turbo 6" H2O CSA®**  
GENDER Men's  
SAFETY TOE Carbon Toe  
STYLE # 10052209 PAGE # [40](#)



STYLE NAME **WorkHog® Wide Square  
Toe H2O 400G CSA®**  
GENDER Men's  
SAFETY TOE Composite Toe  
STYLE # 10042552 PAGE # [83](#)



STYLE NAME **Turbo Chelsea H2O CSA®**  
GENDER Men's  
SAFETY TOE Carbon Toe  
STYLE # 10060897 PAGE # [40](#)



STYLE NAME **WorkHog® Wide Square  
Toe H2O CSA®**  
GENDER Men's  
SAFETY TOE Composite Toe  
STYLE # 10042554 PAGE # [83](#)

## CARBON TOE

| STYLE NAME                        | GENDER | STYLE #       | PAGE | STYLE NAME                                | GENDER | STYLE #       | PAGE |
|-----------------------------------|--------|---------------|------|-------------------------------------------|--------|---------------|------|
| Endeavor 6" AlignRight™ H2O.....  | Men's  | 10063978..... | 21   | Turbo Outlaw 8" Met Guard H2O CSA®.....   | Men's  | 10033998..... | 41   |
| Endeavor 6" H2O.....              | Men's  | 10031591..... | 21   | WorkHog® XT Wide Square Toe BOA®.....     | Men's  | 10038923..... | 78   |
| Endeavor 8" H2O.....              | Men's  | 10038373..... | 22   | WorkHog® XT Wide Square Toe BOA® H2O..... | Men's  | 10038924..... | 78   |
| Endeavor 8" H2O 400G.....         | Men's  | 10053571..... | 22   | WorkHog® XT 8" BOA® H2O.....              | Men's  | 10038922..... | 78   |
| Turbo Duratread™ 8" H2O.....      | Men's  | 10074263..... | 36   | WorkHog® XT VentTEK™ Bold H2O.....        | Men's  | 10035881..... | 78   |
| Turbo Duratread™ Pull On H2O..... | Men's  | 10074292..... | 36   | WorkHog® XT VentTEK™ H2O.....             | Men's  | 10050835..... | 79   |
| Turbo Duratread™ Pull On SD.....  | Men's  | 10074209..... | 36   | WorkHog® XT VentTEK™ H2O.....             | Men's  | 10036005..... | 79   |
| Turbo Duratread™ 6" H2O.....      | Men's  | 10054294..... | 36   | WorkHog® XT Bolt Skull H2O.....           | Men's  | 10074207..... | 79   |
| Turbo Duratread™ XTR 6" H2O.....  | Men's  | 10054291..... | 37   | WorkHog® XT Patriot H2O.....              | Men's  | 10036002..... | 79   |
| Turbo 6" H2O.....                 | Men's  | 10046861..... | 39   | WorkHog® XT Phoenix.....                  | Men's  | 10046931..... | 80   |
| Turbo 6" H2O.....                 | Men's  | 10027335..... | 39   | WorkHog® XT Wellington H2O.....           | Men's  | 10050833..... | 80   |
| Turbo 8" H2O.....                 | Men's  | 10027326..... | 39   | WorkHog® XT Coil Wide Square Toe.....     | Men's  | 10074160..... | 80   |
| Turbo Chelsea H2O.....            | Men's  | 10027331..... | 39   | WorkHog® XT Cottonwood.....               | Men's  | 10038316..... | 81   |
| Turbo Pull-On Moc Toe H2O.....    | Men's  | 10040396..... | 40   | WorkHog® XT Wide Square Toe H2O.....      | Men's  | 10031483..... | 81   |
| Turbo 6" H2O CSA®.....            | Men's  | 10029134..... | 40   | WorkHog® XT Wide Square Toe H2O.....      | Men's  | 10024966..... | 81   |
| Turbo 6" H2O CSA®.....            | Men's  | 10052209..... | 40   | WorkHog® XT Wide Square Toe H2O.....      | Men's  | 10024968..... | 81   |
| Turbo Chelsea H2O CSA®.....       | Men's  | 10060897..... | 40   |                                           |        |               |      |
| Turbo Chelsea H2O CSA®.....       | Men's  | 10060898..... | 40   |                                           |        |               |      |
| Turbo Outlaw 6" H2O CSA®.....     | Men's  | 10045417..... | 41   |                                           |        |               |      |

## COMPOSITE TOE

| STYLE NAME                                        | GENDER        | STYLE #       | PAGE |
|---------------------------------------------------|---------------|---------------|------|
| Activator Argo H2O.....                           | Men's .....   | 10063861..... | 99   |
| Anthem Deco.....                                  | Women's ..... | 10029498..... | 112  |
| Anthem H2O.....                                   | Women's ..... | 10031664..... | 112  |
| Anthem VentTEK™ H2O .....                         | Women's ..... | 10050827..... | 111  |
| Anthem VentTEK™.....                              | Women's ..... | 10031663..... | 111  |
| Big Rig 6" H2O.....                               | Men's .....   | 10042550..... | 32   |
| Big Rig 8" H2O.....                               | Men's .....   | 10053573..... | 32   |
| Big Rig BOA® H2O .....                            | Men's .....   | 10053617..... | 91   |
| Big Rig Chelsea H2O.....                          | Men's .....   | 10042544..... | 33   |
| Big Rig H2O.....                                  | Men's .....   | 10033993..... | 92   |
| Big Rig.....                                      | Men's .....   | 10033966..... | 91   |
| Big Rig Tread VentTEK™.....                       | Men's .....   | 10050834..... | 91   |
| Casey 6" Met Guard .....                          | Women's ..... | 10033995..... | 60   |
| Casey 6".....                                     | Women's ..... | 10033921..... | 59   |
| Casual Work Mid Lace SD.....                      | Women's ..... | 10020097..... | 61   |
| Catalyst™ VX Work 8" Met Guard H2O .....          | Men's .....   | 10021706..... | 18   |
| Catalyst™ VX Work Wide Square Toe H2O .....       | Men's .....   | 10016253..... | 72   |
| Edge Chukka H2O .....                             | Men's .....   | 10073365..... | 57   |
| Edge Chukka.....                                  | Men's .....   | 10073366..... | 57   |
| Edge Chukka Met Guard .....                       | Men's .....   | 10073364..... | 57   |
| Edge Chukka SD .....                              | Men's .....   | 10073363..... | 57   |
| Edge Moc H2O.....                                 | Men's .....   | 10073359..... | 56   |
| Edge Moc.....                                     | Men's .....   | 10073362..... | 56   |
| Edge Moc.....                                     | Women's ..... | 10073360..... | 58   |
| Edge Moc.....                                     | Women's ..... | 10073361..... | 58   |
| Edge Slip-On SD.....                              | Men's .....   | 10073358..... | 58   |
| Expert Safety Clog SD.....                        | Women's ..... | 10011976..... | 62   |
| Intrepid™ VentTEK™.....                           | Men's .....   | 10020072..... | 75   |
| Intrepid™ VentTEK™.....                           | Men's .....   | 10023042..... | 75   |
| Logger Shock Shield® H2O 400G.....                | Men's .....   | 10053570..... | 25   |
| Logger Shock Shield® H2O.....                     | Men's .....   | 10050840..... | 25   |
| Longview Shock Shield® H2O .....                  | Men's .....   | 10053817..... | 25   |
| Longview Shock Shield® Pull-On H2O.....           | Men's .....   | 10063853..... | 26   |
| Longview Shock Shield® Pull-On Met Guard H2O..... | Men's .....   | 10063852..... | 26   |
| MasterGrip™ Pull-On SD .....                      | Men's .....   | 10020094..... | 34   |
| Outmatch.....                                     | Men's .....   | 10074280..... | 64   |
| Outmatch.....                                     | Men's .....   | 10074281..... | 64   |
| Outmatch Mid.....                                 | Men's .....   | 10074282..... | 64   |
| Outmatch Mid.....                                 | Men's .....   | 10074283..... | 64   |
| Outmatch SD.....                                  | Men's .....   | 10074215..... | 65   |
| Outpace®.....                                     | Men's .....   | 10040282..... | 70   |
| Outpace®.....                                     | Men's .....   | 10040283..... | 70   |
| Outpace® SD.....                                  | Men's .....   | 10040319..... | 70   |
| Outpace® SD.....                                  | Women's ..... | 10044427..... | 70   |
| Outpace® Shift 6" AlignRight™ H2O.....            | Men's .....   | 10063979..... | 68   |
| Outpace® Shift 6" SD H2O.....                     | Men's .....   | 10060891..... | 68   |
| Outpace® Shift H2O.....                           | Men's .....   | 10053619..... | 68   |
| Outpace® Shift.....                               | Men's .....   | 10047025..... | 69   |
| Outpace® Shift.....                               | Men's .....   | 10047026..... | 69   |
| Outpace® Shift Mid.....                           | Men's .....   | 10050844..... | 68   |
| Outpace® Shift.....                               | Women's ..... | 10046879..... | 69   |
| Outpace®.....                                     | Women's ..... | 10040324..... | 70   |
| OverDrive™ 8" Wide Square Toe H2O .....           | Men's .....   | 10012940..... | 76   |
| OverDrive™ Wide Square Toe .....                  | Men's .....   | 10011933..... | 76   |
| OverDrive™ Wide Square Toe .....                  | Men's .....   | 10053644..... | 76   |
| OverDrive™ XTR Pull-On H2O.....                   | Men's .....   | 10012942..... | 19   |
| Powerline 8" H2O.....                             | Men's .....   | 10018566..... | 23   |
| Rebar® Flex 6".....                               | Men's .....   | 10021495..... | 50   |

| STYLE NAME                                        | GENDER        | STYLE #       | PAGE |
|---------------------------------------------------|---------------|---------------|------|
| Rebar® Flex Western H2O.....                      | Men's .....   | 10021486..... | 104  |
| Rebar® Flex Western H2O.....                      | Men's .....   | 10034157..... | 104  |
| Rebar® Flex Western Patriot H2O.....              | Men's .....   | 10029518..... | 105  |
| Rebar® Flex Western SD.....                       | Men's .....   | 10053616..... | 105  |
| Rebar® Flex Western VentTEK™ Incognito.....       | Men's .....   | 10040432..... | 104  |
| Rebar® Lift 6" H2O .....                          | Men's .....   | 10046876..... | 45   |
| Rebar® Lift 6" H2O.....                           | Men's .....   | 10063920..... | 45   |
| Rebar® Lift 8" H2O.....                           | Men's .....   | 10047028..... | 45   |
| Rebar® Lift Chukka.....                           | Men's .....   | 10050837..... | 46   |
| Rebar® Lift Chukka.....                           | Men's .....   | 10053586..... | 46   |
| Rebar® Lift Chukka Met Guard.....                 | Men's .....   | 10063850..... | 45   |
| Rebar® Lift Chukka Met Guard.....                 | Women's ..... | 10063851..... | 47   |
| Rebar® Lift H2O.....                              | Women's ..... | 10053821..... | 47   |
| Rebar® Lift Pull-On Moc Toe.....                  | Men's .....   | 10061114..... | 46   |
| Rebar® Wedge Chelsea H2O.....                     | Men's .....   | 10061115..... | 48   |
| Rebar® Wedge Chelsea H2O.....                     | Women's ..... | 10053719..... | 49   |
| Rebar® Wedge Chelsea H2O.....                     | Women's ..... | 10061117..... | 49   |
| Rebar® Wedge Moc Toe 6" H2O .....                 | Men's .....   | 10053615..... | 48   |
| Rebar® Wedge Moc Toe H2O.....                     | Women's ..... | 10053717..... | 49   |
| Rebar® Wedge Pull-On H2O.....                     | Men's .....   | 10053613..... | 49   |
| RigTEK™ 6" H2O CSA®.....                          | Men's .....   | 10045418..... | 30   |
| RigTEK™ 8" H2O CSA®.....                          | Men's .....   | 10035989..... | 30   |
| RigTEK™ 8" Wide Square Toe.....                   | Men's .....   | 10012927..... | 89   |
| RigTEK™ Pull-On H2O CSA®.....                     | Men's .....   | 10035988..... | 31   |
| RigTEK™ Wide Square Toe H2O.....                  | Men's .....   | 10012932..... | 89   |
| RigTEK™ Wide Square Toe H2O.....                  | Men's .....   | 10034156..... | 89   |
| RigTEK™ Wildcat 8" BOA® H2O CSA®.....             | Men's .....   | 10035930..... | 89   |
| RigTEK™ Wildcat Pull-On H2O CSA®.....             | Men's .....   | 10035929..... | 89   |
| Riveter 6" CSA® H2O.....                          | Women's ..... | 10035773..... | 42   |
| Riveter 8" H2O 400g CSA® Glacier Grip™.....       | Women's ..... | 10036707..... | 43   |
| Riveter Chelsea CSA® H2O.....                     | Women's ..... | 10035772..... | 42   |
| Riveter Pull-On BOA® H2O CSA®.....                | Women's ..... | 10050831..... | 43   |
| Riveter Pull-On CSA® H2O.....                     | Women's ..... | 10035774..... | 43   |
| Riveter Pull-On H2O 400g CSA® Glacier Grip™.....  | Women's ..... | 10036708..... | 43   |
| Stump Jumper™ 6" BOA® H2O .....                   | Men's .....   | 10048060..... | 28   |
| Stump Jumper™ 8" BOA® H2O.....                    | Men's .....   | 10048059..... | 28   |
| Stump Jumper™ 8" H2O 600g CSA® Glacier Grip™..... | Men's .....   | 10038283..... | 29   |
| Stump Jumper™ Pull-On BOA® H2O.....               | Men's .....   | 10048061..... | 28   |
| Stump Jumper™ Pull-On H2O.....                    | Men's .....   | 10038282..... | 28   |
| Tracey Pull-On.....                               | Women's ..... | 10008634..... | 110  |
| Treadfast Temper 6" Met Guard H2O CSA®.....       | Men's .....   | 10053574..... | 54   |
| WorkHog® 8" H2O.....                              | Men's .....   | 10011943..... | 86   |
| WorkHog® Pull-On H2O.....                         | Men's .....   | 10001200..... | 87   |
| WorkHog® Pull-On H2O.....                         | Men's .....   | 10008635..... | 87   |
| WorkHog® Pull-On.....                             | Men's .....   | 10001191..... | 86   |
| WorkHog® Wide Square Toe CSA®.....                | Men's .....   | 10017170..... | 82   |
| WorkHog® Wide Square Toe H2O 400G CSA®.....       | Men's .....   | 10042552..... | 83   |
| WorkHog® Wide Square Toe H2O 400G.....            | Men's .....   | 10018555..... | 84   |
| WorkHog® Wide Square Toe H2O CSA®.....            | Men's .....   | 10017175..... | 83   |
| WorkHog® Wide Square Toe H2O CSA®.....            | Men's .....   | 10042554..... | 83   |
| WorkHog® Wide Square Toe H2O CSA® XTR.....        | Men's .....   | 10042491..... | 82   |
| WorkHog® Wide Square Toe H2O.....                 | Men's .....   | 10017420..... | 86   |
| WorkHog® Wide Square Toe Met Guard CSA®.....      | Men's .....   | 10017174..... | 84   |
| WorkHog® Wide Square Toe Met Guard H2O CSA®.....  | Men's .....   | 10042553..... | 84   |
| WorkHog® Wide Square Toe Met Guard H2O.....       | Men's .....   | 10016265..... | 84   |
| WorkHog® Wide Square Toe VentTEK™.....            | Men's .....   | 10020084..... | 85   |
| Working Mile SD.....                              | Men's .....   | 10042565..... | 63   |



 **STEEL TOE**

| STYLE NAME                                      | GENDER        | STYLE #        | PAGE |
|-------------------------------------------------|---------------|----------------|------|
| Activator Chelsea H2O .....                     | Men's .....   | 10074284 ..... | 99   |
| Activator H2O CSA® .....                        | Women's ..... | 10063856 ..... | 101  |
| Activator H2O .....                             | Men's .....   | 10060892 ..... | 99   |
| Activator H2O .....                             | Men's .....   | 10060893 ..... | 99   |
| Activator H2O .....                             | Women's ..... | 10063832 ..... | 101  |
| Activator Live Free .....                       | Men's .....   | 10074288 ..... | 100  |
| Activator .....                                 | Men's .....   | 10074291 ..... | 100  |
| Activator VentTEK™ H2O .....                    | Men's .....   | 10061119 ..... | 100  |
| Activator VentTEK™ .....                        | Men's .....   | 10061284 ..... | 100  |
| Buckeye Safety .....                            | Men's .....   | 10063828 ..... | 66   |
| Buckeye Safety .....                            | Women's ..... | 10064035 ..... | 66   |
| Cascade 8" Wide Square Toe .....                | Men's .....   | 10011917 ..... | 96   |
| Fatbaby® Work Pull-On .....                     | Women's ..... | 10040431 ..... | 114  |
| Groundbreaker Antler H2O .....                  | Men's .....   | 10074287 ..... | 106  |
| Groundbreaker Chelsea H2O .....                 | Men's .....   | 10024983 ..... | 51   |
| Groundbreaker Chelsea Wide Square Toe H2O ..... | Men's .....   | 10034148 ..... | 108  |
| Groundbreaker Met Guard .....                   | Men's .....   | 10036107 ..... | 52   |
| Groundbreaker Pull-On .....                     | Men's .....   | 10014241 ..... | 51   |
| Groundbreaker Wide Square Toe H2O .....         | Men's .....   | 10015196 ..... | 107  |
| Groundbreaker Wide Square Toe H2O .....         | Men's .....   | 10024992 ..... | 107  |
| Groundbreaker Wide Square Toe .....             | Men's .....   | 10015191 ..... | 107  |
| Groundbreaker Wide Square Toe .....             | Men's .....   | 10021108 ..... | 107  |
| Groundbreaker Wide Square Toe Met Guard .....   | Men's .....   | 10020063 ..... | 106  |
| Groundwork Wide Square Toe H2O .....            | Men's .....   | 10034720 ..... | 108  |
| Groundwork Wide Square Toe .....                | Men's .....   | 10034717 ..... | 108  |
| Hermosa XR™ 8" .....                            | Men's .....   | 10002460 ..... | 74   |

| STYLE NAME                                         | GENDER        | STYLE #        | PAGE |
|----------------------------------------------------|---------------|----------------|------|
| Ironside Square Toe .....                          | Men's .....   | 10061251 ..... | 97   |
| Ironside Square Toe .....                          | Men's .....   | 10061252 ..... | 97   |
| Ironside Square Toe .....                          | Men's .....   | 10063891 ..... | 97   |
| Ironside Square Toe .....                          | Men's .....   | 10063892 ..... | 97   |
| Krista Pull-On H2O .....                           | Women's ..... | 10029516 ..... | 113  |
| Krista Pull-On Met Guard .....                     | Women's ..... | 10033994 ..... | 113  |
| Rambler Work Wedge .....                           | Men's .....   | 10035883 ..... | 109  |
| Sierra H2O .....                                   | Men's .....   | 10063833 ..... | 96   |
| Sierra .....                                       | Men's .....   | 10021473 ..... | 95   |
| Sierra Shock Shield® Patriot Wide Square Toe ..... | Men's .....   | 10044426 ..... | 95   |
| Sierra Shock Shield® Wide Square Toe H2O .....     | Men's .....   | 10044544 ..... | 94   |
| Sierra Shock Shield® Wide Square Toe .....         | Men's .....   | 10042541 ..... | 94   |
| Sierra Shock Shield® Wide Square Toe .....         | Men's .....   | 10046929 ..... | 94   |
| Sierra Wide Square Toe .....                       | Men's .....   | 10010134 ..... | 95   |
| Sierra Wide Square Toe .....                       | Men's .....   | 10017434 ..... | 95   |
| Sierra Wide Square Toe Puncture Resistant .....    | Men's .....   | 10012948 ..... | 95   |
| Terrain Steel Toe Wide Square Toe .....            | Men's .....   | 10016379 ..... | 102  |
| Treadfast 6" H2O .....                             | Men's .....   | 10034673 ..... | 54   |
| Treadfast 6" H2O .....                             | Women's ..... | 10040405 ..... | 55   |
| Treadfast 6" .....                                 | Men's .....   | 10034671 ..... | 54   |
| Treadfast 8" H2O .....                             | Men's .....   | 10042496 ..... | 54   |
| WorkHog® Patriot .....                             | Men's .....   | 10022968 ..... | 85   |
| WorkHog® Wide Square Toe H2O .....                 | Men's .....   | 10010133 ..... | 86   |
| WorkHog® Wide Square Toe .....                     | Men's .....   | 10006961 ..... | 85   |

 **100% NON-METALLIC**

| STYLE NAME                     | GENDER        | STYLE #        | PAGE |
|--------------------------------|---------------|----------------|------|
| Activator Argo H2O .....       | Men's .....   | 10063860 ..... | 99   |
| Activator Argo H2O .....       | Men's .....   | 10063861 ..... | 99   |
| Casual Work Mid Lace SD .....  | Women's ..... | 10020097 ..... | 61   |
| Edge Chukka H2O .....          | Men's .....   | 10073365 ..... | 57   |
| Edge Chukka .....              | Men's .....   | 10073366 ..... | 57   |
| Edge Chukka Met Guard .....    | Men's .....   | 10073364 ..... | 57   |
| Edge Chukka SD .....           | Men's .....   | 10073363 ..... | 57   |
| Edge Moc H2O .....             | Men's .....   | 10073359 ..... | 56   |
| Edge Moc .....                 | Men's .....   | 10073362 ..... | 56   |
| Edge Moc .....                 | Women's ..... | 10073360 ..... | 58   |
| Edge Moc .....                 | Women's ..... | 10073361 ..... | 58   |
| Edge Slip-On SD .....          | Men's .....   | 10073358 ..... | 58   |
| Expert Safety Clog SD .....    | Women's ..... | 10011976 ..... | 62   |
| MasterGrip™ Pull-On SD .....   | Men's .....   | 10020094 ..... | 34   |
| Outmatch .....                 | Men's .....   | 10074280 ..... | 64   |
| Outmatch .....                 | Men's .....   | 10074281 ..... | 64   |
| Outmatch Mid .....             | Men's .....   | 10074282 ..... | 64   |
| Outmatch Mid .....             | Men's .....   | 10074283 ..... | 64   |
| Outmatch SD .....              | Men's .....   | 10074215 ..... | 65   |
| Outpace® .....                 | Men's .....   | 10040282 ..... | 70   |
| Outpace® .....                 | Men's .....   | 10040283 ..... | 70   |
| Outpace® SD .....              | Men's .....   | 10040319 ..... | 70   |
| Outpace® SD .....              | Women's ..... | 10044427 ..... | 70   |
| Outpace® Shift 6" SD H2O ..... | Men's .....   | 10060891 ..... | 68   |
| Outpace® Shift H2O .....       | Men's .....   | 10053619 ..... | 68   |
| Outpace® Shift .....           | Men's .....   | 10047025 ..... | 69   |
| Outpace® Shift .....           | Men's .....   | 10047026 ..... | 69   |
| Outpace® Shift .....           | Men's .....   | 10047027 ..... | 69   |
| Outpace® Shift Mid .....       | Men's .....   | 10050844 ..... | 68   |
| Outpace® Shift .....           | Women's ..... | 10046879 ..... | 69   |
| Outpace® Shift .....           | Women's ..... | 10046880 ..... | 69   |
| Outpace® .....                 | Women's ..... | 10040324 ..... | 70   |
| Rebar® Flex 6" .....           | Men's .....   | 10021495 ..... | 50   |

| STYLE NAME                                   | GENDER      | STYLE #        | PAGE |
|----------------------------------------------|-------------|----------------|------|
| Rebar® Flex Western H2O .....                | Men's ..... | 10021485 ..... | 104  |
| Rebar® Flex Western H2O .....                | Men's ..... | 10021486 ..... | 104  |
| Rebar® Flex Western H2O .....                | Men's ..... | 10034157 ..... | 104  |
| Rebar® Flex Western Patriot H2O .....        | Men's ..... | 10029518 ..... | 105  |
| Rebar® Flex Western SD .....                 | Men's ..... | 10053616 ..... | 105  |
| Rebar® Flex Western VentTEK™ Incognito ..... | Men's ..... | 10040432 ..... | 104  |
| Rebar® Flex Western VentTEK™ Incognito ..... | Men's ..... | 10040436 ..... | 104  |
| Turbo 6" H2O CSA® .....                      | Men's ..... | 10029134 ..... | 40   |
| Turbo 6" H2O CSA® .....                      | Men's ..... | 10052209 ..... | 40   |
| Turbo 6" H2O .....                           | Men's ..... | 10027335 ..... | 39   |
| Turbo 6" H2O .....                           | Men's ..... | 10032608 ..... | 39   |
| Turbo 6" H2O .....                           | Men's ..... | 10046860 ..... | 39   |
| Turbo 6" H2O .....                           | Men's ..... | 10046861 ..... | 39   |
| Turbo 8" H2O .....                           | Men's ..... | 10027326 ..... | 39   |
| Turbo Chelsea H2O CSA® .....                 | Men's ..... | 10060897 ..... | 40   |
| Turbo Chelsea H2O CSA® .....                 | Men's ..... | 10060898 ..... | 40   |
| Turbo Chelsea H2O .....                      | Men's ..... | 10027331 ..... | 39   |
| Turbo Chelsea H2O .....                      | Men's ..... | 10032609 ..... | 39   |
| Turbo Chelsea H2O .....                      | Men's ..... | 10060896 ..... | 39   |
| Turbo Duratread™ 6" H2O .....                | Men's ..... | 10054293 ..... | 36   |
| Turbo Duratread™ 6" H2O .....                | Men's ..... | 10054294 ..... | 36   |
| Turbo Duratread™ 8" H2O .....                | Men's ..... | 10074263 ..... | 36   |
| Turbo Duratread™ 8" H2O .....                | Men's ..... | 10074264 ..... | 36   |
| Turbo Duratread™ Pull On H2O .....           | Men's ..... | 10074292 ..... | 36   |
| Turbo Duratread™ Pull On SD .....            | Men's ..... | 10074209 ..... | 36   |
| Turbo Duratread™ XTR 6" H2O .....            | Men's ..... | 10054291 ..... | 37   |
| Turbo Duratread™ XTR 6" H2O .....            | Men's ..... | 10054292 ..... | 37   |
| Turbo Outlaw 6" H2O CSA® .....               | Men's ..... | 10045417 ..... | 41   |
| Turbo Outlaw 8" Met Guard H2O CSA® .....     | Men's ..... | 10033998 ..... | 41   |
| Turbo Pull-On Moc Toe H2O .....              | Men's ..... | 10040396 ..... | 40   |
| Working Mile SD .....                        | Men's ..... | 10042565 ..... | 63   |

# Index by SLIP RESISTANT RATING

## SLIP RESISTANT ASTM F3445 **SR** rated

| STYLE NAME                                      | GENDER        | STYLE #       | PAGE |
|-------------------------------------------------|---------------|---------------|------|
| Activator Argo H2O.....                         | Men's .....   | 10063860..... | 99   |
| Activator Argo H2O.....                         | Men's .....   | 10063861..... | 99   |
| Activator Chelsea H2O .....                     | Men's .....   | 10074284..... | 99   |
| Activator Chelsea H2O .....                     | Men's .....   | 10074285..... | 99   |
| Activator H2O CSA®.....                         | Women's ..... | 10063856..... | 101  |
| Activator H2O .....                             | Men's .....   | 10060892..... | 99   |
| Activator H2O .....                             | Men's .....   | 10060893..... | 99   |
| Activator H2O .....                             | Men's .....   | 10060894..... | 99   |
| Activator H2O .....                             | Men's .....   | 10060895..... | 99   |
| Activator H2O .....                             | Women's ..... | 10063832..... | 101  |
| Activator H2O .....                             | Women's ..... | 10063855..... | 101  |
| Activator Live Free .....                       | Men's .....   | 10074208..... | 100  |
| Activator Live Free .....                       | Men's .....   | 10074288..... | 100  |
| Activator .....                                 | Men's .....   | 10074290..... | 100  |
| Activator .....                                 | Men's .....   | 10074291..... | 100  |
| Activator VentTEK™ H2O.....                     | Men's .....   | 10061119..... | 100  |
| Activator VentTEK™ H2O.....                     | Men's .....   | 10061120..... | 100  |
| Activator VentTEK™ .....                        | Men's .....   | 10061284..... | 100  |
| Activator VentTEK™ .....                        | Men's .....   | 10061285..... | 100  |
| Anthem Deco.....                                | Women's ..... | 10029498..... | 112  |
| Anthem H2O .....                                | Women's ..... | 10031664..... | 112  |
| Anthem VentTEK™ H2O .....                       | Women's ..... | 10050827..... | 111  |
| Anthem VentTEK™ .....                           | Women's ..... | 10031663..... | 111  |
| Big Rig 6" H2O .....                            | Men's .....   | 10042550..... | 32   |
| Big Rig 8" H2O .....                            | Men's .....   | 10053572..... | 32   |
| Big Rig 8" H2O .....                            | Men's .....   | 10053573..... | 32   |
| Big Rig BOA® H2O .....                          | Men's .....   | 10053617..... | 91   |
| Big Rig BOA® H2O .....                          | Men's .....   | 10053777..... | 91   |
| Big Rig Chelsea H2O .....                       | Men's .....   | 10042544..... | 33   |
| Big Rig Chelsea H2O .....                       | Men's .....   | 10042545..... | 33   |
| Big Rig H2O .....                               | Men's .....   | 10033991..... | 92   |
| Big Rig H2O .....                               | Men's .....   | 10033993..... | 92   |
| Big Rig .....                                   | Men's .....   | 10033966..... | 91   |
| Big Rig Tread VentTEK™ .....                    | Men's .....   | 10050828..... | 91   |
| Big Rig Tread VentTEK™ .....                    | Men's .....   | 10050834..... | 91   |
| Buckeye Safety.....                             | Men's .....   | 10063828..... | 66   |
| Buckeye Safety.....                             | Women's ..... | 10064035..... | 66   |
| Cascade 8" H2O .....                            | Men's .....   | 10002397..... | 96   |
| Cascade 8" .....                                | Men's .....   | 10002418..... | 96   |
| Cascade 8" .....                                | Men's .....   | 10002420..... | 96   |
| Cascade 8" Wide Square Toe .....                | Men's .....   | 10011916..... | 96   |
| Cascade 8" Wide Square Toe .....                | Men's .....   | 10011917..... | 96   |
| Casey 6" Met Guard .....                        | Women's ..... | 10033995..... | 60   |
| Casey 6" .....                                  | Women's ..... | 10033921..... | 59   |
| Casual Work Mid Lace SD.....                    | Women's ..... | 10020097..... | 61   |
| Catalyst™ VX Work 8" Met Guard H2O .....        | Men's .....   | 10021706..... | 18   |
| Catalyst™ VX Work Wide Square Toe H2O .....     | Men's .....   | 10016253..... | 72   |
| Expert Safety Clog SD.....                      | Women's ..... | 10011976..... | 62   |
| Fatbaby® Work Pull-On.....                      | Women's ..... | 10040431..... | 114  |
| Groundbreaker Antler H2O .....                  | Men's .....   | 10074211..... | 106  |
| Groundbreaker Antler H2O .....                  | Men's .....   | 10074287..... | 106  |
| Groundbreaker Chelsea H2O .....                 | Men's .....   | 10024983..... | 51   |
| Groundbreaker Chelsea Wide Square Toe H2O ..... | Men's .....   | 10034148..... | 108  |
| Groundbreaker Chelsea Wide Square Toe H2O ..... | Men's .....   | 10038324..... | 108  |
| Groundbreaker Met Guard .....                   | Men's .....   | 10036107..... | 52   |
| Groundbreaker Pull-On .....                     | Men's .....   | 10014238..... | 51   |
| Groundbreaker Pull-On .....                     | Men's .....   | 10014241..... | 51   |
| Groundbreaker Wide Square Toe H2O .....         | Men's .....   | 10015196..... | 107  |
| Groundbreaker Wide Square Toe H2O .....         | Men's .....   | 10024984..... | 107  |
| Groundbreaker Wide Square Toe H2O .....         | Men's .....   | 10024992..... | 107  |
| Groundbreaker Wide Square Toe .....             | Men's .....   | 10015191..... | 107  |
| Groundbreaker Wide Square Toe .....             | Men's .....   | 10020059..... | 107  |
| Groundbreaker Wide Square Toe .....             | Men's .....   | 10021108..... | 107  |
| Groundbreaker Wide Square Toe Met Guard .....   | Men's .....   | 10020063..... | 106  |
| Groundwork Wide Square Toe H2O .....            | Men's .....   | 10034720..... | 108  |
| Groundwork Wide Square Toe .....                | Men's .....   | 10034717..... | 108  |
| Hermosa XR™ 8" .....                            | Men's .....   | 10002457..... | 74   |

| STYLE NAME                                         | GENDER        | STYLE #       | PAGE |
|----------------------------------------------------|---------------|---------------|------|
| Hermosa XR™ 8".....                                | Men's .....   | 10002460..... | 74   |
| Intrepid™ VentTEK™ .....                           | Men's .....   | 10020072..... | 75   |
| Intrepid™ VentTEK™ .....                           | Men's .....   | 10023042..... | 75   |
| Ironside Square Toe .....                          | Men's .....   | 10061251..... | 97   |
| Ironside Square Toe .....                          | Men's .....   | 10061252..... | 97   |
| Ironside Square Toe .....                          | Men's .....   | 10063891..... | 97   |
| Ironside Square Toe .....                          | Men's .....   | 10063892..... | 97   |
| Krista Pull-On H2O .....                           | Women's ..... | 10029516..... | 113  |
| Krista Pull-On Met Guard .....                     | Women's ..... | 10033994..... | 113  |
| Longview Shock Shield® H2O .....                   | Men's .....   | 10053817..... | 25   |
| Longview Shock Shield® H2O .....                   | Men's .....   | 10053818..... | 25   |
| Longview Shock Shield® Pull-On H2O.....            | Men's .....   | 10063853..... | 26   |
| Longview Shock Shield® Pull-On Met Guard H2O ..... | Men's .....   | 10063852..... | 26   |
| Macey™ .....                                       | Women's ..... | 10005947..... | 59   |
| MasterGrip™ Pull-On SD .....                       | Men's .....   | 10020094..... | 34   |
| Outpace® .....                                     | Men's .....   | 10040282..... | 70   |
| Outpace® .....                                     | Men's .....   | 10040283..... | 70   |
| Outpace® SD.....                                   | Men's .....   | 10040319..... | 70   |
| Outpace® SD.....                                   | Women's ..... | 10044427..... | 70   |
| Outpace® Shift.....                                | Men's .....   | 10047025..... | 69   |
| Outpace® Shift.....                                | Men's .....   | 10047026..... | 69   |
| Outpace® Shift.....                                | Men's .....   | 10047027..... | 69   |
| Outpace® Shift.....                                | Women's ..... | 10046879..... | 69   |
| Outpace® Shift.....                                | Women's ..... | 10046880..... | 69   |
| Outpace® .....                                     | Women's ..... | 10040324..... | 70   |
| OverDrive™ 8" Wide Square Toe H2O .....            | Men's .....   | 10012940..... | 76   |
| OverDrive™ Wide Square Toe .....                   | Men's .....   | 10011933..... | 76   |
| OverDrive™ Wide Square Toe .....                   | Men's .....   | 10053644..... | 76   |
| OverDrive™ XTR Pull-On H2O .....                   | Men's .....   | 10012942..... | 19   |
| Rambler Work Wedge .....                           | Men's .....   | 10035883..... | 109  |
| Rebar® Flex 6" .....                               | Men's .....   | 10021495..... | 50   |
| Rebar® Flex Western H2O .....                      | Men's .....   | 10021485..... | 104  |
| Rebar® Flex Western H2O .....                      | Men's .....   | 10021486..... | 104  |
| Rebar® Flex Western H2O .....                      | Men's .....   | 10034157..... | 104  |
| Rebar® Flex Western Patriot H2O .....              | Men's .....   | 10029518..... | 105  |
| Rebar® Flex Western SD.....                        | Men's .....   | 10053616..... | 105  |
| Rebar® Flex Western VentTEK™ Incognito .....       | Men's .....   | 10040432..... | 104  |
| Rebar® Flex Western VentTEK™ Incognito .....       | Men's .....   | 10040436..... | 104  |
| Rebar® Lift 6" H2O .....                           | Men's .....   | 10046876..... | 45   |
| Rebar® Lift 6" H2O .....                           | Men's .....   | 10046877..... | 45   |
| Rebar® Lift 6" H2O .....                           | Men's .....   | 10063919..... | 45   |
| Rebar® Lift 6" H2O .....                           | Men's .....   | 10063920..... | 45   |
| Rebar® Lift 8" H2O .....                           | Men's .....   | 10047028..... | 45   |
| Rebar® Lift 8" H2O .....                           | Men's .....   | 10047029..... | 45   |
| Rebar® Lift Chukka H2O .....                       | Men's .....   | 10050846..... | 46   |
| Rebar® Lift Chukka .....                           | Men's .....   | 10050836..... | 46   |
| Rebar® Lift Chukka .....                           | Men's .....   | 10050837..... | 46   |
| Rebar® Lift Chukka .....                           | Men's .....   | 10053586..... | 46   |
| Rebar® Lift Chukka .....                           | Men's .....   | 10053587..... | 46   |
| Rebar® Lift Chukka Met Guard .....                 | Men's .....   | 10063850..... | 45   |
| Rebar® Lift Chukka Met Guard .....                 | Women's ..... | 10063851..... | 47   |
| Rebar® Lift H2O .....                              | Women's ..... | 10053821..... | 47   |
| Rebar® Lift H2O .....                              | Women's ..... | 10053822..... | 47   |
| Rebar® Lift Pull On Moc Toe .....                  | Men's .....   | 10061114..... | 46   |
| Rebar® Lift Pull On Moc Toe .....                  | Men's .....   | 10061286..... | 46   |
| Rebar® Wedge Chelsea H2O .....                     | Men's .....   | 10061115..... | 48   |
| Rebar® Wedge Chelsea H2O .....                     | Men's .....   | 10061116..... | 48   |
| Rebar® Wedge Chelsea H2O .....                     | Women's ..... | 10053719..... | 49   |
| Rebar® Wedge Chelsea H2O .....                     | Women's ..... | 10053720..... | 49   |
| Rebar® Wedge Chelsea H2O .....                     | Women's ..... | 10061117..... | 49   |
| Rebar® Wedge Chelsea H2O .....                     | Women's ..... | 10061118..... | 49   |
| Rebar® Wedge Moc Toe 6" H2O .....                  | Men's .....   | 10053614..... | 48   |
| Rebar® Wedge Moc Toe 6" H2O .....                  | Men's .....   | 10053615..... | 48   |
| Rebar® Wedge Moc Toe H2O .....                     | Women's ..... | 10053717..... | 49   |
| Rebar® Wedge Moc Toe H2O .....                     | Women's ..... | 10053718..... | 49   |
| Rebar® Wedge Pull-On H2O .....                     | Men's .....   | 10053612..... | 49   |
| Rebar® Wedge Pull-On H2O .....                     | Men's .....   | 10053613..... | 49   |



SLIP RESISTANT ASTM F3445 **SR** rated [CONT.]

| STYLE NAME                                   | GENDER  | STYLE #  | PAGE | STYLE NAME                                  | GENDER | STYLE #  | PAGE |
|----------------------------------------------|---------|----------|------|---------------------------------------------|--------|----------|------|
| RigTEK™ 6" H2O CSA®                          | Men's   | 10045418 | 30   | Turbo Duratread™ 8" H2O                     | Men's  | 10074264 | 36   |
| RigTEK™ 8" H2O CSA®                          | Men's   | 10035989 | 30   | Turbo Duratread™ Pull On H2O                | Men's  | 10074292 | 36   |
| RigTEK™ 8" Wide Square Toe                   | Men's   | 10012927 | 89   | Turbo Duratread™ Pull On SD                 | Men's  | 10074209 | 36   |
| RigTEK™ Pull-On H2O CSA®                     | Men's   | 10035988 | 31   | Turbo Duratread™ XTR 6" H2O                 | Men's  | 10054291 | 37   |
| RigTEK™ Wide Square Toe H2O                  | Men's   | 10012932 | 89   | Turbo Duratread™ XTR 6" H2O                 | Men's  | 10054292 | 37   |
| RigTEK™ Wide Square Toe H2O                  | Men's   | 10034156 | 89   | Turbo Outlaw 6" H2O CSA®                    | Men's  | 10045417 | 41   |
| RigTEK™ Wildcat 8" BOA® H2O CSA®             | Men's   | 10035930 | 89   | Turbo Outlaw 8" Met Guard H2O CSA®          | Men's  | 10033998 | 41   |
| RigTEK™ Wildcat Pull-On H2O CSA®             | Men's   | 10035929 | 89   | Turbo Pull-On Moc Toe H2O                   | Men's  | 10040396 | 40   |
| Sierra H2O                                   | Men's   | 10002385 | 96   | WorkHog® 8" H2O                             | Men's  | 10011939 | 86   |
| Sierra H2O                                   | Men's   | 10034142 | 96   | WorkHog® 8" H2O                             | Men's  | 10011943 | 86   |
| Sierra H2O                                   | Men's   | 10063833 | 96   | WorkHog® Patriot                            | Men's  | 10022968 | 85   |
| Sierra                                       | Men's   | 10002422 | 95   | WorkHog® Pull-On H2O                        | Men's  | 10001198 | 87   |
| Sierra                                       | Men's   | 10021473 | 95   | WorkHog® Pull-On H2O                        | Men's  | 10001200 | 87   |
| Sierra Shock Shield® Patriot Wide Square Toe | Men's   | 10044426 | 95   | WorkHog® Pull-On H2O                        | Men's  | 10008633 | 87   |
| Sierra Shock Shield® Patriot Wide Square Toe | Men's   | 10044505 | 95   | WorkHog® Pull-On H2O                        | Men's  | 10008635 | 87   |
| Sierra Shock Shield® Wide Square Toe H2O     | Men's   | 10044544 | 94   | WorkHog® Pull-On                            | Men's  | 10001188 | 86   |
| Sierra Shock Shield® Wide Square Toe H2O     | Men's   | 10044545 | 94   | WorkHog® Pull-On                            | Men's  | 10001191 | 86   |
| Sierra Shock Shield® Wide Square Toe         | Men's   | 10042541 | 94   | WorkHog® Wide Square Toe CSA®               | Men's  | 10017170 | 82   |
| Sierra Shock Shield® Wide Square Toe         | Men's   | 10042555 | 94   | WorkHog® Wide Square Toe H2O 400G CSA®      | Men's  | 10042552 | 83   |
| Sierra Shock Shield® Wide Square Toe         | Men's   | 10046929 | 94   | WorkHog® Wide Square Toe H2O 400G           | Men's  | 10018555 | 84   |
| Sierra Wide Square Toe                       | Men's   | 10010134 | 95   | WorkHog® Wide Square Toe H2O CSA®           | Men's  | 10017175 | 83   |
| Sierra Wide Square Toe                       | Men's   | 10010148 | 95   | WorkHog® Wide Square Toe H2O CSA®           | Men's  | 10042554 | 83   |
| Sierra Wide Square Toe                       | Men's   | 10017434 | 95   | WorkHog® Wide Square Toe H2O CSA® XTR       | Men's  | 10042491 | 82   |
| Sierra Wide Square Toe Puncture Resistant    | Men's   | 10012948 | 95   | WorkHog® Wide Square Toe H2O                | Men's  | 10010133 | 86   |
| Stump Jumper™ 6" BOA® H2O                    | Men's   | 10048060 | 28   | WorkHog® Wide Square Toe H2O                | Men's  | 10017420 | 86   |
| Stump Jumper™ 8" BOA® H2O                    | Men's   | 10048059 | 28   | WorkHog® Wide Square Toe H2O                | Men's  | 10017436 | 86   |
| Stump Jumper™ Pull-On BOA® H2O               | Men's   | 10048061 | 28   | WorkHog® Wide Square Toe                    | Men's  | 10005888 | 85   |
| Stump Jumper™ Pull-On H2O                    | Men's   | 10038282 | 28   | WorkHog® Wide Square Toe                    | Men's  | 10006961 | 85   |
| Tracey Pull-On                               | Women's | 10008634 | 110  | WorkHog® Wide Square Toe Met Guard CSA®     | Men's  | 10017174 | 84   |
| Treadfast 6" H2O                             | Men's   | 10034673 | 54   | WorkHog® Wide Square Toe Met Guard H2O CSA® | Men's  | 10042553 | 84   |
| Treadfast 6" H2O                             | Men's   | 10040266 | 54   | WorkHog® Wide Square Toe Met Guard H2O      | Men's  | 10016265 | 84   |
| Treadfast 6" H2O                             | Women's | 10040404 | 55   | WorkHog® Wide Square Toe VentTEK™           | Men's  | 10020083 | 85   |
| Treadfast 6" H2O                             | Women's | 10040405 | 55   | WorkHog® Wide Square Toe VentTEK™           | Men's  | 10020084 | 85   |
| Treadfast 6"                                 | Men's   | 10034671 | 54   | WorkHog® XT Bolt Skull H2O                  | Men's  | 10074207 | 79   |
| Treadfast 6"                                 | Men's   | 10034672 | 54   | WorkHog® XT Bolt Skull H2O                  | Men's  | 10074286 | 79   |
| Treadfast 8" H2O                             | Men's   | 10042484 | 54   | WorkHog® XT Coil Wide Square Toe            | Men's  | 10074160 | 80   |
| Treadfast 8" H2O                             | Men's   | 10042496 | 54   | WorkHog® XT Cottonwood                      | Men's  | 10038316 | 81   |
| Treadfast Temper 6" Met Guard H2O CSA®       | Men's   | 10053574 | 54   | WorkHog® XT Cottonwood                      | Men's  | 10038320 | 81   |
| Turbo 6" H2O CSA®                            | Men's   | 10029134 | 40   | WorkHog® XT Cottonwood                      | Men's  | 10038323 | 81   |
| Turbo 6" H2O CSA®                            | Men's   | 10052209 | 40   | WorkHog® XT VentTEK™ H2O                    | Men's  | 10035984 | 79   |
| Turbo 6" H2O                                 | Men's   | 10027335 | 39   | WorkHog® XT VentTEK™ H2O                    | Men's  | 10036005 | 79   |
| Turbo 6" H2O                                 | Men's   | 10032608 | 39   | WorkHog® XT VentTEK™ H2O                    | Men's  | 10044504 | 79   |
| Turbo 6" H2O                                 | Men's   | 10046860 | 39   | WorkHog® XT VentTEK™ H2O                    | Men's  | 10050835 | 79   |
| Turbo 6" H2O                                 | Men's   | 10046861 | 39   | WorkHog® XT Wellington H2O                  | Men's  | 10050832 | 80   |
| Turbo 8" H2O                                 | Men's   | 10027326 | 39   | WorkHog® XT Wellington H2O                  | Men's  | 10050833 | 80   |
| Turbo Chelsea H2O CSA®                       | Men's   | 10060897 | 40   | WorkHog® XT Wide Square Toe H2O             | Men's  | 10024966 | 81   |
| Turbo Chelsea H2O CSA®                       | Men's   | 10060898 | 40   | WorkHog® XT Wide Square Toe H2O             | Men's  | 10024968 | 81   |
| Turbo Chelsea H2O                            | Men's   | 10027331 | 39   | WorkHog® XT Wide Square Toe H2O             | Men's  | 10024971 | 81   |
| Turbo Chelsea H2O                            | Men's   | 10032609 | 39   | WorkHog® XT Wide Square Toe H2O             | Men's  | 10031474 | 81   |
| Turbo Chelsea H2O                            | Men's   | 10060896 | 39   | WorkHog® XT Wide Square Toe H2O             | Men's  | 10031483 | 81   |
| Turbo Duratread™ 6" H2O                      | Men's   | 10054293 | 36   | Working Mile SD                             | Men's  | 10042565 | 63   |
| Turbo Duratread™ 6" H2O                      | Men's   | 10054294 | 36   |                                             |        |          |      |
| Turbo Duratread™ 8" H2O                      | Men's   | 10074263 | 36   |                                             |        |          |      |

SLIP RESISTANCE ASTM F2413 **SRO** RATED

| STYLE NAME                    | GENDER  | STYLE #  | PAGE |
|-------------------------------|---------|----------|------|
| Edge Chukka H2O               | Men's   | 10073365 | 57   |
| Edge Chukka                   | Men's   | 10073366 | 57   |
| Edge Chukka Met Guard         | Men's   | 10073364 | 57   |
| Edge Chukka SD                | Men's   | 10073363 | 57   |
| Edge Moc H2O                  | Men's   | 10073359 | 56   |
| Edge Moc                      | Men's   | 10073362 | 56   |
| Edge Moc                      | Women's | 10073360 | 58   |
| Edge Moc                      | Women's | 10073361 | 58   |
| Edge Slip-On SD               | Men's   | 10073358 | 58   |
| Endeavor 6" AlignRight™ H2O   | Men's   | 10063977 | 21   |
| Endeavor 6" AlignRight™ H2O   | Men's   | 10063978 | 21   |
| Endeavor 6" H2O               | Men's   | 10031591 | 21   |
| Endeavor 6" H2O               | Men's   | 10031659 | 21   |
| Endeavor 6" H2O               | Men's   | 10050826 | 21   |
| Endeavor 8" H2O 400G          | Men's   | 10053571 | 22   |
| Endeavor 8" H2O 400G          | Men's   | 10053775 | 22   |
| Endeavor 8" H2O               | Men's   | 10038373 | 22   |
| Groundwork Pull-On H2O        | Men's   | 10035965 | 108  |
| Logger Shock Shield® H2O 400G | Men's   | 10053569 | 25   |
| Logger Shock Shield® H2O 400G | Men's   | 10053570 | 25   |
| Logger Shock Shield® H2O      | Men's   | 10050840 | 25   |
| Logger Shock Shield® H2O      | Men's   | 10050841 | 25   |
| Logger Shock Shield® H2O      | Men's   | 10050842 | 25   |

| STYLE NAME                                  | GENDER  | STYLE #  | PAGE |
|---------------------------------------------|---------|----------|------|
| Outmatch                                    | Men's   | 10074280 | 64   |
| Outmatch                                    | Men's   | 10074281 | 64   |
| Outmatch Mid                                | Men's   | 10074282 | 64   |
| Outmatch Mid                                | Men's   | 10074283 | 64   |
| Outmatch SD                                 | Men's   | 10074215 | 65   |
| Outpace® Shift 6" AlignRight™ H2O           | Men's   | 10063979 | 68   |
| Outpace® Shift 6" SD H2O                    | Men's   | 10060891 | 68   |
| Outpace® Shift H2O                          | Men's   | 10053619 | 68   |
| Outpace® Shift Mid                          | Men's   | 10050844 | 68   |
| Riveter 6" CSA® H2O                         | Women's | 10035773 | 42   |
| Riveter 8" H2O 400g CSA® Glacier Grip™      | Women's | 10036707 | 43   |
| Riveter Chelsea CSA® H2O                    | Women's | 10035772 | 42   |
| Riveter Pull-On BOA® H2O CSA®               | Women's | 10050831 | 43   |
| Riveter Pull-On CSA® H2O                    | Women's | 10035774 | 43   |
| Riveter Pull-On H2O 400g CSA® Glacier Grip™ | Women's | 10036708 | 43   |
| WorkHog® XT 8" BOA® H2O                     | Men's   | 10038922 | 78   |
| WorkHog® XT Patriot H2O                     | Men's   | 10036002 | 79   |
| WorkHog® XT Phoenix                         | Men's   | 10046931 | 80   |
| WorkHog® XT VentTEK™ Bold H2O               | Men's   | 10035881 | 78   |
| WorkHog® XT Wide Square Toe BOA® H2O        | Men's   | 10038924 | 78   |
| WorkHog® XT Wide Square Toe BOA®            | Men's   | 10038923 | 78   |

## INDEX BY STYLE NAME

| ACTIVATOR              |     |
|------------------------|-----|
| Activator              | 100 |
| Activator Argo H2O     | 99  |
| Activator Chelsea H2O  | 99  |
| Activator H2O          | 99  |
| Activator Live Free    | 100 |
| Activator VentTEK™     | 100 |
| Activator VentTEK™ H2O | 100 |

| BIG RIG                |    |
|------------------------|----|
| Big Rig 6" H2O         | 32 |
| Big Rig 8" H2O         | 32 |
| Big Rig                | 91 |
| Big Rig BOA® H2O       | 91 |
| Big Rig Chelsea H2O    | 33 |
| Big Rig H2O            | 92 |
| Big Rig Tread VentTEK™ | 91 |

| BUCKEYE SAFETY         |    |
|------------------------|----|
| Buckeye Safety         | 66 |
| Women's Buckeye Safety | 66 |

| CATALYST™ VX WORK                     |    |
|---------------------------------------|----|
| Catalyst™ VX Work 8" Met Guard H2O    | 18 |
| Catalyst™ VX Work Wide Square Toe H2O | 72 |

| EDGE                  |    |
|-----------------------|----|
| Edge Chukka           | 57 |
| Edge Chukka H2O       | 57 |
| Edge Chukka Met Guard | 57 |
| Edge Chukka SD        | 57 |
| Edge Moc              | 56 |
| Edge Moc H2O          | 56 |
| Edge Slip-On SD       | 58 |
| Women's Edge Moc      | 58 |

| ENDEAVOR                    |    |
|-----------------------------|----|
| Endeavor 6" AlignRight™ H2O | 21 |
| Endeavor 6" H2O             | 21 |
| Endeavor 8" H2O             | 22 |
| Endeavor 8" H2O 400G        | 22 |

| GROUND BREAKER                            |     |
|-------------------------------------------|-----|
| Groundbreaker Antler H2O                  | 106 |
| Groundbreaker Chelsea H2O                 | 51  |
| Groundbreaker Chelsea Wide Square Toe H2O | 108 |
| Groundbreaker Met Guard                   | 52  |
| Groundbreaker Pull-On                     | 51  |
| Groundbreaker Wide Square Toe             | 107 |
| Groundbreaker Wide Square Toe H2O         | 107 |
| Groundbreaker Wide Square Toe Met Guard   | 106 |
| Groundwork Pull-On H2O                    | 108 |
| Groundwork Wide Square Toe                | 108 |
| Groundwork Wide Square Toe H2O            | 108 |

| HERMOSA XR™    |    |
|----------------|----|
| Hermosa XR™ 8" | 74 |

| INTREPID™          |    |
|--------------------|----|
| Intrepid™ VentTEK™ | 75 |

| IRONSIDE            |    |
|---------------------|----|
| Ironside Square Toe | 97 |

| LOGGER SHOCK SHIELD®                         |    |
|----------------------------------------------|----|
| Logger Shock Shield® H2O                     | 25 |
| Logger Shock Shield® H2O 400G                | 25 |
| Longview Shock Shield® H2O                   | 25 |
| Longview Shock Shield® Pull-On H2O           | 26 |
| Longview Shock Shield® Pull-On Met Guard H2O | 26 |

| MASTERGRIP™            |    |
|------------------------|----|
| MasterGrip™ Pull-On SD | 34 |

| OUTMATCH     |    |
|--------------|----|
| Outmatch     | 64 |
| Outmatch Mid | 64 |
| Outmatch SD  | 65 |

| OUTPACE®                          |    |
|-----------------------------------|----|
| Outpace®                          | 70 |
| Outpace® SD                       | 70 |
| Outpace® Shift                    | 69 |
| Outpace® Shift 6" AlignRight™ H2O | 68 |
| Outpace® Shift 6" SD H2O          | 68 |
| Outpace® Shift H2O                | 68 |
| Outpace® Shift Mid                | 68 |
| Women's Outpace®                  | 70 |
| Women's Outpace® SD               | 70 |
| Women's Outpace® Shift            | 69 |

| OVERDRIVE™                        |    |
|-----------------------------------|----|
| OverDrive™ 8" Wide Square Toe H2O | 76 |
| OverDrive™ Wide Square Toe        | 76 |
| OverDrive™ XTR Pull-On H2O        | 19 |

| POWERLINE        |    |
|------------------|----|
| Powerline 8" H2O | 23 |

| RAMBLER WORK WEDGE |     |
|--------------------|-----|
| Rambler Work Wedge | 109 |

| REBAR® FLEX    |    |
|----------------|----|
| Rebar® Flex 6" | 50 |

| REBAR® FLEX WESTERN                    |     |
|----------------------------------------|-----|
| Rebar® Flex Western H2O                | 104 |
| Rebar® Flex Western Patriot H2O        | 105 |
| Rebar® Flex Western SD                 | 105 |
| Rebar® Flex Western VentTEK™ Incognito | 104 |

| REBAR® LIFT                          |    |
|--------------------------------------|----|
| Rebar® Lift 6" H2O                   | 45 |
| Rebar® Lift 8" H2O                   | 45 |
| Rebar® Lift Chukka                   | 46 |
| Rebar® Lift Chukka H2O               | 46 |
| Rebar® Lift Chukka Met Guard         | 45 |
| Rebar® Lift Pull On Moc Toe          | 46 |
| Women's Rebar® Lift Chukka Met Guard | 47 |
| Women's Rebar® Lift H2O              | 47 |



## INDEX BY STYLE NAME [CONT.]

**REBAR® WEDGE**

|                                        |    |
|----------------------------------------|----|
| Rebar® Wedge Chelsea H20 .....         | 48 |
| Rebar® Wedge Moc Toe 6" H20 .....      | 48 |
| Rebar® Wedge Pull-On H20 .....         | 49 |
| Women's Rebar® Wedge Chelsea H20 ..... | 49 |
| Women's Rebar® Wedge Moc Toe H20 ..... | 49 |

**RIGTEK™**

|                                        |    |
|----------------------------------------|----|
| RigTEK™ 6" H20 CSA® .....              | 30 |
| RigTEK™ 8" H20 CSA® .....              | 30 |
| RigTEK™ 8" Wide Square Toe .....       | 89 |
| RigTEK™ Pull-On H20 CSA® .....         | 31 |
| RigTEK™ Wide Square Toe H20 .....      | 89 |
| RigTEK™ Wildcat 8" B0A® H20 CSA® ..... | 89 |
| RigTEK™ Wildcat Pull-On H20 CSA® ..... | 89 |

**SIERRA**

|                                                    |    |
|----------------------------------------------------|----|
| Cascade 8" .....                                   | 96 |
| Cascade 8" H20 .....                               | 96 |
| Cascade 8" Wide Square Toe .....                   | 96 |
| Sierra .....                                       | 95 |
| Sierra H20 .....                                   | 96 |
| Sierra Shock Shield® Patriot Wide Square Toe ..... | 95 |
| Sierra Shock Shield® Wide Square Toe .....         | 94 |
| Sierra Shock Shield® Wide Square Toe H20 .....     | 94 |
| Sierra Wide Square Toe .....                       | 95 |
| Sierra Wide Square Toe Puncture Resistant .....    | 95 |

**STUMP JUMPER™**

|                                                    |    |
|----------------------------------------------------|----|
| Stump Jumper™ 6" B0A® H20 .....                    | 28 |
| Stump Jumper™ 8" B0A® H20 .....                    | 28 |
| Stump Jumper™ 8" H20 600g CSA® Glacier Grip™ ..... | 29 |
| Stump Jumper™ Pull-On B0A® H20 .....               | 28 |
| Stump Jumper™ Pull-On H20 .....                    | 28 |

**TERRAIN WORK**

|                                         |     |
|-----------------------------------------|-----|
| Terrain Steel Toe Wide Square Toe ..... | 102 |
|-----------------------------------------|-----|

**TREADFAST**

|                                              |    |
|----------------------------------------------|----|
| Treadfast 6" .....                           | 54 |
| Treadfast 6" H20 .....                       | 54 |
| Treadfast 8" H20 .....                       | 54 |
| Treadfast Temper 6" Met Guard H20 CSA® ..... | 54 |
| Women's Treadfast 6" H20 .....               | 55 |

**TURBO**

|                                          |    |
|------------------------------------------|----|
| Turbo 6" H20 .....                       | 39 |
| Turbo 6" H20 CSA® .....                  | 40 |
| Turbo 8" H20 .....                       | 39 |
| Turbo Chelsea H20 .....                  | 39 |
| Turbo Chelsea H20 CSA® .....             | 40 |
| Turbo Outlaw 6" H20 CSA® .....           | 41 |
| Turbo Outlaw 8" Met Guard H20 CSA® ..... | 41 |
| Turbo Pull-On Moc Toe H20 .....          | 40 |

**TURBO DURATREAD™**

|                                    |    |
|------------------------------------|----|
| Turbo Duratread™ 6" H20 .....      | 36 |
| Turbo Duratread™ 8" H20 .....      | 36 |
| Turbo Duratread™ Pull On H20 ..... | 36 |
| Turbo Duratread™ Pull On SD .....  | 36 |
| Turbo Duratread™ XTR 6" H20 .....  | 37 |

**WOMEN'S ACTIVATOR**

|                                  |     |
|----------------------------------|-----|
| Women's Activator H20 .....      | 101 |
| Women's Activator H20 CSA® ..... | 101 |

**WOMEN'S ANTHEM WORK**

|                                   |     |
|-----------------------------------|-----|
| Women's Anthem Deco .....         | 112 |
| Women's Anthem H20 .....          | 112 |
| Women's Anthem VentTEK™ .....     | 111 |
| Women's Anthem VentTEK™ H20 ..... | 111 |

**WOMEN'S CASUAL WORK**

|                                       |    |
|---------------------------------------|----|
| Women's Casual Work Mid Lace SD ..... | 61 |
|---------------------------------------|----|

**WOMEN'S EXPERT SAFETY CLOG**

|                                     |    |
|-------------------------------------|----|
| Women's Expert Safety Clog SD ..... | 62 |
|-------------------------------------|----|

**WOMEN'S FATBABY® WORK**

|                                        |     |
|----------------------------------------|-----|
| Women's Fatbaby® Work Pull-On .....    | 114 |
| Women's Krista Pull-On H20 .....       | 113 |
| Women's Krista Pull-On Met Guard ..... | 113 |

**WOMEN'S RIVETER**

|                                                           |    |
|-----------------------------------------------------------|----|
| Women's Riveter 6" CSA® H20 .....                         | 42 |
| Women's Riveter 8" H20 400g CSA® Glacier Grip™ .....      | 43 |
| Women's Riveter Chelsea CSA® H20 .....                    | 42 |
| Women's Riveter Pull-On B0A® H20 CSA® .....               | 43 |
| Women's Riveter Pull-On CSA® H20 .....                    | 43 |
| Women's Riveter Pull-On H20 400g CSA® Glacier Grip™ ..... | 43 |

**WOMEN'S TRACEY**

|                                  |     |
|----------------------------------|-----|
| Women's Casey 6" .....           | 59  |
| Women's Casey 6" Met Guard ..... | 60  |
| Women's Macey™ .....             | 59  |
| Women's Tracey Pull-On .....     | 110 |

**WORKHOG®**

|                                              |    |
|----------------------------------------------|----|
| WorkHog® 8" H20 .....                        | 86 |
| WorkHog® Patriot .....                       | 85 |
| WorkHog® Pull-On .....                       | 86 |
| WorkHog® Pull-On H20 .....                   | 87 |
| WorkHog® Pull-On H20 .....                   | 87 |
| WorkHog® Wide Square Toe .....               | 85 |
| WorkHog® Wide Square Toe CSA® .....          | 82 |
| WorkHog® Wide Square Toe H20 .....           | 86 |
| WorkHog® Wide Square Toe H20 400G .....      | 84 |
| WorkHog® Wide Square Toe H20 400G CSA® ..... | 83 |
| WorkHog® Wide Square Toe H20 CSA® .....      | 83 |

|                                                   |    |
|---------------------------------------------------|----|
| WorkHog® Wide Square Toe H20 CSA® XTR .....       | 82 |
| WorkHog® Wide Square Toe Met Guard CSA® .....     | 84 |
| WorkHog® Wide Square Toe Met Guard H20 .....      | 84 |
| WorkHog® Wide Square Toe Met Guard H20 CSA® ..... | 84 |
| WorkHog® Wide Square Toe VentTEK™ .....           | 85 |

**WORKHOG® XT**

|                                            |    |
|--------------------------------------------|----|
| WorkHog® XT 8" B0A® H20 .....              | 78 |
| WorkHog® XT Bolt Skull H20 .....           | 79 |
| WorkHog® XT Coil Wide Square Toe .....     | 80 |
| WorkHog® XT Cottonwood .....               | 81 |
| WorkHog® XT Patriot H20 .....              | 79 |
| WorkHog® XT Phoenix .....                  | 80 |
| WorkHog® XT VentTEK™ Bold H20 .....        | 78 |
| WorkHog® XT VentTEK™ H20 .....             | 79 |
| WorkHog® XT VentTEK™ H20 .....             | 79 |
| WorkHog® XT Wellington H20 .....           | 80 |
| WorkHog® XT Wide Square Toe B0A® .....     | 78 |
| WorkHog® XT Wide Square Toe B0A® H20 ..... | 78 |
| WorkHog® XT Wide Square Toe H20 .....      | 81 |

**WORKING MILE**

|                       |    |
|-----------------------|----|
| Working Mile SD ..... | 63 |
|-----------------------|----|

# Index by STYLE NUMBER

## INDEX BY STYLE NUMBER

|                    |                    |                    |                    |                    |                    |                    |
|--------------------|--------------------|--------------------|--------------------|--------------------|--------------------|--------------------|
| 10001188 ..... 86  | 10017420 ..... 86  | 10033921 ..... 59  | 10038924 ..... 78  | 10047026 ..... 69  | 10053719 ..... 49  | 10063860 ..... 99  |
| 10001191 ..... 86  | 10017434 ..... 95  | 10033966 ..... 91  | 10040266 ..... 54  | 10047027 ..... 69  | 10053720 ..... 49  | 10063861 ..... 99  |
| 10001198 ..... 87  | 10017436 ..... 86  | 10033991 ..... 92  | 10040282 ..... 70  | 10047028 ..... 45  | 10053775 ..... 22  | 10063891 ..... 97  |
| 10001200 ..... 87  | 10018555 ..... 84  | 10033993 ..... 92  | 10040283 ..... 70  | 10047029 ..... 45  | 10053777 ..... 91  | 10063892 ..... 97  |
| 10002385 ..... 96  | 10018566 ..... 23  | 10033994 ..... 113 | 10040319 ..... 70  | 10048059 ..... 28  | 10053817 ..... 25  | 10063919 ..... 45  |
| 10002397 ..... 96  | 10020059 ..... 107 | 10033995 ..... 60  | 10040324 ..... 70  | 10048060 ..... 28  | 10053818 ..... 25  | 10063920 ..... 45  |
| 10002418 ..... 96  | 10020063 ..... 106 | 10033998 ..... 41  | 10040396 ..... 40  | 10048061 ..... 28  | 10053821 ..... 47  | 10063977 ..... 21  |
| 10002420 ..... 96  | 10020072 ..... 75  | 10034142 ..... 96  | 10040404 ..... 55  | 10050826 ..... 21  | 10053822 ..... 47  | 10063978 ..... 21  |
| 10002422 ..... 95  | 10020083 ..... 85  | 10034148 ..... 108 | 10040405 ..... 55  | 10050827 ..... 111 | 10054291 ..... 37  | 10063979 ..... 68  |
| 10002457 ..... 74  | 10020084 ..... 85  | 10034156 ..... 89  | 10040431 ..... 114 | 10050828 ..... 91  | 10054292 ..... 37  | 10064035 ..... 66  |
| 10002460 ..... 74  | 10020094 ..... 34  | 10034157 ..... 104 | 10040432 ..... 104 | 10050831 ..... 43  | 10054293 ..... 36  | 10073358 ..... 58  |
| 10005888 ..... 85  | 10020097 ..... 61  | 10034671 ..... 54  | 10040436 ..... 104 | 10050832 ..... 80  | 10054294 ..... 36  | 10073359 ..... 56  |
| 10005947 ..... 59  | 10021108 ..... 107 | 10034672 ..... 54  | 10042484 ..... 54  | 10050833 ..... 80  | 10060891 ..... 68  | 10073360 ..... 58  |
| 10006961 ..... 85  | 10021473 ..... 95  | 10034673 ..... 54  | 10042491 ..... 82  | 10050834 ..... 91  | 10060892 ..... 99  | 10073361 ..... 58  |
| 10008633 ..... 87  | 10021485 ..... 104 | 10034717 ..... 108 | 10042496 ..... 54  | 10050835 ..... 79  | 10060893 ..... 99  | 10073362 ..... 56  |
| 10008634 ..... 110 | 10021486 ..... 104 | 10034720 ..... 108 | 10042541 ..... 94  | 10050836 ..... 46  | 10060894 ..... 99  | 10073363 ..... 57  |
| 10008635 ..... 87  | 10021495 ..... 50  | 10035772 ..... 42  | 10042544 ..... 33  | 10050837 ..... 46  | 10060895 ..... 99  | 10073364 ..... 57  |
| 10010133 ..... 86  | 10021706 ..... 18  | 10035773 ..... 42  | 10042545 ..... 33  | 10050840 ..... 25  | 10060896 ..... 39  | 10073365 ..... 57  |
| 10010134 ..... 95  | 10022968 ..... 85  | 10035774 ..... 43  | 10042550 ..... 32  | 10050841 ..... 25  | 10060897 ..... 40  | 10073366 ..... 57  |
| 10010148 ..... 95  | 10023042 ..... 75  | 10035881 ..... 78  | 10042552 ..... 83  | 10050842 ..... 25  | 10060898 ..... 40  | 10074160 ..... 80  |
| 10011916 ..... 96  | 10024966 ..... 81  | 10035883 ..... 109 | 10042553 ..... 84  | 10050844 ..... 68  | 10061114 ..... 46  | 10074207 ..... 79  |
| 10011917 ..... 96  | 10024968 ..... 81  | 10035929 ..... 89  | 10042554 ..... 83  | 10050846 ..... 46  | 10061115 ..... 48  | 10074208 ..... 100 |
| 10011933 ..... 76  | 10024971 ..... 81  | 10035930 ..... 89  | 10042555 ..... 94  | 10052209 ..... 40  | 10061116 ..... 48  | 10074209 ..... 36  |
| 10011939 ..... 86  | 10024983 ..... 51  | 10035965 ..... 108 | 10042565 ..... 63  | 10053569 ..... 25  | 10061117 ..... 49  | 10074211 ..... 106 |
| 10011943 ..... 86  | 10024984 ..... 107 | 10035984 ..... 79  | 10044426 ..... 95  | 10053570 ..... 25  | 10061118 ..... 49  | 10074215 ..... 65  |
| 10011976 ..... 62  | 10024992 ..... 107 | 10035988 ..... 31  | 10044427 ..... 70  | 10053571 ..... 22  | 10061119 ..... 100 | 10074263 ..... 36  |
| 10012927 ..... 89  | 10027326 ..... 39  | 10035989 ..... 30  | 10044504 ..... 79  | 10053572 ..... 32  | 10061120 ..... 100 | 10074264 ..... 36  |
| 10012932 ..... 89  | 10027331 ..... 39  | 10036002 ..... 79  | 10044505 ..... 95  | 10053573 ..... 32  | 10061251 ..... 97  | 10074280 ..... 64  |
| 10012940 ..... 76  | 10027335 ..... 39  | 10036005 ..... 79  | 10044544 ..... 94  | 10053574 ..... 54  | 10061252 ..... 97  | 10074281 ..... 64  |
| 10012942 ..... 19  | 10029134 ..... 40  | 10036107 ..... 52  | 10044545 ..... 94  | 10053586 ..... 46  | 10061284 ..... 100 | 10074282 ..... 64  |
| 10012948 ..... 95  | 10029498 ..... 112 | 10036707 ..... 43  | 10045417 ..... 41  | 10053587 ..... 46  | 10061285 ..... 100 | 10074283 ..... 64  |
| 10014238 ..... 51  | 10029516 ..... 113 | 10036708 ..... 43  | 10045418 ..... 30  | 10053612 ..... 49  | 10061286 ..... 46  | 10074284 ..... 99  |
| 10014241 ..... 51  | 10029518 ..... 105 | 10038282 ..... 28  | 10046860 ..... 39  | 10053613 ..... 49  | 10063828 ..... 66  | 10074285 ..... 99  |
| 10015191 ..... 107 | 10031474 ..... 81  | 10038283 ..... 29  | 10046861 ..... 39  | 10053614 ..... 48  | 10063832 ..... 101 | 10074286 ..... 79  |
| 10015196 ..... 107 | 10031483 ..... 81  | 10038316 ..... 81  | 10046876 ..... 45  | 10053615 ..... 48  | 10063833 ..... 96  | 10074287 ..... 106 |
| 10016253 ..... 72  | 10031591 ..... 21  | 10038320 ..... 81  | 10046877 ..... 45  | 10053616 ..... 105 | 10063850 ..... 45  | 10074288 ..... 100 |
| 10016265 ..... 84  | 10031659 ..... 21  | 10038323 ..... 81  | 10046879 ..... 69  | 10053617 ..... 91  | 10063851 ..... 47  | 10074290 ..... 100 |
| 10016379 ..... 102 | 10031663 ..... 111 | 10038324 ..... 108 | 10046880 ..... 69  | 10053619 ..... 68  | 10063852 ..... 26  | 10074291 ..... 100 |
| 10017170 ..... 82  | 10031664 ..... 112 | 10038373 ..... 22  | 10046929 ..... 94  | 10053644 ..... 76  | 10063853 ..... 26  | 10074292 ..... 36  |
| 10017174 ..... 84  | 10032608 ..... 39  | 10038922 ..... 78  | 10046931 ..... 80  | 10053717 ..... 49  | 10063855 ..... 101 |                    |
| 10017175 ..... 83  | 10032609 ..... 39  | 10038923 ..... 78  | 10047025 ..... 69  | 10053718 ..... 49  | 10063856 ..... 101 |                    |



# ARIAT®

## WORK



## Know your stuff?

*Here's how to become an Ariat expert.*

- Explore the Ariat story and TRAIN on technology of featured products.
- Play Edu-Games and earn an **EMPLOYEE PURCHASE DISCOUNT** off suggested retail.
- **POST SOCIAL CONTENT** and make **PRODUCT RECOMMENDATIONS**.
- **Build your expertise!**

*Expert:* A person whose passion, experience and knowledge make them a trusted source for advice and inspiration.

### How do I log on?

Go to [www.Expertvoice.com](http://www.Expertvoice.com) or download the **ExpertVoice app**. Click the Sign Up button, and follow the prompts to get your login and password. Your Member ID will be your email address, as that is an ID that is unique to you! Group code is not necessary. Once you have entered your email, first name, and last name you will continue by clicking on "Join Now".

### What if my store isn't loaded into the system?

Please call 1-866-376-4685 if for some reason your store is not already in the system and the ExpertVoice team will help get you set up.

### What is choosing my area of expertise?

Choosing different topics that apply to your daily life. You do not have to choose all 6 but should if there are 6 different topics that apply towards you.

### Is adding an affiliation important?

**ABSOLUTELY!** This is the most important step in the sign-up process! Adding an affiliation is the only way to get access to brands. Your affiliation should be your current place of employment. You will search the name of the business such as Boot Barn or Cavender's. Your next step you will need to choose the correct store location. Type in the address to your location then click on "This is my location" on the map provided.

### Questions about your purchase?

Ariat can help! [Retail.Partners@Ariat.com](mailto:Retail.Partners@Ariat.com)





#### **ARIAT INTERNATIONAL, INC.**

1500 Alvarado Street, Suite 100  
San Leandro CA 94577  
Phone: 510-477-7000  
Toll Free: 800-899-8141  
Fax: 510-477-6900  
Email: [info@ariat.com](mailto:info@ariat.com)

#### **ARIAT.COM**

#### **ARIATWORK.COM**

#### **B2B.ARIAT.COM**

For more information on sales  
associate training of Ariat  
product and technologies,  
contact your sales  
representative.

#### **EUROPEAN ECONOMIC AREA**

Ariat EU B.V.  
Baxter Building B.V.  
Muiderstraat 1, 1011 PZ  
Amsterdam, Netherlands  
Phone: +44 1367 242818  
Email: [info.ae@ariat.com](mailto:info.ae@ariat.com)

#### **UNITED KINGDOM**

Ariat Europe Limited  
Princes Manor Barn  
Reading Road  
Harwell  
Oxfordshire  
OX11 0LU, England  
Phone: +44 1367 242818  
Email: [info.ae@ariat.com](mailto:info.ae@ariat.com)

#### **AUSTRALIA / NEW ZEALAND**

Just Country Australia  
P.O. Box 211  
Acacia Ridge QLD 4110  
Australia  
Phone: +617 3711 8000  
Fax: +617 3711 8080  
Email: [sales@justcountry.com.au](mailto:sales@justcountry.com.au),  
[info@ariat.com.au](mailto:info@ariat.com.au)  
Web: [ariat.com.au](http://ariat.com.au)

#### **LATIN AMERICA**

Nelson H. Aquino  
Email: [nelson.aquino@ariat.com](mailto:nelson.aquino@ariat.com)

#### **MEXICO**

Grupo Quince 22 S.A. de C.V.  
Carretera Guadalajara- Tepic  
4935 Nave 43  
Col. San Juan De Ocotan  
C.P. 45203  
Zapopan, Jalisco, Mexico  
Phone: +52 3316527504  
Email: [buyer@1522.mx](mailto:buyer@1522.mx)

#### **PERU**

Electro Ferro Centro (EFC)  
Av. Republica de Panamá 5364  
Surquillo, Lima, Perú  
Phone: +51 946439771  
Email: [Efc.shop@efc.com.pe](mailto:Efc.shop@efc.com.pe)  
Web: [efc.com.pe](http://efc.com.pe)